Patent 030591.0010.CIP1

Box Patent Application To: Commissioner for Patents Washington, D.C. 20231

CONTINUATION-IN-PART APPLICATION

TRANSMITTAL





Transmitted herewith for filing is a Continuation-in-Part of International Application No. PCT/US99/07333 which claims the benefit of U.S. Application No. 60/080,671, Filed April 3, 1998.

Thomas Stormann, Lance G. Hammerland, Laura L. Storjohann, James Inventor(s): G. Busby, James E. Garrett, Rachel T. Simin

G-PROTEIN FUSION RECEPTORS AND CHIMERIC GABAB Title: RECEPTORS

PAPERS ENCLOSED HEREWITH FOR FILING UNDER 37 CFR § 1.53(b): I.

	33	Page(s) of Written Description			
	7	Page(s) Claims			
	1	Page(s) Abstract			
	102	Other: Sequence Listing			
	<u>116</u>	Sheets of Drawings Informal X Formal			
II.	ADDI	TIONAL PAPERS ENCLOSED IN CONNECTION WITH THIS FILING:			
		Declaration			
		Power of Attorney: Separate or Combined with Declaration			
		Assignment to and assignment cover sheet			
CERTIFICATE OF MAILING					
(37 C.F.R. §1.10)					

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as 'Express Mail Post Office To Addressee' in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231.

EL 675944098 US	Gretchen Dieckmann
Express Mail Label No.	Name of Person Mailing Paper
October 3, 2000	Exetche Deckmann
Date of Deposit	Signature of Person Mailing Paper

	A check in the amount of \$	
	This application is being filed	d without fee or Declaration under 37 CFR § 1.53.
		Respectfully submitted,
		BROBECK, PHLEGER & HARRISON LLP
	Dated:	D 0/01 (9
And any for the first of the state of the st	October 3, 2000	By: Douglas C. Murdock Reg. No. 37,549
	12390 El Camino Real San Diego, CA 92130 Telephone: (858) 720-2500 Facsimile: (858) 720-2555	

METHOD OF PAYMENT OF FEES

IV.

CONTINUATION-IN-PART APPLICATION

UNDER 37 CFR § 1.53(B)

TITLE:

G-PROTEIN FUSION RECEPTORS AND

CHIMERIC GABAB RECEPTORS

APPLICANT(S):

Thomas Stormann, Lance G. Hammerland, Laura L.

Storjohann, James G. Busby, James E. Garrett,

Rachel T. Simin

Correspondence Enclosed:

Continuation-in-Part Transmittal (3 pgs); Cover Sheet (1pg); Description (33 pgs); Claims (7 pgs); Abstract (1 pg); Sequence Listing (102 pgs); Figures (116); and

Postcard

"EXPRESS MAIL" Mailing Label Number <u>EL675944098US</u> Date of Deposit <u>October 3</u>, <u>2000</u> I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Gretchen Dieckmann

10

15

20

25

30

G-PROTEIN FUSION RECEPTORS AND CHIMERIC GABAB RECEPTORS

RELATED APPLICATIONS

The present application is a continuation in part of PCT/US99/07333 which claims priority to Garrett *et al.* U.S. Serial No. 60/080,671, filed April 3, 1998, which is hereby incorporated by reference herein in its entirety including the drawings.

FIELD OF THE INVENTION

The present invention relates to a G-protein fusion receptors, chimeric $GABA_B$ (γ -aminobutyric acid) receptors, nucleic acid encoding such receptors, and uses of such receptors and nucleic acid encoding such receptors.

BACKGROUND

The references cited herein are not admitted to be prior art to the claimed invention.

Chimeric receptors made up of peptide segments from different receptors have different uses such as being used to assess the functions of different sequence regions and to assess the activity of different compounds at a particular receptor. Examples of using chimeric receptors to assess the activity of different compounds are provided by Dull *et al.*, U.S. Patent No. 4,859,609, Dull *et al.*, U.S. Patent No. 5,030,576, and Fuller *et al.*, U.S. Patent No. 5,981,195.

Dull *et al.* U.S. Patent No. 4,859,609, and Dull *et al.* U.S. Patent No. 5,030,576, indicate the production and use of chimeric receptors comprising a ligand binding domain of a predetermined receptor and a heterologous reporter polypeptide. The Dull *et al.* patents provide as examples of chimerics: (1) a chimeric receptor made up of the insulin receptor extracellular chain, and the EGF receptor transmembrane and cytoplasmic domains without any HIR B-chain sequence; and (2) a hybrid receptor made up of the verB oncogene product intracellular domain fused to the EGF receptor extracellular and transmembrane domains.

Fuller *et al.* International Publication No. WO 97/05252 feature chimeric receptors made up of metabotropic glutamate receptor (mGluR) domains and calcium receptor

(CaR) domains. The chimeric receptors allow the coupling of functional aspects of a mGluR with a CaR.

An example of the use of chimeric receptors to assess the functions of different sequence regions receptors are found in studies identifying regions of different guanine nucleotide-binding protein coupled receptors important for guanine nucleotide-binding protein coupling. (See, Kobilka *et al.*, *Science 240*:1310-1316, 1988; Wess *et al.*, *FEBS Lett. 258*:133-136, 1989; Cotecchia *et al.*, *Proc. Natl. Acad. Sci. USA 87*:2896-2900, 1990; Lechleiter *et al.*, *EMBO J. 9*:4381-4390, 1990; Wess *et al.*, *Mol. Pharmacol. 38*:517-523, 1990; and Pin *et al.*, *EMBO J. 13*:342-348, 1994.)

10

15

20

25

30

5

SUMMARY OF THE INVENTION

The present invention features G-protein fusion receptors and chimeric GABA_B receptors (GABA_BRs), nucleic acid encoding such receptors, and the use of such receptors and nucleic acid. G-protein fusion receptors comprise at least one domain from a CaR, a mGluR, and/or a GABA_B receptor fused directly or through a linker to a guanine nucleotide-binding protein (G-protein). Chimeric GABA_BRs comprise at least one of a GABA_BR extracellular domain, a GABA_BR transmembrane domain, or a GABA_BR intracellular domain and one or more domains from a mGluR subtype 8 (mGluR8) and/or a CaR.

G-proteins are peripheral membrane proteins made up of an subunit, a subunit, and a subunit. G-proteins interconvert between a GDP bound and a GTP bound form. Different types of G-proteins can affect different enzymes, such as adenylate cyclase and phospholipase-C.

Thus, a first aspect of the present invention describes a G-protein fusion receptor comprising:

an extracellular domain comprising an amino acid sequence substantially similar to either an extracellular CaR amino acid sequence, an extracellular mGluR amino acid sequence, or an extracellular GABA_B receptor amino acid sequence;

a transmembrane domain joined to the carboxy terminus of said extracellular domain, said transmembrane domain comprising a transmembrane domain amino acid sequence substantially similar to either a transmembrane CaR amino acid sequence, a transmembrane mGluR amino acid sequence, or a transmembrane GABA_B receptor amino acid sequence;

10

15

20

25

30

an intracellular domain joined to the carboxy terminus of said transmembrane domain comprising all or a portion of an intracellular amino acid sequence substantially similar to either an intracellular CaR amino acid sequence, an intracellular mGluR amino acid sequence, or an intracellular GABA_B receptor amino acid sequence, provided that said portion is at least about 10 amino acids;

an optionally present linker joined to the carboxy terminus of said intracellular domain, where said optionally present linker is a polypeptide 3 to 30 amino acids in length, wherein said amino acids of the optionally present linker are selected from the group consisting of alanine, proline, serine, and glycine; and

a G-protein joined either to said intracellular domain or to said optionally present linker, provided that said G-protein is joined to said optionally present linker when said optionally present linker is present.

"Substantially similar" refers to at least 40% sequence similarity between respective polypeptide regions making up a domain. In preferred embodiments, substantially similar refers to at least 50%, at least 75%, at least 90%, at least 95% sequence similarity, or 100% (the same sequence), between polypeptide domains. The degree to which two polypeptide domains are substantially similar is determined by comparing the amino acid sequences located in corresponding domains. Sequence similarity is preferably determined using BLASTN (Altschul *et al.*, *J. Mol. Biol. 215:*403-410, 1990).

The different receptor components of the G-protein receptor can come from the same receptor protein or from a chimeric receptor made up of different receptor domains. By swapping different domains compounds able to effect different domains of a particular receptor can be identified and the activity of different compounds at different domains can be measured.

In different embodiments the CaR region(s) present in the G-protein fusion are substantially similar to, comprise, or consist of portion(s) of a mammalian CaR, preferably the human CaR; mGluR region(s) present in the G-protein fusion are substantially similar to, comprise, or consist of portion(s) of a mammalian mGluR, preferably a human mGluR; and GABA_BR region(s) present in the G-protein fusion are substantially similar to, comprise, or consist of portion(s) of a mammalian GABA_BR, preferably a human GABA_BR.

10

15

20

25

30

In preferred embodiments concerning GABA_BR regions that are present: the GABA_BR extracellular domain is substantially similar to a GABA_BR extracellular domain provided in SEQ. ID. NOs. 2-4; the GABA_BR transmembrane domain is substantially similar to the GABA_BR transmembrane domain provided in SEQ. ID. NOs. 7-9; and the GABA_BR intracellular domain is substantially similar to a GABA_BR intracellular domain provided in SEQ. ID. NOs. 12-14.

In preferred embodiments concerning CaR regions that are present: the CaR extracellular domain is substantially similar to the CaR extracellular provided in SEQ. ID. NO. 1; the CaR transmembrane domain is substantially similar to the CaR transmembrane domain provided in SEQ. ID. NO. 6; and the CaR intracellular domain is substantially similar to the CaR intracellular domain such as that provided in SEQ. ID. NO. 11.

Various different mGluR subtypes present in different organisms, including humans, are described in different patent publications as follows: mGluR $_1$ - WO 94/29449, EP 569 240 A1, WO 92/10583 and U.S. Patent No. 5,385,831; mGluR $_2$ - WO 94/29449, WO 96/06167, and EP 711 832 A2; mGluR $_3$ - WO 94/29449, and WO 95/22609; mGluR $_4$ - WO 95/08627, WO 95/22609, and WO 96/29404; mGluR $_5$ - WO 94/29449; mGluR $_6$ - WO 95/08627; mGluR $_7$ - U.S. Patent No. 5,831,047, WO 95/08627 and WO 96/29404; and mGluR $_8$ - U.S. Patent Nos. 6,051,688, 6,077,675, 6,084,084 and EP 816 498 A2. (Each of these references are hereby incorporated by reference herein.)

In preferred embodiments concerning mGluR regions that are present: the mGluR extracellular domain is substantially similar to either human mGluR 1, human mGluR 2, human mGluR 3, human mGluR 4, human mGluR 5, human mGluR 6, human mGluR 7, or human mGluR 8; the mGluR transmembrane domain is substantially similar to either human mGluR 1, human mGluR 2, human mGluR 3, human mGluR 4, human mGluR 5, human mGluR 6, human mGluR 7, or human mGluR 8; and the mGluR intracellular domain is substantially similar to either human mGluR 1, human mGluR 2, human mGluR 3, human mGluR 4, human mGluR 5, human mGluR 6, human mGluR 7, or human mGluR 8. Preferred embodiments also include any mGluR splice variant.

In preferred embodiments concerning the optionally present linker, said optionally present linker is a polypeptide 3 to 30 amino acids in length, wherein said amino acids of the optionally present linker are selected from the group consisting of alanine, proline, serine, and glycine; and more preferably, the optionally present linker is comprised of alanine amino acids.

10

15

20

25

30

Another aspect of the present invention describes a recombinant cell comprising an expression vector encoding for a G-protein fusion receptor, and a cell where the G-protein fusion receptor is expressed. Preferably, the G-protein fusion receptor is functional in the cell.

Another aspect of the present invention describes a recombinant cell produced by combining (a) a cell where a G-protein fusion receptor is expressed, and (b) a vector comprising nucleic acid encoding a G-protein fusion receptor and elements for introducing heterologous nucleic acid into the cell. Preferably, the G-protein fusion receptor is functional in the cell.

Another aspect of the present invention describes a process for the production of a G-protein fusion receptor. The process is performed by growing host cells comprising a G-protein fusion receptor.

Another aspect of the present invention describes a method of measuring the ability of a compound to affect G-protein fusion receptor activity.

Another aspect of the present invention describes a chimeric GABA_BR comprising an extracellular domain, a transmembrane domain and an intracellular domain, wherein at least one domain is from a GABA_BR and at least one domain is from CaR or mGluR8. The extracellular domain comprises an amino acid sequence substantially similar to a CaR extracellular domain (SEQ. ID. NO. 1), a GABA_BR1a extracellular domain (SEQ. ID. NO. 2), a GABA_BR1b extracellular domain (SEQ. ID. NO. 3), a GABA_BR2 extracellular domain (SEQ. ID. NO. 4), or a mGluR8 extracellular domain (SEQ. ID. NO. 5).

The transmembrane domain comprises an amino acid sequence substantially similar to a CaR transmembrane domain (SEQ. ID. NO. 6), a GABA_BR1a transmembrane domain (SEQ. ID. NO. 7), a GABA_BR1b transmembrane domain (SEQ. ID. NO. 8), a GABA_BR2 transmembrane domain (SEQ. ID. NO. 9), or a mGluR8 transmembrane domain (SEQ. ID. NO. 10).

The intracellular domain comprises an amino acid sequence substantially similar to a CaR intracellular domain (SEQ. ID. NO. 11), a GABA_BR1a intracellular domain (SEQ. ID. NO. 12), a GABA_BR1b intracellular domain (SEQ. ID. NO. 13), a GABA_BR2 intracellular domain (SEQ. ID. NO. 14), or a mGluR8 intracellular domain (SEQ. ID. NO. 15).

10

15

20

25

Preferred chimeric GABA_BRs contain at least one mGluR8 intracellular, transmembrane or extracellular domain, or at least one CaR intracellular, transmembrane or extracellular domain. More preferably, the chimeric GABA_BR contains at least one CaR domain.

In preferred embodiments concerning mGluR8 regions that are present: the mGluR8 extracellular domain is substantially similar to the mGluR8 extracellular domain provided in SEQ. ID. NO. 5; the mGluR8 transmembrane domain is substantially similar to the mGluR8 transmembrane domain provided in SEQ. ID. NO. 10; and the mGluR8 intracellular domain is substantially similar to the mGluR8 receptor intracellular provided in SEQ. ID. NO. 15.

Preferably, the domains are functionally coupled such that a signal from the binding of an extracellular ligand is transduced to the intracellular domain when the chimeric receptor is present in a suitable host cell. A suitable host cell contains the elements for functional signal transduction for receptors coupled to a G-protein.

Another aspect of the present invention describes a nucleic acid comprising a nucleotide sequence encoding for a chimeric GABA_BR.

Another aspect of the present invention describes a recombinant cell comprising an expression vector encoding for a chimeric $GABA_BR$, and a cell where the chimeric $GABA_BR$ is expressed. Preferably, the chimeric $GABA_BR$ is functional in the cell.

Another aspect of the present invention describes a recombinant cell produced by combining (a) a cell where a chimeric GABA_BR is expressed, and (b) a vector comprising nucleic acid encoding the chimeric GABA_BR and elements for introducing heterologous nucleic acid into the cell. Preferably, the chimeric GABA_BR is functional in the cell.

Another aspect of the present invention describes a process for the production of a chimeric receptor. The process is performed by growing host cells comprising a chimeric GABA_BR.

Another aspect of the present invention describes a method of measuring the ability of a compound to affect GABA_BR or mGluR activity. The method is performed by measuring the ability of a compound to affect chimeric GABA_BR or mGluR activity.

Another aspect of the present invention describes a fusion receptor polypeptide comprising a receptor and a G-protein α subunit, wherein said G-protein α subunit is fused to the intracellular domain of said receptor, provided that the receptor is not an adrenoreceptor.

30

Various examples are described herein. These examples are not intended in any way to limit the claimed invention.

Other features and advantages of the invention will be apparent from the following drawings, the description of the invention, the examples, and the claims.

5

10

15

20

25

30

BRIEF DESCRIPTION OF DRAWINGS

Figures 1a-1d illustrate the amino acid sequences of a human CaR extracellular domain (SEQ. ID. NO. 1), a human GABA_BR1a extracellular domain (SEQ. ID. NO. 2), a human GABA_BR1b extracellular domain (SEQ. ID. NO. 3), a human GABA_BR2 extracellular domain (SEQ. ID. NO. 4), and a human mGluR8 extracellular domain (SEQ. ID. NO. 5).

Figures 2a-2b illustrate the amino acid sequences of a human CaR transmembrane domain (SEQ. ID. NO. 6), a human GABA_BR1a transmembrane domain (SEQ. ID. NO. 7), a human GABA_BR1b transmembrane domain (SEQ. ID. NO. 8), a human GABA_BR2 transmembrane domain (SEQ. ID. NO. 9), and a human mGluR8 transmembrane domain (SEQ. ID. NO. 10).

Figures 3a-3b illustrate the amino acid sequences of a human CaR intracellular domain (SEQ. ID. NO. 11), a human GABA_BR1a intracellular domain (SEQ. ID. NO. 12), a human GABA_BR1b intracellular domain (SEQ. ID. NO. 13), a human GABA_BR2 intracellular domain (SEQ. ID. NO. 14), and a human mGluR8 intracellular domain (SEQ. ID. NO. 15).

Figures 4a-4b illustrate the amino acid sequence of G $_{15}$ (SEQ. ID. NO. 16) and G $_{16}$ (SEQ. ID. NO. 17).

Figures 5a-5r illustrate the cDNA sequences encoding for human CaR (SEQ. ID. NO. 18), human GABA_BR1a (SEQ. ID. NO. 19), human GABA_BR1b (SEQ. ID. NO. 20), and human GABA_BR2 (SEQ. ID. NO. 21).

Figures 6a-6h illustrate the cDNA sequence for rat GABA_BR1a (SEQ. ID. NO. 22) and rat GABA_BR1b (SEQ. ID. NO. 23).

Figures 7a-7c illustrate the amino sequence for rat GABA_BR1a (SEQ. ID. NO. 24) and rat GABA_BR1b (SEQ. ID. NO. 25).

Figure 8 illustrates the ability of a chimeric CaR/GABA_BR2 (CaR extracellular and transmembrane domains, and intracellular GABA_BR2 domain) to transduce a signal. Signal production was measured by detecting an increase in the calcium-activated

10

15

20

25

chloride current. The line in the middle of the increase signifies a wash step.

Figures 9a-9p illustrate the cDNA sequence for human mGluR2 (SEQ. ID. NO. 26), chimeric hCAR/hmGluR2 (SEQ. ID. NO. 30), chimeric hmGluR2/hCaR (SEQ. ID. NO. 34), and chimeric hmGluR8/hCaR (SEQ. ID. NO. 38).

Figures 10a-10f illustrate the amino acid sequence for human mGluR2 (SEQ. ID. NO. 27), chimeric hCAR/hmGluR2 (SEQ. ID. NO. 31), chimeric hmGluR2/hCaR (SEQ. ID. NO. 35), chimeric hmGluR8/hCaR (SEQ. ID. NO. 39).

Figures 11a-11v illustrate the cDNA sequence for the phCaR/hmGluR2*Gqi5 fusion construct (SEQ. ID. NO. 32), pmGluR2//CaR*G qi5 fusion construct (SEQ. ID. NO. 36), pmGluR2//CaR*G qi5+3Ala linker fusion construct (SEQ. ID. NO. 46), and the mGluR8//CaR*G qi5 fusion construct (SEQ. ID. NO. 40).

Figures 12a-12h illustrate the amino acid sequence for the phCaR/hmGluR2*Gqi5 fusion construct (SEQ. ID. NO. 33), pmGluR2//CaR*G qi5 fusion construct (SEQ. ID. NO. 37), pmGluR2//CaR*G qi5+3Ala linker fusion construct (SEQ. ID. NO. 47), and the mGluR8//CaR*G qi5 fusion construct (SEQ. ID. NO. 41).

Figures 13a-13m illustrate the cDNA sequence for the GABA-R2*Gqo5 fusion construct (SEQ. ID. NO. 42) and the GABA-BR1a*Gqo5 fusion construct (SEQ. ID. NO. 44).

Figures 14a-14e illustrates the amino acid sequence for the GABA-BR2*Gqo5 fusion construct (SEQ. ID. NO. 43) and the GABA-BR1a*Gqo5 fusion construct (SEQ. ID. NO. 45).

Figure 15 illustrates the ability of different G-protein fusions to transduce signal resulting from ligand binding. mGluR2//CaR*Gqi5 is shown by SEQ. ID. NO. 37, CaR/mGluR2*Gqi5 is shown by SEQ. ID. NO. 33, mGluR8//CaR*Gqi5 is shown by SEQ. ID. NO. 41.

Figures 16a-16e illustrates the amino acid sequence for the ph8SPmGluR4 chimeric construct (SEQ. ID. NO.48), the amino acid sequence for the phmGluR4//CaR*AAA*G α_q i5 fusion construct (SEQ. ID. NO. 49), and the phmGluR8//CaR*AAA*G α_q i5 fusion construct (SEQ. ID. NO. 50).

10

15

25

The CaR, mGluR, and the GABA_BR are structurally similar in that they are each a single subunit membrane protein possessing an extracellular domain, a transmembrane domain comprising seven putative membrane spanning helices connected by three intracellular and three extracellular loops, and an intracellular carboxy-terminal domain. Signal transduction is activated by the extracellular binding of an agonist. The signal is transduced to the intracellular components of the receptor causing an intracellular effect.

Signal transduction from agonist binding to an extracellular region can be modulated by compounds acting at a downstream transmembrane domain or the intracellular domain. Downstream effects include antagonist actions of compounds and allosteric actions of compounds.

The transmembrane domain provides different types of target sites for compounds modulating receptor activity in different environments. As noted above, the transmembrane domain contains extracellular, transmembrane, and intracellular components.

Compounds modulating GABABR, CaR, or mGluR activity can be obtained, for example, by screening a group or library of compounds to identify those compounds having the desired activity and then synthesizing such compound. Thus, included in the present invention is a method of making a GABA_BR, CaR, or mGluR active compound by first screening for a compound having desired properties and then chemically synthesizing that compound.

Metabotropic Glutamate Receptors (mGluRs)

mGluRs are G protein-coupled receptors capable of activating a variety of intracellular secondary messenger systems following the binding of glutamate (Schoepp et al., Trends Pharmacol. Sci. 11:508, 1990; Schoepp and Conn, Trends Pharmacol. Sci. 14:13, 1993, hereby incorporated by reference herein).

Activation of different mGluR subtypes in situ elicits one or more of the following responses: activation of phospholipase C, increases in phosphoinositide (PI) hydrolysis, intracellular calcium release, activation of phospholipase D, activation or inhibition of adenylyl cyclase, increases and decreases in the formation of cyclic adenosine monophosphate (cAMP), activation of guanylyl cyclase, increases in the formation of cyclic guanosine monophosphate (cGMP), activation of phospholipase A2, increases in arachidonic acid release, and increases or decreases in the activity of voltage- and ligand-

10

15

20

25

30

gated ion channels (Schoepp and Conn, *Trends Pharmacol. Sci.* 14:13, 1993; Schoepp, *Neurochem. Int.* 24:439, 1994; Pin and Duvoisin, *Neuropharmacology* 34:1, 1995, hereby incorporated by reference herein).

Eight distinct mGluR subtypes have been isolated. (Nakanishi, *Neuron* 13:1031, 1994; Pin and Duvoisin, *Neuropharmacology* 34:1, 1995; Knopfel et al., *J. Med. Chem.* 38:1417; *Eur. J. Neuroscience* 7:622-629, 1995, each of these references is hereby incorporated by reference herein.) The different mGluRs possess a large amino-terminal extracellular domain (ECD) followed by a seven putative transmembrane domain (7TMD) comprising seven putative membrane spanning helices connected by three intracellular and three extracellular loops, and an intracellular carboxy-terminal domain of variable length (cytoplasmic tail).

Human mGluR8 is described by Stormann *et al.*, U.S. Patent Nos. 6,051,688, 6,077,675, and 6,084,084, and mouse mGluR8 is described by *Duvoisin et al.*, *J. Neurosci.* 15:3075-3083, 1995, (both of these references are hereby incorporated by reference herein). mGluR8 couples to G_i. Agonists of mGluR8 include L-glutamate and L-2-amino-4-phosphonobutyrate.

mGluR8 activity can be measured using standard techniques. For example, G_i negatively couples to adenylate cyclase to inhibit intracellular cAMP accumulation in a pertussis toxin-sensitive fashion. Thus, mGluR8 activity can be measured, for example, by measuring inhibition of forskolin-stimulated cAMP production as described by *Duvoisin et al.*, *J. Neurosci.* 15:3075-3083, 1995.

mGluRs have been implicated in a variety of neurological pathologies. Examples of such pathologies include stroke, head trauma, spinal cord injury, epilepsy, ischemia, hypoglycemia, anoxia, and neurodegenerative diseases such as Alzheimer's disease (Schoepp and Conn, *Trends Pharmacol. Sci. 14*:13, 1993; Cunningham *et al.*, *Life Sci.* 54: 135, 1994; Pin et al., *Neuropharmacology* 34:1, 1995; Knopfel et al., *J. Med. Chem.* 38:1417, 1995, each of which is hereby incorporated by reference herein).

Calcium Receptor

The CaR responds to changes of extracellular calcium concentration and also responds to other divalent and trivalent cations. The CaR is a G-protein coupled receptor containing an extracellular Ca²⁺ binding domain. Activation of the CaR, descriptions of CaRs isolated from different sources, and examples of CaR active compound are provided

10

15

20

25

in Nemeth *NIPS 10*:1-5, 1995, Brown *et al.* U.S. Patent No. 5,688,938, Van Wagenen *et al.*, International Application Number PCT/US97/05558 International Publication Number WO 97/37967, Brown E.M. et al., *Nature* 366:575, 1993, Riccardi D., et al., *Proc. Nat'l. Acad. Sci. USA* 92:131-135, 1995, and Garrett J.E., et al., *J. Biol. Chem.* 31:12919-12925, 1995. (Each of these references are hereby incorporated by reference herein.) Brown *et al.* U.S. Patent No. 5,688,938 and Van Wagenen *et al.*, International Application Number PCT/US97/05558 International Publication Number WO 97/37967, describe different types of compounds active at the CaR including compounds which appear to be allosteric modulators and CaR antagonists.

The CaR can be targeted to achieve therapeutic effects. Examples of target diseases are provided in Brown *et al.* U.S. Patent No. 5,688,938, and Van Wagenen *et al.*, International Application Number PCT/US97/05558 International Publication Number WO 97/37967, and include hyperparathyroidism and osteoporosis.

γ-Aminobutyric acid Receptors (GABA_BRs)

GABA_BRs are G-protein coupled metabotropic receptors. GABA_BRs modulate synaptic transmission by inhibiting presynaptic transmitter release and by increasing K⁺ conductance responsible for long-lasting inhibitory postsynaptic potentials. (*See*, Kaupmann *et al.*, *Nature 386*:239-246, 1997, hereby incorporated by reference herein.)

GABA_BRs are found in the mammalian brain, in locations outside of the brain, and in lower species. Outside of the brain, GABA_BRs have been identified on axon terminals and ganglion cell bodies of the autonomic nervous system, on fallopian tube and uterine intestinal smooth muscle cells, in the kidney cortex, urinary bladder muscle and on testicular interstitial cells. (*See*, Bowery, *Annu. Rev. Pharmacol. Toxicol. 33*:109-147, 1993, hereby incorporated by reference herein.)

Different GABA_BRs subtypes exist. Kaupmann *et al.*, *Nature 386*:239-246, 1997, indicate that they cloned GABA_BRs. Nucleic acid encoding two GABA_BR proteins were indicated to be cloned from rat brain: GABA_BR1a and GABA_BR1b. GABA_BR1a differs from GABA_BR1b in that the N-terminal 147 residues are replaced by 18 amino acids. GABA_BR1a and GABA_BR1b appear to be splice variants. The cloned GABA_BRs were indicated to negatively couple adenylyl cyclases and show sequence similarity to the metabotropic receptors for L-glutamate (mGluR). Northern blot analysis indicated that

10

15

20

25

30

GABA_BR1a and GABA_BR1b is present in brain and testis, but not in kidney, skeletal muscle, liver, lung, spleen, or heart.

Kaupmann *et al.*, International Application Number PCT/EP97/01370, International Publication Number WO 97/46675, indicate that they have obtained rat GABA_BR clones, GABA_BR1a and GABA_BR1b; and humans GABA_BR clones, GABA_BR1a/b (representing a partial receptor clone) and GABA_BR1b (representing a full-length receptor clone). Amino acid sequence information, and encoding cDNA sequence information, is provided for the different GABA_BR clones.

Another GABA_BR subtype is GABA_BR2. Northern blot analysis reveals than an approximately 6.3 Kb human GABA_BR2 transcript is abundantly expressed in the human brain. Expression is not detected in the heart, placenta, lung, liver, skeletal muscle, kidney and pancreas under conditions where GABA_BR2 transcript was identified in the human brain. Within the human brain GABA_BR2 is broadly expressed at variable levels.

GABA_BR functions as a heterodimer of the subunits GABA_BR1 or GABA_BR2. (Jones *et al. Nature 396*:674-679, 1998, hereby incorporated by reference herein.)

GABA_BRs have been targeted to achieve therapeutic effects. Kerr and Ong, DDT 1:371-380, 1996, describe different compounds indicated to be GABA_BR agonists and GABA_BR antagonists. Kerr and Ong also review therapeutic implications of affecting GABA_BR activity including, spasticity and motor control, analgesia, epilepsy, cognitive effects, psychiatric disorders, alcohol dependence and withdrawal, feeding behavior, cardiovascular and respiratory functions, and peripheral functions.

Bittiger *et al.*, *Tips 4*:391-394, 1993, review therapeutic applications of GABA_BR antagonists. Potential therapeutic applications noted by Bittiger *et al.* include cognitive processes, epilepsy, and depression.

G-Protein Fusion Receptors

Examples of some different types of G-protein fusion receptors, and advantages of some receptors, are provided below. Using the present application as guide additional G-protein receptors fusion can be constructed.

G-protein fusion receptors contain an intracellular domain of a receptor fused to a G-protein subunit (G). G fusions to adrenoreceptors have been reported by Bertin et al., Receptors and Channels 5:41-51, 1997; Wise and Milligan, Journal of Biological Chemistry 39:24673-24678, 1997; and Bertin et al., Proc. Natl. Acad. Sci. USA 91:8827-

10

15

20

25

30

8831, 1994 (each of which are hereby incorporated by reference herein). These studies were indicated to produce a functional chimeric by fusing the $_{2A}$ -adrenoreceptor to the $_{3}$ -adrenoreceptor to the $_{3}$ -adrenoreceptor to the $_{3}$ -adrenoreceptor to the $_{4}$ -adrenoreceptor to the $_{5}$ -adre

The G-protein fusion receptors described by the present invention include a G-protein fused to an intracellular domain, where the intracellular domain when present in a wild type receptor does not interact with that type of G-protein. Thus, the present invention also describes swapping of signals by fusing an intracellular domain to a G normally not coupled to that intracellular domain. The use of such fusion proteins, while applicable to chimeric GABA_BRs, is not limited to chimeric GABA_BRs. Indeed, such technology can be applied to receptors containing an extracellular domain, transmembrane domain and intracellular domain of a wild type receptor.

Preferred G-proteins fusion receptors contain an intracellular domain fused to a promiscuous G that couples to phospholipase C resulting in the mobilization of intracellular calcium. Increases in intracellular calcium can be conveniently measured through the use of dyes. Such techniques are well known in the art and are described, for example by Brown *et al.* U.S. Patent No. 5,688,938.

In an embodiment G-proteins fusions can also be used to decrease receptor desensitization.

Examples of promiscuous G 's coupling to phospholipase C include naturally occurring G-proteins such as G ₁₅ and G ₁₆, and chimeric G-protein such as Gqo5 and Gqi5. Gqo5 and Gqi5 are made of a Gq portion where the five amino acids at the C-terminal are from either G_o or G_i, respectively (Conklin *et al.*, *Nature 363*:274-277, 1993, hereby incorporated by reference herein). The Gq portion of such chimeric receptors provides for phospholipase C coupling while the terminal G_o or G_i portion allows the chimeric G-protein to couple to different receptor proteins that are normally involved in inhibitor effects on adenylate cyclase.

In an embodiment of the present invention the employed G-protein is from a human source or is made up of different G-protein components each from a human source.

G-proteins fusions can be created, for example, by fusing directly or indirectly the intracellular domain of a receptor protein to a polypeptide having an amino acid sequence substantially similar to G ₁₅, G ₁₆, Gqo5 or Gqi5. In different embodiments, the receptor

10

15

20

25

is fused directly or indirectly to a G-protein consisting of the amino acid sequence of G 15, G 16, Gqo5 or Gqi5.

The intracellular domain portion of a receptor protein fused directly or indirectly to a G-protein should be at least about 1 amino acid in length. In different embodiments the portion is at least about 10 amino acids, is at least about 50 amino acids, at least about 100 amino acids, or the full length of an intracellular domain.

The intracellular domain can be directly linked to a G-protein or can be indirectly linked through an optionally present linker. Optionally present linkers are preferably about 3 to about 30 amino acids in length. Preferred linkers are made up of alanine, glycine, or a combination thereof.

Chimeric Receptors

Examples of some different types of chimeric receptors, and advantages of some receptors, are provided below. Using the present application as guide additional chimeric receptors can be constructed.

Chimeric GABABR Extracellular Domain

Chimeric GABA_BRs containing a GABA_BR extracellular domain are particularly useful for studying the importance of the GABA_BR extracellular domain and assaying for compounds active at the extracellular domain. Preferably chimeric GABA_BRs containing a GABA_BR extracellular domain also contain a CaR intracellular domain.

A variety of different activities have been generally attributed to GABA_BR subtypes. (*E.g.*, Kerr and Ong, DDT 1:371-380, 1996.) Kaupmann *et al.*, *Nature* 386:239-246, 1997, report that in preliminary experiments involving GABA_BR1a they did not detect positive coupling to the adenylyl cyclase or coupling to the phospholipase effector system.

An intracellular CaR domain can be used to couple with G-proteins which activate phospholipase C and mobilize intracellular calcium. Mobilization of intracellular calcium is readily detected, for example, by fluorescent indicators of intracellular Ca²⁺.

An additional advantage of using the intracellular CaR domain is that CaR G-protein activation is not rapidly desensitized. Thus, the intracellular CaR domain can be used to produce a stronger intracellular signal than a signal produced from a receptor which is desensitized rapidity.

30

5

10

More preferably, the chimeric GABA_BR contains an intracellular CaR domain, and also contains either a CaR or a GABA_BR transmembrane domain. Advantages of using a CaR transmembrane domain include separating the effects occurring at a GABA_BR extracellular domain from effects occurring at a transmembrane domain; and providing additional intracellular elements, present on transmembrane intracellular loops, useful for coupling to G-protein.

A GABA_BR transmembrane domain is useful for examining whether the transmembrane GABA_BR can be targeted to affect GABA_BR activity, and obtaining compounds active at the GABA_BR transmembrane domain. For example, a transmembrane GABA_BR can be used to screen for transmembrane allosteric modulators and antagonists.

Chimeric GABA_BR Transmembrane Domain

Chimeric GABA_BRs containing a GABA_BR transmembrane are particularly useful for studying the importance of the GABA_BR transmembrane domain and assaying for compounds active at the transmembrane domain. Preferably Chimeric GABA_BRs containing a GABA_BR transmembrane domain contain an extracellular domain which is either mGluR8 or CaR, and an intracellular CaR domain.

More preferably, the chimeric GABA_BR contains an extracellular domain from either mGluR8 or CaR, a GABA_BR transmembrane, and an intracellular CaR domain. A chimeric GABA_BR containing extracellular mGluR8 or CaR domains can readily be stimulated using mGluR8 or CaR ligands.

Chimeric GABA_BR Intracellular Domain

Chimeric GABA_BRs containing a GABA_BR intracellular domain are particularly useful for studying the importance of the GABA_BR intracellular domain and assaying for compounds active at the intracellular domain. Preferably, the chimeric receptors contain an extracellular domain from either mGluR8 or CaR. The extracellular mGluR8 or CaR domains can readily be activated using mGluR8 or CaR ligands.

Receptor Domains

Domains of a G-protein fusion receptor, a chimeric receptor, and G, substantially similar to a particular sequence can be readily produced using the disclosure provided

10

15

20

25

herein in conjunction with information well known in the art. Substantially similar sequences can be obtained taking into account sequence information for a particular type of receptor obtained from different sources, different types of amino acids which are to some extent interchangeable, and the ease of experimentation with which functional receptor activity can be assayed.

Substantially similar sequences includes amino acid alterations such as deletions, substitutions, additions, and amino acid modifications. A "deletion" refers to the absence of one or more amino acid residue(s) in the related polypeptide. An "addition" refers to the presence of one or more amino acid residue(s) in the related polypeptide. Additions and deletions to a polypeptide may be at the amino terminus, the carboxy terminus, and/or internal. Amino acid "modification" refers to the alteration of a naturally occurring amino acid to produce a non-naturally occurring amino acid. A "substitution" refers to the replacement of one or more amino acid residue(s) by another amino acid residue(s) in the polypeptide. Derivatives can contain different combinations of alterations including more than one alteration and different types of alterations.

The sequences of polypeptides can be compared from different sources to help identify variable amino acids not essential for receptor activity. For example, Figure 7 provides the rat GABA_BR1a and GABA_BR1b amino acid sequences. The rat GABA_BR1a and GABA_BR1b amino acid sequences can be compared with the human GABA_BR1a and GABA_BR1b sequences to identify conserved and variable amino acids. Derivatives can then be produced where a variable amino acid is changed, and receptor activity can be readily tested.

Similarly, the amino acid sequences for CaR, mGluR8, and G-proteins from different sources are either known in the art or can readily be obtained. Examples of such references are provided above.

While the effect of an amino acid change varies depending upon factors such as phosphorylation, glycosylation, intra-chain linkages, tertiary structure, and the role of the amino acid in the active site or a possible allosteric site, it is generally preferred that a substituted amino acid is from the same group as the amino acid being replaced. To some extent the following groups contain amino acids which are interchangeable: the basic amino acids lysine, arginine, and histidine; the acidic amino acids aspartic and glutamic acids; the neutral polar amino acids serine, threonine, cysteine, glutamine, asparagine and, to a lesser extent, methionine; the nonpolar aliphatic amino acids glycine, alanine, valine,

5

10

isoleucine, and leucine (however, because of size, glycine and alanine are more closely related and valine, isoleucine and leucine are more closely related); and the aromatic amino acids phenylalanine, tryptophan, and tyrosine. In addition, although classified in different categories, alanine, glycine, and serine seem to be interchangeable to some extent, and cysteine additionally fits into this group, or may be classified with the polar neutral amino acids.

While proline is a nonpolar neutral amino acid, its replacement represents difficulties because of its effects on conformation. Thus, substitutions by or for proline are not preferred, except when the same or similar conformational results can be obtained. The conformation conferring properties of proline residues may be obtained if one or more of these is substituted by hydroxyproline (Hyp).

Examples of modified amino acids include the following: altered neutral nonpolar amino acids such as -amino acids of the formula $H_2N(CH_2)_nCOOH$ where n is 2-6, sarcosine (Sar), tbutylalanine (t-BuAla), t-butylglycine (t-BuGly), N-methyl isoleucine (N-MeIle), and norleucine (Nleu); altered neutral aromatic amino acids such as phenylglycine; altered polar, but neutral amino acids such as citrulline (Cit) and methionine sulfoxide (MSO); altered neutral and nonpolar amino acids such as cyclohexyl alanine (Cha); altered acidic amino acids such as cysteic acid (Cya); and altered basic amino acids such as ornithine (Orn).

Preferred derivatives have one or more amino acid alteration(s) which do not significantly affect the receptor activity of the related receptor protein. In regions of receptor domains not necessary for receptor activity, amino acids may be deleted, added or substituted with less risk of affecting activity. In regions required for receptor activity, amino acid alterations are less preferred as there is a greater risk of affecting receptor activity.

Derivatives can be produced using standard chemical techniques and recombinant nucleic acid techniques. Modifications to a specific polypeptide may be deliberate, as through site-directed mutagenesis and amino acid substitution during solid-phase synthesis, or may be accidental such as through mutations in hosts which produce the polypeptide. Polypeptides including derivatives can be obtained using standard techniques such as those described by Sambrook *et al.*, *Molecular Cloning*, Cold Spring Harbor Laboratory Press (1989). For example, Chapter 15 of Sambrook describes procedures for site-directed mutagenesis of cloned DNA.

5

10

Receptor Nucleic Acid

G-protein fusion and chimeric receptor nucleic acid can be produced based on the information provided herein along with standard recombinant nucleic acid techniques.

Examples of references describing recombinant nucleic acid techniques include

Molecular Cloning, Sambrook et al., Cold Spring Harbor Laboratory Press (1989); and

Current Protocols in Molecular Biology, Frederick et al., John Wiley & Sons, Inc. (1995).

Due to the degeneracy of the genetic code different nucleic acid sequences can encode for a particular polypeptide. Thus, a large number of nucleic acids encoding for a receptor having the same amino acid sequence can be produced.

An embodiment of the present invention uses human nucleic acid encoding for the domains from CaR, GABA_BR1A, GABA_BR1B, GABA_BR2 and/or mGluR8. The amino acid sequences of different domains is provided in Figures 1-3.

Recombinant Cells

Nucleic acid expressing a functional G-Protein fusion or a chimeric receptor can be used to create transfected cells lines expressing such receptors. Such cell lines have a variety of uses such as being used for high-throughput screening for compounds modulating receptor activity; being used to assay binding to the receptor; and as factories to produce large amounts of a receptor.

A variety of cell lines can couple exogenously expressed receptors to endogenous functional responses. Cell lines such as NIH-3T3, HeLa, NG115, CHO, HEK 293 and COS7 which are expected to lack CaR, mGluR8, and GABA $_{\rm B}$ R can be tested to confirm that they lack these receptors.

Production of stable transfectants can be accomplished by transfection of an appropriate cell line with, for example, an expression vector such as pMSG vector, in which the coding sequence for the G-protein fusion or chimeric GABA_BR cDNA has been cloned. Expression vectors containing a promoter region, such as the mouse mammary tumor virus promoter (MMTV), drive high-level transcription of cDNAs in a variety of mammalian cells. In addition, these vectors contain genes for selecting cells stably expressing cDNA of interest. The selectable marker in the pMSG vectors encode an

10

15

20

25

enzyme, xanthine-guanine phosphoribosyl transferase (XGPRT), conferring resistance to a metabolic inhibitor that is added to the culture to kill nontransfected cells.

The most effective method for transfection of eukaryotic cell lines with plasmid DNA varies with the given cell type. The expression construct will be introduced into cultured cells by the appropriate technique, such as Ca²⁺ phosphate precipitation, DEAE-dextran transfection, lipofection or electroporation. Expression of the receptor cDNA in cell lines can be assessed by solution hybridization and Northern blot analysis.

Binding Assays

The present invention also includes using G-protein fusion receptors or chimeric GABA_BR in a binding assay. G-protein fusion receptors or chimeric GABA_BRs having a particular GABA_BR domain can be used, for example to facilitate obtaining compounds able to bind to that particular receptor domain; and to determine whether a compound which binds to a particular domain. For example, in a complete chimeric GABA_BR containing extracellular, transmembrane, and intracellular domains, the presence of one or more domains from CaR or mGluR are useful to present GABA_BR domain(s) to a binding agent in a form more like the GABA_BR domain(s) in the wild type receptor compared to an incomplete GABA_BR receptor fragment lacking one or more domains.

Binding assays can be carried out using techniques well known in the art. Binding assays preferably employ radiolabeled binding agents.

An example of a binding procedure is carried out by first attaching chimeric GABA_BR to a solid-phase support to create an affinity matrix. The affinity matrix is then contacted with potential GABA_BR binding agents. A large library of compounds may be used to determine those compounds binding to the affinity matrix. Bound compounds can be eluted from the column.

Therapeutic Modulation

As pointed out above, different types of diseases and disorders can be treated using compounds modulating CaR, mGluR, or GABA_BR activity. Additionally, such compounds can be used prophylactically. Compounds modulating GABA_BR2 activity can be administered to patients who would benefit from such treatment. Patients are mammals, preferably humans.

10

15

20

25

Modulators of CaR, mGluR, or GABA_BR activity can be administered to a patient using standard techniques. Techniques and formulations generally may be found in Remington's Pharmaceutical Sciences, 18th ed., Mack Publishing Co., Easton, PA, 1990 (hereby incorporated by reference herein).

Suitable dosage forms, in part, depend upon the use or the route of entry, for example, oral, transdermal, transmucosal, or by injection (parenteral). Such dosage forms should allow the therapeutic agent to reach a target cell whether the target cell is present in a multicellular host or in culture. For example, pharmacological compounds or compositions injected into the blood stream should be soluble. Other factors are well known in the art, and include considerations such as toxicity and dosage forms which retard the therapeutic agent from exerting its effect.

Therapeutic compounds can be formulated as pharmaceutically acceptable salts and complexes thereof. Pharmaceutically acceptable salts are non-toxic salts in the amounts and concentrations at which they are administered. The preparation of such salts can facilitate the pharmacological use by altering the physical characteristics of the compound without preventing it from exerting its physiological effect. Useful alterations in physical properties include lowering the melting point to facilitate transmucosal administration and increasing the solubility to facilitate administering higher concentrations of the drug.

The pharmaceutically acceptable salt of a compound may be present as a complex. Examples of complexes include an 8-chlorotheophylline complex (analogous to, *e.g.*, dimenhydrinate:diphenhydramine 8-chlorotheophylline (1:1) complex; Dramamine) and various cyclodextrin inclusion complexes.

Pharmaceutically acceptable salts include acid addition salts such as those containing sulfate, hydrochloride, fumarate, maleate, phosphate, sulfamate, acetate, citrate, lactate, tartrate, methanesulfonate, ethanesulfonate, benzenesulfonate, *p*-toluenesulfonate, cyclohexylsulfamate and quinate.

Pharmaceutically acceptable salts can be obtained from acids such as hydrochloric acid, maleic acid, sulfuric acid, phosphoric acid, sulfamic acid, acetic acid, citric acid, lactic acid, tartaric acid, malonic acid, methanesulfonic acid, ethanesulfonic acid, benzenesulfonic acid, p-toluenesulfonic acid, cyclohexylsulfamic acid, fumaric acid, and quinic acid.

10

15

20

25

Pharmaceutically acceptable salts also include basic addition salts such as those containing benzathine, chloroprocaine, choline, diethanolamine, ethylenediamine, meglumine, procaine, aluminum, calcium, lithium, magnesium, potassium, sodium, ammonium, alkylamine, and zinc, when acidic functional groups, such as carboxylic acid or phenol are present. For example, see <u>Remington's Pharmaceutical Sciences</u>, 18th ed., Mack Publishing Co., Easton, PA, p. 1445, 1990. Such salts can be prepared using the appropriate corresponding bases.

Carriers or excipients can also be used to facilitate administration of therapeutic agents. Examples of carriers include calcium carbonate, calcium phosphate, various sugars such as lactose, glucose, or sucrose, or types of starch, cellulose derivatives, gelatin, vegetable oils, polyethylene glycols and physiologically compatible solvents. Examples of physiologically compatible solvents include sterile solutions of water for injection (WFI), saline solution and dextrose.

GABA_BR modulating compounds can be administered by different routes including intravenous, intraperitoneal, subcutaneous, intramuscular, oral, topical (transdermal), or transmucosal administration. For systemic administration, oral administration is preferred. For oral administration, for example, the compounds can be formulated into conventional oral dosage forms such as capsules, tablets, and liquid preparations such as syrups, elixirs, and concentrated drops.

Alternatively, injection (parenteral administration) may be used, *e.g.*, intramuscular, intravenous, intraperitoneal, and subcutaneous. For injection, compounds are formulated in liquid solutions, preferably, in physiologically compatible buffers or solutions, such as saline solution, Hank's solution, or Ringer's solution. In addition, the compounds may be formulated in solid form and redissolved or suspended immediately prior to use. Lyophilized forms can also be produced.

Systemic administration can be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are well known in the art, and include, for example, for transmucosal administration, bile salts and fusidic acid derivatives. In addition, detergents may be used to facilitate permeation. Transmucosal administration, for example, may be through nasal sprays, rectal suppositories, or vaginal suppositories.

For topical administration, compounds can be formulated into ointments, salves, gels, or creams, as is well known in the art.

The amounts of various GABA_BR modulating compounds to be administered can be determined by standard procedures taking into account factors such as the compound IC₅₀, EC₅₀, the biological half-life of the compound, the age, size and weight of the patient, and the disease or disorder associated with the patient. The importance of these and other factors to be considered are well known to those of ordinary skill in the art. Generally, the amount is expected to preferably be between about 0.01 and 50 mg/kg of the animal to be treated.

10

15

5

EXAMPLES

Examples are provided below illustrating different aspects and embodiments of the present invention. The examples include techniques that can be used to produce and use G-protein fusion receptors and chimeric receptors. These examples are not intended to limit the claimed invention.

Example 1: Construction of G-Protein Fusions

This example illustrates different G-protein fusion receptor_constructs and techniques used to produce different G-protein fusion receptor constructs. Numbering of nucleotide position for all the following constructs is such that nucleotide number 1 corresponds to the A of the ATG start codon of the nucleotide sequence encoding the designated protein.

I. FULL-LENGTH CONSTRUCTS

25 A. phCaR

The cDNA encoding the human CaR (Garrett et al., (1995) J. Biol. Chem.270:12919) is harbored in the Bluescript SK(-) plasmid (Stratagene). This construct is referred to as phCaR.

B. phmGluR2

A full length human mGluR2 cDNA was amplified from human cerebellum MarathonReady cDNA (Clontech) using PCR primers based on the human mGluR2 cDNA sequence (Genbank Accession # 4504136). The obtained PCR fragment was

subcloned into the pT7Blue TA vector (Novagen). A Hind III-Not I fragment containing the human mGluR2 cDNA was then subcloned into the Bluescript SKII(-) plasmid (Stratagene). This construct is referred to as phmGluR2.

<u>C. phGαq</u>

A full length human $G\alpha_q$ cDNA was amplified from human cerebral cortex Quick-Clone cDNA (Clontech) using PCR primers based on the human $G\alpha_q$ cDNA sequence (Genbank Accession # 4504044). The obtained PCR fragment was subcloned into the Bluescript SKII(-) plasmid (Stratagene). This construct is referred to as ph $G\alpha_q$.

10

5

D. phmGluR8

The cDNA encoding the full length human mGluR8 cDNA (Stormann *et al.*, U.S. Patent Nos. 6,051,688, 6,077,675, and 6,084,084) is harbored in the Bluescript SKII(-) plasmid (Stratagene). This construct is referred to as phmGluR8.

15

20

25

30

E. ph8SPmGluR4

A full length human mGluR4 cDNA was amplified from human cerebellum MarathonReady cDNA (Clontech) using PCR primers based on the human mGluR4 cDNA sequence (Genbank Accession #X80818). The obtained PCR fragment was cloned into the pT7Blue TA vector (Novagen). A 2977 bp BamHI fragment containing the human mGluR4 cDNA was then subcloned into the vector pcDNA3.1/Hygro+ (Invitrogen). This construct is referred to as phmGluR4.

Next, the predicted signal peptide of mGluR4 was replaced with the predicted signal peptide and 87 bp of 5' UTR from phmGluR8 using a recombinant PCR strategy similar to those described above. The first reaction used a phmGluR8 construct with two primers, 3.1-535F (sense 21-mer, complementary to vector sequence upstream of the hmGluR8 insert; sequence 5'-ggcattatgcccagtacatga-3'), and the hybrid primer 8/4RP (antisense 42-mer, containing 21 nucleotides complementary to human mGluR8 and 21 nucleotides complementary human mGluR4; sequence 5'-

caageeteteteecaggeatttteteeacaggtggtattge-3'). These primers were used to amplify a 469 bp PCR fragment of human mGluR8.

In a separate PCR reaction using phmGluR4 as template, a 472 bp fragment of

10

15

20

25

30

human mGluR4 was amplified using a hybrid primer 4/8RP (sense 42-mer, exactly complementary to primer 8/4RP) and oligo mG4-472R, (antisense 18-mer, complementary to the human mGluR4 cDNA; sequence 5'-ctgaagcaccgatgacac-3'). The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers mG4-472R and 3.1-535F, and Turbo Pfu DNA polymerase (Stratagene).

The resulting chimeric PCR product was digested with NarI and NheI (New England Biolabs) and subcloned into phmGluR4 digested with the same two restriction enzymes. The sequence of the resultant chimeric construct, ph8SPmGluR4, was verified by ABI automated DNA sequence analysis.

The replacement of the predicted signal peptide of mGluR4 with that of mGluR8 greatly increased the activity of this receptor in *in vitro* assays

II. $G\alpha_{qi5}$

The cDNA encoding the human $G\alpha_q$ i5 cDNA (Conklin et al (1993) Nature 363:274-77) is harbored in the Bluescript SKII(-) plasmid (Stratagene). This construct is referred to as $G\alpha_q$ i5. The nucleic acid and amino acid sequences for $G\alpha_q$ i5 are provided by SEQ. ID. NOs. 28 and 29 respectively.

III. phCaR/hmGluR2

This chimera contains the extracellular domain of the human CaR and transmembrane domain and intracellular cytoplasmic tail of human mGluR2. The chimeric junction between the CaR and hmGluR2 was created using a recombinant PCR strategy similar to those described above.

The first reaction used two primers, CA1156 (sense 19-mer, corresponding to nucleotides 1156-1174 of human CaR), and the hybrid primer CA/2 (antisense 42-mer, containing 21 nucleotides complementary to nucleotides 1774-1794 of human CaR and 21 nucleotides complementary to nucleotides 1660-1680 of the human mGluR2). These primers were used to amplify a 659 bp PCR fragment of human CaR.

In a separate PCR reaction using phmGluR2 as template, a 692 bp fragment of the human mGluR2 was amplified using a hybrid primer 2/CA (sense 42-mer, exactly complementary to primer CA/2) and oligo 2-2330m, (antisense 23-mer, complementary to

10

15

20

25

30

nucleotides 2309-2331 of the human mGluR2 cDNA). The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers CA1156 and 2-2330m, and the Pfu DNA polymerase (Stratagene).

The resulting chimeric PCR product was digested with SexA1 (Boehringer Mannheim) and BamHI (New England Biolabs) and subcloned into phCaR digested with the same two restriction enzymes. In the final cloning step, the 3' end of human mGluR2 was subcloned into this construct using the restriction enzymes BsrGI and BamHI (both New England Biolabs). The sequence of the resultant chimeric construct, phCaR/hmGluR2, was verified by ABI automated DNA sequence analysis.

IV. phCaR/hmGluR2*Gqi5

This construct contains the phCaR/hmGluR2 chimeric receptor fused to human $G\alpha_q$ i5. A HindIII-BamHI fragment containing the phCaR/hmGluR2 construct was subcloned into pcDNA3.1/Hygro(+) (Invitrogen) to aid in constructing this fusion protein. The chimeric junction between the C-terminus of phCaR/hmGluR2 and the N-terminus of $G\alpha_q$ i5 was created using a recombinant PCR strategy similar to those described above.

The first reaction used two primers, 2-1713 (sense 21-mer, corresponding to nucleotides 1710-1730 of human mGluR2) and the hybrid primer 2/Q (antisense 42-mer, containing 21 nucleotides complementary to nucleotides 2596-2616 of human mGluR2, and 21 nucleotides complementary to nucleotides 1-21 of pG α_q i5). These primers were used to amplify a 927 bp PCR fragment of phCaR/hmGluR2. In a separate PCR reaction all of G α_q i5 was amplified using a hybrid primer Q/2 (sense 42-mer, exactly complementary to primer 2/Q) and the and the T3 primer commercially available from Stratagene.

These two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers 2-1713 and T3, and the Pfu DNA polymerase (Stratagene). The resulting chimeric PCR product was digested with Bsu361 and BamHI (New England Biolabs) and subcloned into phCaR/hmGluR2 digested with the same two restriction enzymes. The sequence of the resultant chimeric fusion construct, phCaR/hmGluR2*G α_q i5, was verified by DNA sequence analysis.

10

15

20

25

30

V. phmGluR2//CaR Construct

This chimera contains the extracellular and transmembrane domains of human mGluR2 linked to the intracellular cytoplasmic tail domain of the human CaR. The chimeric junction was created using three separate PCR reactions.

The first reaction used two primers, 2-1713 (sense 21-mer, corresponding to nucleotides 1710-1730 of human mGluR2, Genbank Accession # 4504136) and the hybrid primer 2/CT (antisense 42-mer, containing 21 nucleotides complementary to nucleotides 2452 – 2472 of human mGluR2 and 21 nucleotides complementary to nucleotides 2602-2622 of the human CaR). These primers were used to amplify a 783 bp PCR fragment of human mGluR2. In a separate PCR reaction using phCaR in the BlueScript SK⁻ plasmid as template, a 750 bp fragment of the human CaR was amplified using a hybrid primer CT/2 (sense 42-mer, exactly complementary to primer 2/CT) and the T3 primer commercially available from Stratagene.

The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers 2-1713 and T3, and the Pfu DNA polymerase (Stratagene). The resulting chimeric PCR product was digested with BsrG I and Not I (New England Biolabs) and subcloned into pmGluR2 digested with the same two restriction enzymes. The sequence of the resultant chimeric construct, pmGluR2//CaR, was verified by ABI automated DNA sequence analysis.

VI. pmGluR2//CaR*Gαqi5 Construct

This construct contains the hmGluR2//CaR chimeric receptor fused to human $G\alpha_q$ i5. The chimeric junction between the C-terminus of hmGluR2//CaR and the N-terminus of $G\alpha_q$ i5 was created using a recombinant PCR strategy similar to that described above for the construction of phmGluR2//CaR.

The first reaction used two primers, CRP10A (sense 18-mer, corresponding to nucleotides 2812-2829 of phCaR) and the hybrid primer CaRQ (antisense 42-mer, containing 21 nucleotides complementary to nucleotides 3214–3234 phCaR, and 21 nucleotides complementary to nucleotides 1-21 of pG α_q i5). These primers were used to amplify a 443 bp PCR fragment of hmGluR2//CaR. In a separate PCR reaction, all of G α_q i5 was amplified using a hybrid primer QCaR (sense 42-mer, exactly complementary

10

15

20

25

30

to primer CaRQ) and the T3 primer commercially available from Stratagene.

The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers CRP10A and T3, and the Pfu DNA polymerase (Stratagene). The resulting chimeric PCR product was digested with BstE II and Not I (New England Biolabs) and subcloned into pmGluR2//CaR digested with the same two restriction enzymes. The sequence of the resultant chimeric fusion construct, pmGluR2//CaR*G α_q i5, was verified by ABI automated DNA sequence analysis.

VII. Fusion Receptor Protein Linker Addition Constructs

A. phmGluR2//CaR*AAA*Gαqi5

A linker encoding three alanine residues was incorporated into the phmGluR2//CaR*G α_q i5 construct by mutagenesis (Stratagene QuickChange Mutagenesis Kit). A sense 40-mer, 2CQ+LP, contained 16 nucleotides corresponding to 3219-3234 of human CaR, followed by the 9 nucleotide sequence (GCGGCCGCC) encoding three alanine residues and a NotI restriction enzyme site, and then 15 nucleotides corresponding to nucleotides 1-15 of $G\alpha_q$ i5. 2CQ+LP was annealed to an antisense 40-mer, 2CQ+LM, the exact complement of 2CQ+LP. These oligos were used in the mutagenesis reaction according to the manufacturer's protocol. Restriction enzyme analysis and DNA sequence analysis confirmed the insertion of the 9 nucleotide linker (GCGGCCGCC) between the C-terminus of phmGluR2//CaR and the N-terminus of $G\alpha_q$ i5. This construct was designated phmGluR2//CaR*AAA* $G\alpha_q$ i5.

B. Human GABA_BR2*AAA*Gα_qo5 and human GABA_BR1a*AAA*Gα_qo5

These constructs contain the human GABA_BR2 (hGABA_BR2: Genbank Accession # AJ 012188) and human GABA_BR1a (hGABA_BR1a: Genbank Accession # AJ 012185) fused at their C-terminus to the N-terminus of human $G\alpha_q$ o5 (h $G\alpha_q$ o5: *Nature* 363:274-276, 1993). Human GABA_BR2, hGABA_BR1a, and h $G\alpha_q$ o5 were cloned into the plasmid pcDNA3.1/Hygro+ (Invitrogen) and are designated phGABA_BR2, phGABA_BR1a, and ph $G\alpha_q$ o5. The first reaction used two primers, XcmI-R2 (sense 20-mer, corresponding to nucleotides 2650-2669 of phGABA_BR2) and the hybrid primer R2/Go5(-) (antisense 45-

10

15

20

30

mer, containing 18 nucleotides complementary to nucleotides 2806-2823 of phGABA_BR2 and 18 nucleotides complementary to nucleotides 1-18 of hG α_q o5). These two complementary areas flank a 9 nucleotide sequence coding for 3 alanine sequences with a unique NotI restriction site. These primers were used to amplify a 200 base-pair PCR fragment.

In a separate PCR reaction, part of $hG\alpha_qo5$ was amplified using a hybrid primer $R2/G\alpha_qo5(+)$ (sense 45-mer), exactly complementary to R2/Go5(-) and XbaI-Go5 primer (22-mer containing 22 nucleotides complementary to nucleotides 873-895 of $hG\alpha_qo5$) These primers were used to amplify a 914 base-pair PCR product. The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers; XcmI-R2 and XbaI-Go5, and Pfu polymerase (Stratagene).

The resulting chimeric PCR product was digested with the restriction endonucleases XcmI and XbaI (New England Biolabs) and subcloned into phGABA_BR2 digested with the same two restriction enzymes. The resulting clone was then digested with HindIII and XbaI and subcloned into phG α_q o5 cut with HindIII and XbaI resulting in the chimeric hGABA_BR*AAA*G α_q o5. The chimeric junction between the C-terminus hGABA_BR1a, the Ala linker, and the N-terminus of hG α_q o5 was created using a recombinant PCR strategy similar to those described above.

To construct hGABA_BR1a*AAA*Gqo5, the first reaction used a commercially available T7 primer (Novagen) and the NtI hGBR1 primer (CAGAGTCATGGCGGCCGCCTTATAAAGCAAATGCACTCG) corresponding to nucleotide numbers 1-9 of hG α_q o5 and nucleotide numbers 2863-2883 of hGABA_BR1a.

25 C. phmGluR8//CaR*AAA* $G\alpha_q$ i5

A linker encoding three alanine residues was incorporated into the phmGluR8//CaR*G α_q i5 construct by mutagenesis (Stratagene QuickChange Mutagenesis Kit), exactly as described in Section A, above to create phmGluR2//CaR*AAA*G α_q i5. The same primers, 2CQ+LP and 2CQ+LM, were used for this mutagenesis. Restriction enzyme analysis and DNA sequence analysis confirmed the insertion of the 9-nucleotide linker (GCGGCCGCC) between the C-terminus of phmGluR8//CaR and the N-terminus of G α_q i5. This construct was designated phmGluR8//CaR*AAA*G α_q i5.

10

15

20

25

30

D. ph8SPmGluR4//CaR*AAA*Gαqi5

This chimera contains the extracellular and transmembrane domains of the human 8SPmGluR4 construct and intracellular cytoplasmic tail of human CaR fused to $G\alpha_qi5$ through the three alanine residue linker.

The chimeric junction between the human 8SPmGluR4 and hCaR was created using a recombinant PCR strategy similar to those previously described. The first reaction used two primers, mG4-2028R (sense 19-mer, corresponding to nucleotides of human 8SPmGluR4; sequence5'-catctaccgcatcttcgag-3'), and the hybrid primer 4CT (antisense 42-mer, containing 21 nucleotides complementary to human 8SPmGluR4 and 21 nucleotides complementary human CaR; sequence 5'-acgcacctcctcgatggtgttctgctccgggtggaagaggat -3'). These primers were used to amplify a 549 bp PCR fragment from human 8SPmGluR4.

In a separate PCR reaction, using phmGluR2//CaR*AAA*G α_q i5 as a template, a 743 bp fragment of the human CaR*AAA*G α_q i5 was amplified using the hybrid primer CT4 (sense 42-mer, exactly complementary to primer 4CT) and oligo Gaqi58R, (antisense 21-mer, complementary to G α_q i5 cDNA; sequence 5'- ctcgatctcgtcgttgatccg -3'). The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers mG4-2028R and Gaqi58R, and Pfu DNA polymerase (Stratagene).

The resulting chimeric PCR product was digested sequentially with KpnI and NotI (New England Biolabs) and subcloned into ph8SPmGluR4 prepared with the same two restriction enzymes. This intermediate construct was known as ph8SPmGluR4//CaR(no stop). In the final cloning step, a fragment containing the $G\alpha_q$ i5 cDNA was released from phmGluR8//CaR*AAA* $G\alpha_q$ i5 using the restriction enzymes ApaI and NotI (both New England Biolabs) and subcloned into the ph8SPmGluR4//CaR(no stop) construct, which was prepared with the same restriction enzymes. The sequence of the resultant chimeric construct, ph8SPmGluR4//CaR*AAA* $G\alpha_q$ i5, was verified by ABI automated DNA sequence analysis.

VIII. phmGluR8//CaR Construct

This chimera contains the extracellular and transmembrane domains of human mGluR8 linked to the intracellular cytoplasmic tail domain of the human CaR. The

10

15

20

25

30

chimeric junction between hmGluR8 and the CaR was created using a recombinant PCR strategy similar to those described above.

The first reaction used two primers, CH5A (sense 19-mer, corresponding to nucleotides 2187-2205 of human mGluR8, Stormann *et al.*, U.S. Patent Nos. 6,051,688, 6,077,675, and 6,084,084) and the hybrid primer CH5B (antisense 40-mer, containing 22 nucleotides complementary to nucleotides 2523 – 2544 of human mGluR8, and 18 nucleotides complementary to nucleotides 2602-2619 of the human CaR). These primers were used to amplify a 375 bp PCR fragment of human mGluR8. In a separate PCR reaction using phCaR in the BlueScript SK(-) plasmid as template, a 750 bp fragment of the human CaR was amplified using a hybrid primer CH5C (sense 40-mer, exactly complementary to primer CH5B) and the T3 primer commercially available from Stratagene.

The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers CH5A and T3, and the Pfu DNA polymerase (Stratagene). The resulting chimeric PCR product was digested with BsrG I and Xba I (New England Biolabs) and subcloned into pmGluR8 digested with the same two restriction enzymes. The sequence of the resultant chimeric construct, pmGluR8//CaR, was verified by DNA sequence analysis.

IX. mGluR8//CaR*Gαgi5 Construct

This construct contains the hmGluR8//CaR chimeric receptor fused to human $G\alpha_q$ i5. The chimeric junction between the C-terminus of hmGluR8//CaR and the N-terminus of $G\alpha_q$ i5 was created using a recombinant PCR strategy similar to that described above for the construction of phmGluR2//CaR* $G\alpha_q$ i5.

The first reaction used two primers, CRP10A (sense 18-mer, corresponding to nucleotides 2812-2829 of phCaR) and the hybrid primer Gqi5/CaR (antisense 40-mer, containing 21 nucleotides complementary to nucleotides 3214-3234 phCaR, and 19 nucleotides complementary to nucleotides 1-19 of pG α qi5). These primers were used to amplify a 441 bp PCR fragment of hmGluR8//CaR.

In a separate PCR reaction all of $G\alpha_q$ i5 was amplified using a hybrid primer CaR/Gqi5 (sense 40-mer, exactly complementary to primer Gqi5/CaR) and the Apa I-mut primer (20-mer). The two PCR products generated from the above two reactions were

10

15

20

25

30

annealed together in equimolar ratios in the presence of the external primers CRP10A and Apa I-mut, and the Pfu DNA polymerase (Stratagene).

The resulting chimeric PCR product was digested with BstE II and Apa I (New England Biolabs) and subcloned into pmGluR8//CaR digested with the same two restriction enzymes. The sequence of the resultant chimeric fusion construct, pmGluR8//CaR*Gaqi5, was verified by DNA sequence analysis.

Example 2: Functional Expression of CaR/GABABR2

In vitro transcribed RNA (7 ng) encoding a chimeric CaR/GABA_BR2 (CaR extracellular and transmembrane domains, and intracellular GABA_BR2 domain) was coinjected with *in vitro* transcribed RNA (2 ng) encoding G 15 into *Xenopus* oocytes. Following a 72-hour incubation, the oocytes were voltage-clamped using standard electrophysiological techniques (Hille, B., <u>Ionic Channels of Exictable Membranes</u>, pp.30-33, Sinauer Associates, Inc., Sunderland, Ma., 1992). Activation of the chimeric receptor was detected by increases in the calcium-activated chloride current.

Application of the CaR activator 100 Gd³⁺, resulted in reversible, oscillatory increases in the calcium-activated chloride current as shown in Figure 8. These data demonstrate the functional response of the chimeric CaR/GABA_BR2 receptor upon activation via a site within the CaR extracellular domain. In this assay, the G 15 subunit acts to promote signal transduction through intracellular pathways that mobilize intracellular Ca⁺⁺.

Example 3: Expression of Different G-Protein Fusion Receptors

The ability of different G-protein fusions to transduce signal resulting from ligand binding is shown in Figure 15. The different G-protein fusion receptors used in this example were as follows: mGluR2//CaR*Gqi5 (SEQ. ID. NO. 37), CaR/mGluR2*Gqi5 (SEQ. ID. NO. 33), and mGluR8//CaR*Gqi5 SEQ. ID. NO. 41.

Oocytes suitable for injection were obtained from adult female Xenopus laevis toads using procedures described in C. J. Marcus-Sekura and M. J. M. Hitchcock, Methods in Enzymology, Vol. 152 (1987).

Receptor fusion cRNAs were dissolved in water and 50 nl (12.5 ng/oocyte) were injected into individual oocytes. Following injection, oocytes were incubated at 16°C in MBS containing 1 mM CaCl₂ for 2 to 7 days prior to electrophysiological recording.

10

15

20

25

30

CaR/mGluR2*Gqi5.

Test substances were applied by superfusion at a flow rate of about 5 ml/min. Receptor fusion activation was determined by measuring the increase in calcium-activated chloride current (I_{Cl}). Increases in I_{Cl} were quantified by measuring the peak inward current stimulated by activating agent, relative to the holding current at -60 mV. Application of 100 μ M L-glutamate elicited a response from the mGluR2//CaR*Gaqi5 and mGluR8//CaR*Gaqi5. Application of 100 μ M Gd³+ activated the

Example 4: Expression of Different G-Protein Fusion Receptors in Mammalian Cells

HEK293 cells were transiently transfected with the p8SPhmGluR4//CaR*AAA*Gαqi5 or phmGluR8//CaR*Gαqi5 plasmid DNAs using the following protocol. Initially, 150 cm² tissue culture flasks containing HEK293 cells at 75% confluence were transfected with 24 ug of plasmid DNA using Gibco BRL Life Technologies' Lipofectamine reagent. Following liposomal gene delivery the cells were allowed to recover for 24 hours. They were then plated overnight at 100,000 cells per well in black, clear bottom, Collagen I coated 96-well plates (Becton Dickenson, Biocoat) using DMEM supplemented with 10% fetal bovine serum (Hyclone Laboratories). The cells were assayed for function 48 hours after transient transection.

On the day of the assay, tissue culture medium was aspirated from the wells of a 96-well plate and 80 μ L of Assay Buffer (Assay Buffer is: 20 mM HEPES, 146 mM NaCl, 5 mM KCl, 1 mM MgCl₂, 1 mM CaCl₂, 1 mg/ml BSA, 1 mg/ml glucose, pH 7.4) supplemented with 6 μ M of the Ca²⁺-sensitive dye, Fluo-3 AM (Molecular Probes) and 0.025% Pluronic (Molecular Probes) was added to each well.

The plate was then incubated in the dark for 1 hour at room temperature to efficiently load the cells with Fluo-3. At the end of the incubation, extracellular Fluo-3 was removed by washing the plate with Assay Buffer. Assay Buffer was added back to each well (final volume = $160~\mu L$) prior to beginning the assay. The plate was loaded into a fluorescence imaging plate reader (FLIPR) robotic device (Molecular Devices) with the laser setting at 0.8 Watts. At a time of 15 seconds after initiation of the assay, $40~\mu L$ of Assay Buffer containing $150~\mu M$ L-AP4 was added to the $160~\mu L$ of Assay Buffer in each well of the plate to yield a final concentration of $30~\mu M$ L-AP4.

Relative fluorescence intensity (excitation $\lambda = 488$ nm / emission $\lambda = 510$ nm) was monitored at relevant time intervals throughout the assay period to measure L-AP4-induced receptor activation.

Other embodiments are within the following claims. Thus, while several embodiments have been shown and described, various modifications may be made, without departing from the spirit and scope of the present invention.

10

15

20

25

30

Claims

1. A G-protein fusion receptor comprising

an extracellular domain comprising an extracellular domain amino acid sequence substantially similar to either an extracellular CaR amino acid sequence, an extracellular mGluR amino acid sequence, or an extracellular GABA_B receptor amino acid sequence;

a transmembrane domain joined to the carboxy terminus of said extracellular domain, said transmembrane domain comprising a transmembrane domain amino acid sequence substantially similar to either a transmembrane CaR amino acid sequence, a transmembrane mGluR amino acid sequence, or a transmembrane GABA_B receptor amino acid sequence;

an intracellular domain joined to the carboxy terminus of said transmembrane domain comprising all or a portion of an intracellular amino acid sequence substantially similar to either an intracellular CaR amino acid sequence, an intracellular mGluR amino acid sequence, or an intracellular GABA_B receptor amino acid sequence, provided that said portion is at least about 10 amino acids;

an optionally present linker joined to the carboxy terminus of said intracellular domain; and

a G-protein joined either to said intracellular domain or to said optionally present linker, provided that said G-protein is joined to said optionally present linker when said optionally present linker is present.

- 2. The G-protein fusion receptor of claim 1, wherein said extracellular domain consists of said extracellular domain amino acid sequence, said transmembrane domain consists of said transmembrane domain amino acid sequence; and said intracellular domain consists of said transmembrane domain amino acid sequence.
- 3. The G-protein fusion receptor of claim 2, wherein said optionally present linker is present and is a polypeptide 3 to 30 amino acids in length.
- 4. The G-protein fusion receptor of claim 2, wherein said optionally present linker is not present.

10

15

20

25

The G-protein fusion receptor of claim 3 or 4, wherein said G-protein is selected from the group consisting of: G 15, G 16, Gqo5, and Gqi5

- 6. The G-protein fusion of claim 5, wherein any of said CaR sequence present is a human CaR sequence, any of said mGluR sequence present is from a human mGluR, and any of said GABA_B receptor sequence present is from human mGluR.
 - 7. A nucleic acid comprising a nucleotide sequence encoding for the G-protein fusion of any one of claims 1-6.
 - 8. An expression vector comprising a nucleotide sequence encoding for the G-protein fusion of any one of claims 1-6 transcriptionally coupled to a promoter.
 - 9. A recombinant cell comprising the expression vector of claim 8 and a cell wherein the G-protein fusion is expressed and is functional.
 - 10. A recombinant cell produced by combining a vector comprising the nucleic acid of claim 9 and elements for introducing heterologous nucleic acid into a cell wherein the G-protein fusion receptor is expressed, and said cell.
 - 11. A process for the production of a G-protein fusion receptor comprising: growing procaryotic or eukaryotic host cells comprising a nucleic acid sequence expressing the G-protein fusion receptor of any one of claims 1-6, under suitable nutrient conditions allowing for cell growth.
 - 12. A method of measuring the ability of a compound to effect G-protein fusion activity comprising the steps of:
 - a) providing said compound to a cell expressing the G-protein fusion receptor of any one of claims 1-6, and
- b) measuring the ability of said compound to affect the activity of said receptor as an indication of the ability of said compound to effect G-protein fusion receptor activity.
 - 13. A chimeric receptor comprising

10

15

20

25

30

an extracellular domain comprising an extracellular domain amino acid sequence substantially similar to a sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4 and SEQ ID NO: 5;

a transmembrane domain comprising a transmembrane domain amino acid sequence substantially similar to a sequence selected from the group consisting of SEQ ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, and SEQ ID NO: 10; and

an intracellular cytoplasmic domain comprising an intracellular domain amino acid sequence substantially similar to a sequence selected from the group consisting of SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, and SEQ ID NO: 14;

wherein at least one domain is present which comprises an amino acid sequence substantially similar to a sequence selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 7, SEQ ID NO: 8, and SEQ ID NO: 9, SEQ ID NO: 12, SEQ ID NO: 13, and SEQ ID NO: 14; and at least one domain is present which comprises an amino acid sequence substantially similar to a sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 10, SEQ ID NO: 11, and SEQ ID NO: 15.

- 14. The chimeric receptor of claim 13 wherein said extracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 2, 3, and 4; said transmembrane domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID Nos: 6, 7, 8, 9, and 10; and said intracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 11 and 15.
- 15. The chimeric receptor of claim 14, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 2; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence SEQ ID NO: 7; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 11.
- 16. The chimeric receptor of claim 14, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 3; said

10

15

20

25

30

transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 8; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO 11.

- 17. The chimeric receptor of claim 14, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence SEQ ID NO: 4; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 9; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO 11.
- 18. The chimeric receptor of claim 13, wherein said extracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 1, 2, 3, 4 and 5; said transmembrane domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID Nos: 7, 8, and 9; and said intracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 11, 12, 13, 14, and 15.
- 19. The chimeric receptor of claim 18, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 7; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 11.
- 20. The chimeric receptor of claim 18, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 8; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO 11.
 - 21. The chimeric receptor of claim 18, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid

10

15

20

25

30

sequence of SEQ ID NO: 9; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO 11.

- 22. The chimeric receptor of claim 13, wherein said extracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 1, 2, 3, 4, and 5; said transmembrane domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID Nos: 6, 7, 8, 9, and 10; and said intracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 12, 13, and 14.
- 23. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 6; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 12.
- 24. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 7; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 12.
- 25. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 8; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 13.
- 26. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid

10

15

20

25

sequence of SEQ ID NO: 6; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 13.

- 27. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 9; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 14.
- 28. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 6; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 14.
- 29. The chimeric receptor of any one of claims 13-28, wherein said receptor functional couples to a G-protein.
- 30. The chimeric receptor of any one of claims 13-28, wherein said chimeric receptor consists of said extracelluar domain, said transmembrane domain, said intracellular domain, and an optionally present G-protein α subunit covalently joined to said intracellular domain.
- 31. The chimeric receptor of claim 30, wherein said chimeric receptor consists of said extracelluar domain, said transmembrane domain, and said intracellular domain.
 - 32. The chimeric receptor of claim 30, wherein said G-protein α subunit consists of the amino acid sequence of SEQ ID Nos: 16 or 17.
- 33. A nucleic acid comprising a nucleotide sequence encoding for the chimeric receptor of any one of claims 13-32.

15

20

25

- 34. An expression vector comprising a nucleotide sequence encoding for the chimeric receptor of any one of claims 13-32 transcriptionally coupled to a promoter.
- 35. A recombinant cell comprising the expression vector of claim 34 and a cell wherein the chimeric receptor is expressed and is functional.
 - 36. A recombinant cell produced by combining a vector comprising the nucleic acid of claim 33 and elements for introducing heterologous nucleic acid into a cell wherein the chimeric receptor is expressed, and said cell.
 - 37. A process for the production of a chimeric receptor comprising:
 growing procaryotic or eukaryotic host cells comprising a nucleic acid sequence
 expressing the chimeric receptor of any one of claims 13-32, under suitable nutrient
 conditions allowing for cell growth.
 - 38. A method of measuring the ability of a compound to effect $GABA_BR$ or mGluR activity comprising the steps of:
 - a) providing said compound to a cell expressing the chimeric receptor of any one of claims 13-32, and
 - b) measuring the ability of said compound to affect the activity of said receptor as an indication of the ability of said compound to effect GABA_BR or mGluR activity.
 - 39. The method of claim 38, wherein said method measures activity at a $GABA_BR$.
 - 40. The method of claim 38, wherein said method measures activity at a mGluR.
 - 41. A fusion receptor polypeptide comprising a receptor and a G-protein α subunit, wherein said G-protein α subunit is fused to the intracellular domain of said receptor, provided that said receptor is not an adrenoreceptor.

ABSTRACT

The present invention features G-protein fusion receptors and chimeric GABA_B receptors (GABA_BRs), nucleic acid encoding such receptors, and the use of such receptors and nucleic acid. G-protein fusion receptors comprise at least one domain from a CaR, a mGluR, and/or a GABA_B receptor fused directly or through a linker to a guanine nucleotide-binding protein (G-protein). Chimeric GABA_BRs comprise at least one of a GABA_BR extracellular domain, a GABA_BR transmembrane domain, or a GABA_BR intracellular domain and one or more domains from a mGluR subtype 8 (mGluR8) and/or a CaR.

10

5

ClustalW Formatted Alignments

SEQID 1 MAFYSCCWVLLALTWHTSAYGPDQR SEQID 2 MLLLLLAPLFLRPPGAGGAQTPNA SEQID 3 MGPGAPFARVGWPLPLLVVMAAGVA SEQID 4 MASPRSSGQPGPXPPPPPPARLLL SEQID 5 MVCEGKRSASCPCFFLLTAKFYWIL

SEQID 1 A Q K K G D I I L G G L F P I H F G V A A K D Q D SEQID 2 T S E G C Q I I H P P W E G G I R Y R G L T R D Q SEQID 3 P V W A S H S P H L P R P H S R V P P H P S S E R SEQID 4 L L L L P L L L P L A P G A W G W A R G A P R P P S E Q ID 5 T M M Q R T H S Q E Y A H S I R V D G D I I L G G

SEQID 1 LKSRPESVECIRYNFRGFRWLQAMI SEQID 2 VKAINFLPVDYEIEYVCRGEREVVG SEQID 3 RAVYIGALFPMSGGWPGGQACQPAV SEQID 4 PSSPPLSIMGLMPLTKEVAKGSIGR SEQID 5 LFPVHAKGERGVPCGELKKEKGIHR

SEQID 1 FAIEEINSSPALLPNLTLGYRIFDT SEQID 2 PKVRKCLANGSWTDMDTPSRCVRIC SEQID 3 EMALEDVNSRRDILPDYELKLIHHD SEQID 4 GVLPAVELAIEQIRNESLLRPYFLD SEQID 5 LEAMLYAIDQINKDPDLLSNITLGV

SEQID 1 CNTVSKALEATLSFVAQNKIDSLNL SEQID 2 SKSYLTLENGKVFLTGGDLPALDGA SEQID 3 SKCDPGQATKYLYELLYNDPIKIIL SEQID 4 LRLYDTECDNAKGLKAFYDAIKYGP SEQID 5 RILDTCSRDTYALEQSLTFVQALIE

 SEQ ID 1
 D E F C N C S E H I P S T I A V V G A T G S G V S

 SEQ ID 2
 R V D F R C D P D F H L V G S S R S I C S Q G Q W

 SEQ ID 3
 M P G C S S V S T L V A E A A R M W N L I V L S Y

 SEQ ID 4
 N H L M V F G G V C P S V T S I I A E S L Q G W N

 SEQ ID 5
 K D A S D V K C A N G D P P I F T K P D K I S G V

 SEQ ID 1
 TAVANLLGLFYIPQVSYASSSRLLS

 SEQ ID 2
 STPKPHCQVNRTPHSERRAVYIGAL

 SEQ ID 3
 GSSSPALSNRQRFPTFFRTHPSATL

 SEQ ID 4
 LVQLSFAATTPVLADKKKYPYFFRT

 SEQ ID 5
 IGAAASSVSIMVANILRLFKIPQIS

```
SEQID 1 NKNQFKSFLRTIPNDEHQATAMADI
SEQID2 FPMSGGWPGGQACQPAVEMALEDVN
SEQID 3 HNPTRVKLFEKWGWKKIATIQQTTE
SEQID 4 V P S D N A V N P A I L K L L K H Y Q W K R V G T
SEQID 5 YASTAPELS DNTRYDFF SRVVPPD S
SEQID 1 I EYFRWNWVGTIAADDDYGRPGIEK
SEQID2 SRRDILPDYELKLIHHDSKCDPGQA
SEQID3 VFTSTLDDLEERVKEAGIEITFRQS
SEQID4 LTQDVQRFSEVRNDLTGVLYGEDIE
SEQID 5 YQAQAM VD I V TALG WN Y V S T L A S E G
SEQID 1 FREEAEERDICIDFSELISQYSDEE
SEQID 2 TKYLYELLYNDPIKIILMPGCSSVS
SEQID 3 FFSDPAVPVKNLKRQDARIIVGLFY
SEQID 4 ISDTESFSNDPCTSVKKLKGNDVRI
SEQID 5 NYGESGVEAFTQISREIGGVCIAQS
SEQ ID 1 EIQHVVEVIQNSTAKVIVVFSSGPD
SEQID 2 TLVABAARMWNLIVLSYGSSSPALS
SEQID 3 ETEARKVFCEVYKERLFGKKYVWFL
SEQ ID 4 ILGOFDONMAAKVFCCAYEENMYGS
SEQID 5 QKIPREPRPGEFEKIIKRLLETPNA
SEQID 1 LEPLIKEIVRRNITGKIWLASEAWA
SEQID 2 NR QR F P T F F R T H P S A T L H N P T R V K L
SEQID 3 I G W Y A D N W F K I Y D P S I N C T V D E M T E
SEQID 4 KYQWIIPGWYEPSWWEQVHTEANSS
SEQID 5 RAVIMFANEDDIRRILEAAKKLNOS
SEQID 1 SSSLIAMPQYFHVVGGTIGFALKAG
SEQID2 FEKWGWKKIATIQQTTEVFTSTLDD
SEQID 3 AVEGHITTEIVMLNPANTRSISNMT
SEQID 4 RCLRKNLLAAMEGYIGVDFEPLSSK
SEQID 5 GHFLWIGSDSWGSKIAPVYQQEEIA
SEQID 1 QIPGFREFLKKVHPRKSVHNGFAKE
SEQID2 LEERVKEAGIEITFRQSFFSDPAVP
SEQID3 SQEFVEKLTKRLKRHPEETGGFQEA
SEQID 4 QIKTISGKTPQQYEREYNNKRSGVG
SEQID 5 EGAVTILPKRASIDGFDRYFRSRTL
```

```
SEQID 1 FWEETFNCHLQEGAKGPLPVDTFLR
SEQID 2 VKNLKRQDARIIVGLFYETEARKYF
SEQID 3 PLAYDAIWALALALNKTSGGGGRSG
SEQID4 PSKFHGYAYDGIWVIAKTLQRAMET
SEQID 5 ANNRRNVWFAEFWEENFGCKLGSHG
SEQID 1 GHEESGDRFSNSSTAFRPLCTGDEN
SEQID 2 CEVYKERLFGKKYVWFLIGWYADNW
SEQID3 VRLEDFNYNNQTITDQIYRAMNSSS
SEQID 4 LHASSRHQRIQDFNYTDHTLGRIIL
SEQID 5 KRNSHIKKCTGLERIARDSSYEQEG
SEQID 1 ISSVETPYIDYTHLRISYNVYLAVY
SEQID 2 FKIYDPSINCTVDEMTEAVEGHITT
SEQID3 FEGVSGHVVFDASGSRMAWTLIEQL
SEQID 4 NAMNETNFFGVTGQVVFRNGERMGT
SEQID 5 KVQ FVID AVY SMAYALHNMHKDLCP
SEQID 1 SIAHALQDIYTCLPGRGLFTNGSCA
SEQID2 EIVMLNPANTRSISNMTSQEFVEKL
SEQID 3 QGGSYKKIGYYDSTKDDLSWSKTDK
SEQID4 IKFTQFQDSREVKVGEYNAVADTLE
SEQID 5 GYIGLCPRMSTIDGKELLGYIRAVN
SEQID 1 DIKKVEAWQVLKHLRHLNFTNNMGE
SEQID2 TKRLKRHPEETGGFQEAPLAYDAIW
SEQID3 WIGGSPPADQTLVIKTFRFLSQK
SEQID 4 I INDTIRFQGSEPPKDKTIILEQLR
SEQID 5 FNGSAGTPVTFNENGDAPGRYDIFQ
SEQID 1 Q V T F D E C G D L V G N Y S I I N W H L S P E D
SEQID2 ALALAKTSGGGGRSGVRLEDFNY
SEQ ID 3
SEQID4 KISLP
SEQID 5 YQITNKSTEYKVIGHWTNQLHLKVE
SEQID 1 GSIVFKEVGYYNVYAKKGERLFINE
SEQID 2 NNQTITDQIYRAMNSSSFEGVSGHV
SEQ ID 3
SEQ ID 4
SEQID 5 DMQWAHREHTHPASVCSLPCKPGER
```

SEQ ID 5

```
SEQID 1 EKILWSGFSREVPFSNCSRDCLAGT
SEQID 2 V F D A S G S R M A W T L I E Q L Q G G S Y K K I
SEQ ID 3
SEQ ID 4
SEQ ID 5 KKTVKGVPCCWHCERCEGYNYQVDE
SEQ |D 1 RKGIIEGEPTCCFECVECPDGEYSD
SEQID 2 GYYDSTKDDLSWSKTDKWIGGSPPA
SEQ ID 3
SEQ ID 4
SEQID 5 LSCELCPLDQRPNMNRTGCQLIPII
SEQID 1 ETDASACNKCPDDFWSNENHTSCIA
SEQID 2 DQTLVIKTFRFLSQK
SEQ ID 3
SEQ ID 4
SEQID5 KLEWHSPW
SEQID 1 KEIEFLSWTEPF
SEQ ID 2
SEQ ID 3
SEQ ID 4
```

SEQ ID 10

GIALTLFAVLGIFLTAFVLGVFIKFRNTPI SEQ ID 6 LFISVSVLSSLGIVLAVVCLSFNIYNSHVR SEQ ID 7 L F I S V S V L S S L G I V L A V V C L S F N I Y N S H V R SEQ ID 8 SEQ ID 9 LYSILSALTILGMIMASAFLFFNIKNRNQK SEQID 10 AVVPV FVAILGII ATT FV IVT FVR YND TP I V K A T N R E L S Y L L L F S L L C C F S S S L F F I G E P SEQ ID 6 YIQNSQPNLNNLTAVGCSLALAAVFPLGLD SEQ ID 7 YIQNSQPNLNNLTAVGCSLALAAVFPLGLD SEQ ID 8 LIKMSSPYMNNLIILGGMLSYASIFLFGLD SEQ ID 9 SEQID 10 VRASGRELS YVLLTG I FLC YS I T FLM I A A P QDWTCRLRQPAFGISFVLCISCILVKTNRV SEQ ID 6 SEQ ID 7 GYHIGRNQFPFVCQARLWLLGLGFSLGYGS SEQ ID 8 GYHIGRNQFPFVCQARLWLLGLGFSLGYGS GSFVSEKTFETLCTVRTWILTVGYTTAFGA SEQ ID 9 SEQID 10 DTIICS FRRVFLGLGMCFS YAALLTKTNRI SEQ ID 6 LLVFEAKIPTSFHRKWWGLNLQFLLVFLCT SEQ ID 7 MFTKIWWVHTVFTKKEEKKEWRKTLEPWKL SEQ ID 8 MFTKIWWVHTVFTKKEEKKEWRKTLEPWKL SEQ ID 9 MFAKTWRVHAIFKNVKMKKKIIKDQKLLVI SEQID 10 HRIFE QGKKS V TAPKFISPAS QLV I TFS LI SEQ ID 6 FMQ I V I C V I W L Y T A P P S S Y R N Q E L E D E I I F YATVGLLVGMDVLTLAIWQIVDPLHRTIET SEQ ID 7 YATVGLLVGMDVLTLAIWQIVDPLHRTIET SEQ ID 8 V G G M L L I D L C I L I C W Q A V D P L R R T V E K Y S M SEQ ID 9 SVQLLGVFVWFVVDPPHIIIDYGEQRTLDP SEQ ID 10 ITCHEGSLMALGFLIGYTCLLAAICFFFAF SEQ ID 6 SEQ ID 7 FAKEEPKEDIDVSILPQLEHCSSRKMNTWL SEQ ID 8 FAKEEPKEDIDVSILPQLEHCSSRKMNTWL EPDPAGRDISIRPLLEHCENTHMTIWLGIV SEQ ID 9 SEQ ID 10 EKARGVLKCDISDLSLICSLGYSILLMVTC SEQ ID 6 KSRKLPENFNEAKFITFSMLIFFIVWISFI GIFYGYKGLLLLGIFLAYETKSVSTEKIN SEQ ID 7 GIFYGYKGLLLLGIFLAYETKSVSTEKIN SEQ ID 8 YAYKGLLMLFGCFLAWETRNVSIPALNDSK SEQ ID 9

TVYAIKTRGVPETFNEAKPIGFTMYTTCII

 SEQ ID 6
 PAYASTYGKFVSAVEVIAILAASFGLLACI

 SEQ ID 7
 DHRAVGMAIYNVAVLCLITAPVTMILSSQQ

 SEQ ID 8
 DHRAVGMAIYNVAVLCLITAPVTMILSSQQ

 SEQ ID 9
 YIGMSVYNVGIMCIIGAAVSFLTRDQPNVQ

 SEQ ID 10
 WLAFIPIFFGTAQSAEKMYIQTTTLTVSMS

SEQID 6 F F N K I Y I I L F
SEQID 7 D A A F A F A S L A I V F S S Y I T L V V L F V P K M
SEQID 8 D A A F A F A S L A I V F S S Y I T L V V L F V P K M
SEQID 9 F C I V A L V I I F C S T I T L C L V F V P K L
SEQID 10 L S A S V S L G M L Y M P K V Y I I I F

SEQID 11 KPSRNTIEEVRCSTAAHAFKVAARATLRRS SEQID 12 RRLITRGEWQSEAQDTMKTGSSTNNNEEEK SEQID 13 RRLITRGEWQSEAQDTMKTGSSTNNNEEEK SEQID 14 ITLR TNPDAATQNRRFQFTQNQKKEDSKTS SEQID 15 HPEQNVQKRKRSFKAVVTAATMQSKLIQKG SEQID 11 N V S R K R S S S L G G S T G S T P S S S I S S K S N S E D SEQID 12 SRLLEKENRELEKII AEKEERVSELRHQLQ SEQID 13 SRLLEKENRELEKII AEKEERVSELRHQLQ SEQID 14 TSVTSVNQASTSRLEGLQSENHRLRMKITE SEQID 15 NDRPNGEVKSELCESLETNSKSSVEFPMVK SEQID 11 P F P Q P E R Q K Q Q Q P L A L T Q Q E Q Q Q P L T L P Q SEQID 12 SRQQLRSRRHPPTPPEPSGGLPRGPPEPPD SEQID 13 SRQQLRSRRHPPTPPEPSGGLPRGPPEPPD SEQID 14 L D K D L E E V T M Q L Q D T P E K T T Y I K Q N H Y Q E L SEQID 15 SGSTS SEQID 11 QQRSQQQPRCKQKVIFGSGTVTFSLSFDEP SEQID 12 RLSCDGSRVHLLYK SEQID 13 RLSCDGSRVHLLYK SEQID 14 NDILNLGNFTESTDGGKAILKNHLDQNPQL SEQ ID 15 SEQID 11 QKNAMAHGNSTHQNSLEAQKSSDTLTRHQP SEQ ID 12 SEQ ID 13 SEQID 14 QWNTTEPSRTCKDPIED INSPEHIQRRLS L SEQ ID 15 LLPLQCGETDLDLTVQETGLQGPVGGDQRP SEQ ID 11 SEQ ID 12 SEQ ID 13 SEQID 14 QLP I LHHAYLPS I GGVDASCVSPCVSPTAS SEQ ID 15 SEQID 11 EVEDPEELS PALV VSSSQS FV ISGGGS TV T SEQ ID 12 SEQ ID 13

SEQID 14 PRHRHVPPSFRVMVSGL

SEQ ID 15

SEQ ID 12

SEQ ID 13

SEQ ID 14

SEQ ID 15

gardy gardy galant straight gloving galant straight to the color flowed straight could straight gardy gardy gardy

SEQ. ID. NO. 16 MARSLTWGCCPWCLTEEEKTAARIDQEINR SEQ. ID. NO. 17 MARSLTWRCCPWCLTEDEKAAARVDQEINR SEQ. ID. NO. 16 ILLEQKKQEREELKLLLGPGESGKSTFIK SEQ. ID. NO. 17 ILLEQKKQDRGELKLLLGPGESGKSTFIK SEQ. ID. NO. 16 QMRIIHGVGYSEEDRRAFRLLIYQNIFVSM SEQ. ID. NO. 17 QMRIIHGAGYSEEERKGFRPLVYQNIFVSM SEQ. ID. NO. 16 QAMIDAMDRLQIPFSRPDSKQHASLVMTQD SEQ. ID. NO. 17 RAMIEAMERLQIPFSRPESKHHASLVMSQD SEQ. ID. NO. 16 PYKVSTFEKPYAVAMQYLWRDAGIRACYER SEQ. ID. NO. 17 PYKVTTFEKRYAAAMQWLWRDAGIRACYER SEQ. ID. NO. 16 RREFHLLDSAVYYLSHLERISEDSYIPTAQ SEQ. ID. NO. 17 RREFHLLDSAVYYLSHLERITEEGYVPTAQ SEQ. ID. NO. 16 DVLRSRMPTTGINEYCFSVKKTKLRIVDVG SEQ. ID. NO. 17 DVLRSRMPTTGINEYCFSVQKTNLRIVDVG SEQ. ID. NO. 16 GQRSERRKWIHCFENVIALIYLAS LSEYDQ SEQ. ID. NO. 17 GQKSERKKWIHCFENVIALIYLAS LSEYDQ SEQ. ID. NO. 16 CLEENDQENRMEESLALFSTILELPWFKST SEQ. ID. NO. 17 CLEENNQENRMKESLALFGTILELPWFKST SEQ. ID. NO. 16 SVILFLNKTDILEDKIHTSHLATYFPSFQG SEQ. ID. NO. 17 SVILFLNKTDILEEKIPTSHLATYFPSFQG SEQ. ID. NO. 16 PRRDAEAAKSFILDMYARVYASCAEPQDGG SEQ. ID. NO. 17 PKQDAEAAKRFILDMYTRMYTGCVDGPEGS SEQ. ID. NO. 16 RKGSRARRFFAHFTCATDTQSVRSVFKDVR

SEQ. ID. NO. 17 KKGARSRRLFSHYTCATDTQNIRKVFKDVR

SEQ. ID. NO. 16 DSVLARYLDEINLL SEQ. ID. NO. 17 DSVLARYLDEINLL

ClustalW Formatted Alignments

```
SEQ. ID. NO. 18 ATGGCATTTTATAGCTGCTGGG
SEQ. ID. NO. 19 ATGTTGCTGCTGCTACTGGCGC
SEQ. ID. NO. 20 ATGGGGCCCGGGGCCCCTTTTGCCC
SEQ. ID. NO. 21 ATGGCTTCCCCGCGGAGCTCCGGGC
SEQ. ID. NO. 18 TCCTCTTGGCACTCACCTGGCACAC
SEQ. ID. NO. 19 CACTCTTCCTCCGCCCCCGGGCGC
SEQ. ID. NO. 20 GGGTGGGGTGGCCACTGCCGCTTCT
SEQ. ID. NO. 21 AGCCCGGGCCGC-GCCGCCGCC
SEQ. ID. NO. 18 CTCTGCCTACGGGCCAGACCAGCGA
SEQ. ID. NO. 19 GGGCGGGGGCGCAGACGCC
SEQ. ID. NO. 20 GGTTGTGATGGCGGCAGGGGTGGCT
SEQ. ID. NO. 21 ACCGCCGCGCGCGCGCCTGCTACTG
SEQ. ID. NO. 18 GCCCAAAAGAAGGGGGACATTATCC
SEQ. ID. NO. 19 ACCTCAGAAGGTTGCCAGATCATAC
SEQ. ID. NO. 20 CCGGTGTGGGGCCTCCCACTCCCCC
SEQ. ID. NO. 21 CTACTGCTGCTGCTGCTGC
SEQ. ID. NO. 18 TTGGGGGGGCTCTTTCCTATTCATT
SEQ. ID. NO. 19 ACCCGCCCTGGGAAGGGGGCATCAG
SEQ. ID. NO. 20 A T C T C C C G C G C C T C A C T C G C G G T
SEQ. ID. NO. 21 CTCTGGCGCCCGGGGCCTGGGGCTG
SEQ. ID. NO. 18 TGGAGTAGCAGCTAAAGATCAAGAT
SEQ. ID. NO. 19 GTACCGGGGCCTGACTCGGGACCAG
SEQ. ID. NO. 20 CCCCCGCACCCCTCCTCAGAACGG
SEQ. ID. NO. 21 GGCGCGGGGGCCCCCCGGCCG
SEQ. ID. NO. 18 CTCAAATCAAGGCCGGAGTCTGTGG
SEQ. ID. NO. 19 GTGAAGGCTATCAACTTCCTGCCAG
SEQ. ID. NO. 20 CGCGCAGTGTACATCGGGGCACTGT
SEQ. ID. NO. 21 CCCAGCAGCCGCCGCTCTCCATCA
SEQ. ID. NO. 18 AATGTATCAGGTATAATTTCCGTGG
SEQ. ID. NO. 19 TGGACTATGAGATTGAGTATGTG
SEQ. ID. NO. 20 TTCCCATGAGCGGGGGCTGGCCAGG
SEQ. ID. NO. 21 TGGGCCTCATGCCGCTCACCAAGGA
```

SEQ. ID. NO. 18 GTTTCGCTGGTTACAGGCTATGATA SEQ. ID. NO. 19 CCGGGGGGGGGGGGGGGGGGGG SEQ. ID. NO. 20 GGGCCAGGCCTGCCAGCCCGCGTG SEQ. ID. NO. 21 GGTGGCCAAGGGCAGCATCGGGCGC SEQ. ID. NO. 18 TTTGCCATAGAGGAGATAAACAGCA SEQ. ID. NO. 19 CCCAAGGTCCGCAAGTGCCTGGCCA SEQ. ID. NO. 20 GAGATGGCGCTGGAGGACGTGAATA SEQ. ID. NO. 21 GGTGTGCTCCCCGCCGTGGAACTGG SEQ. ID. NO. 18 GCCCAGCCCTTCTTCCCAACTTGAC SEQ. ID. NO. 19 ACGGCTCCTGGACAGATATGGACAC SEQ. ID. NO. 20 GCCGCAGGGACATCCTGCCGGACTA SEQ. ID. NO. 21 CCATCGAGCAGATCCGCAACGAGTC SEQ. ID. NO. 18 GCTGGGATACAGGATATTTGACACT SEQ. ID. NO. 19 ACCCAGCCGCTGTGTCCGAATCTGC SEQ. ID. NO. 20 TGAGCTCAAGCTCATCCACCACGAC SEQ. ID. NO. 21 ACTCCTGCGCCCCTACTTCCTCGAC SEQ. ID. NO. 18 TGCAACACCGTTTCTAAGGCCTTGG SEQ. ID. NO. 19 TCCAAGTCTTATTTGACCCTTGGAAA SEQ. ID. NO. 20 AGCAAGTGTGATCCAGGCCAAGCCA SEQ. ID. NO. 21 CTGCGGCTCTATGACACGGAGTGCG SEQ. ID. NO. 18 AAGCCACCCTGAGTTTTGTTGCTCA SEQ. ID. NO. 19 ATGGGAAGGTTTTCCTGACGGGTGG SEQ. ID. NO. 20 CCAAGTACCTATATGAGCTGCTCTA SEQ. ID. NO. 21 ACAACGCAAAAGGGTTGAAAGCCTT SEQ. ID. NO. 18 AAACAAATTGATTCTTTGAACCTT SEQ. ID. NO. 19 GGACCTCCCAGCTCTGGACGGAGCC SEQ. ID. NO. 20 CAACGACCCTATCAAGATCATCCTT SEQ. ID. NO. 21 CTACGATGCAATAAAATACGGGCCG SEQ. ID. NO. 18 GATGAGTTCTGCAACTGCTCAGAGC SEQ. ID. NO. 19 CGGGTGGATTTCCGGTGTGACCCCG SEQ. ID. NO. 20 ATGCCTGGCTGCAGCTCTGTCTCCA SEQ. ID. NO. 21 AACCACTTGATGGTGTTTGGAGGCG

SEQ. ID. NO. 18 ACATTCCCTCTACGATTGCTGTGT SEQ. ID. NO. 19 ACTTCCATCTGGTGGGCAGCTCCCG SEQ. ID. NO. 20 CGCTGGTGGCTGAGGCTGCTAGGAT SEQ. ID. NO. 21 TCTGTCCATCCGTCACATCCAT SEQ. ID. NO. 18 GGGAGCAACTGGCTCAGGCGTCTCC SEQ. ID. NO. 19 GAGCATCTGTAGTCAGGGCCAGTGG SEQ. ID. NO. 20 GTGGAACCTCATTGTGCTTTCCTAT SEQ. ID. NO. 21 TGCAGAGTCCCTCCAAGGCTGGAAT SEQ. ID. NO. 18 ACGGCAGTGGCAAATCTGCTGGGGC SEQ. ID. NO. 19 AGCACCCCCAAGCCCCACTGCCAGG SEQ. ID. NO. 20 GGCTCCAGCTCACCAGCCCTGTCAA SEQ. ID. NO. 21 CTGGTGCAGCTTTCTTTTGCTGCAA SEQ. ID. NO. 18 TCTTCTACATTCCCCAGGTCAGTTA SEQ. ID. NO. 19 TGAATCGAACGCCACACTCAGAACG SEQ. ID. NO. 20 ACCGGCAGCGTTTCCCCACTTTCTT SEQ. ID. NO. 21 CCACGCCTGTTCTAGCCGATAAGAA SEQ. ID. NO. 18 TGCCTCCTCCAGCAGACTCCTCAGC SEQ. ID. NO. 19 GCGCGCAGTGTACATCGGGGCACTG SEQ. ID. NO. 20 CCGAACGCACCCATCAGCCACACTC SEQ. ID. NO. 21 AAAATACCCTTATTCTTTCGGACC SEQ. ID. NO. 18 AACAAGAATCAATTCAAGTCTTTCC SEQ. ID. NO. 19 TTTCCCATGAGCGGGGGCTGGCCAG SEQ. ID. NO. 20 CACAACCCTACCCGCGTGAAACTCT SEQ. ID. NO. 21 G T C C C A T C A G A C A A T G C G G T G A A T C SEQ. ID. NO. 18 TCCGAACCATCCCCAATGATGAGCA SEQ. ID. NO. 19 GGGGCCAGGCCTGCCAGCCGGGT SEQ. ID. NO. 20 TTGAAAAGTGGGGCTGGAAGAAT SEQ. ID. NO. 21 CAGCCATTCTGAAGTTGCTCAAGCA SEQ. ID. NO. 18 CCAGGCCACTGCCATGGCAGACATC SEQ. ID. NO. 19 GGAGATGGCGCTGGAGGACGTGAAT SEQ. ID. NO. 20 TGCTACCATCCAGCAGACCACTGAG SEQ. ID. NO. 21 CTACCAGTGGAAGCGCGTGGGCACG

SEQ. ID. NO. 18 ATCGAGTATTTCCGCTGGAACTGGG SEQ. ID. NO. 19 AGCCGCAGGGACATCCTGCCGGACT SEQ. ID. NO. 20 GTCTTCACTTCGACTCTGGACGACC SEQ. ID. NO. 21 CTGACGCAAGACGTTCAGAGGTTCT SEQ. ID. NO. 18 TGGGCACAATTGCAGCTGATGACGA SEQ. ID. NO. 19 ATGAGCTCAAGCTCATCCACCACGA SEQ. ID. NO. 20 TGGAGGAACGAGTGAAGGAGGCTGG SEQ. ID. NO. 21 CTGAGGTGCGGAATGACCTGACTGG SEQ. ID. NO. 18 CTATGGGCGGCCGGGGATTGAGAAA SEQ. ID. NO. 19 CAGCAAGTGTGATCCAGGCCAAGCC SEQ. ID. NO. 20 AATTGAGATTACTTTCCGCCAGAGT SEQ. ID. NO. 21 AGTTCTGTATGGCGAGGACATTGAG SEQ. ID. NO. 18 TTCCGAGAGGAAGCTGAGGAAAGGG SEQ. ID. NO. 19 ACCAAGTACCTATATGAGCTGCTCT SEQ. ID. NO. 20 TTCTTCTCAGATCCAGCTGTGCCCG SEQ. ID. NO. 21 ATTTCAGACACCGAGAGCTTCTCCA SEQ. ID. NO. 18 ATATCTGCATCGACTTCAGTGAACT SEQ. ID. NO. 19 A C A A C G A C C C T A T C A A G A T C A T C C T SEQ. ID. NO. 20 TCAAAAACCTGAAGCGCCAGGATGC SEQ. ID. NO. 21 ACGATCCCTGTACCAGTGTCAAAAA SEQ. ID. NO. 18 CATCTCCCAGTACTCTGATGAGGAA SEQ. ID. NO. 19 TATGCCTGGCTGCAGCTCTGTCTCC SEQ. ID. NO. 20 CCGAATCATCGTGGGACTTTTCTAT SEQ. ID. NO. 21 GCTGAAGGGGAATGATGTGCGGATC SEQ. ID. NO. 18 GAGATCCAGCATGTGGTAGAGGTGA SEQ. ID. NO. 19 ACGCTGGTGGCTGAGGA SEQ. ID. NO. 20 GAGACTGAAGCCCGGAAAGTTTTT SEQ. ID. NO. 21 ATCCTTGGCCAGTTTGACCAGAATA SEQ. ID. NO. 18 TTCAAAATTCCACGGCCAAAGTCAT SEQ. ID. NO. 19 TGTGGAACCTCATTGTGCTTTCCTA SEQ. ID. NO. 20 GTGAGGTGTACAAGGAGCGTCTCTT SEQ. ID. NO. 21 TGGCAGCAAAAGTGTTCTGTTGC

SEQ. ID. NO. 18 CGTGGTTTTCTCCAGTGGCCCAGAT SEQ. ID. NO. 19 TGGCTCCAGCTCACCAGCCCTGTCA SEQ. ID. NO. 20 TGGGAAGAAGTACGTCTGGTTCCTC SEQ. ID. NO. 21 A T A C G A G G A G A A C A T G T A T G G T A G T SEQ. ID. NO. 18 CTTGAGCCCCTCATCAAGGAGATTG SEQ. ID. NO. 19 AACCGGCAGCGTTTCCCCCACTTTCT SEQ. ID. NO. 20 ATTGGGTGGTATGCTGACAATTGGT SEQ. ID. NO. 21 AAATATCAGTGGATCATTCCGGGCT SEQ. ID. NO. 18 TCCGGCGCAATATCACGGGCAAGAT SEQ. ID. NO. 19 TCCGAACGCACCCATCAGCCACACT SEQ. ID. NO. 20 TCAAGATCTACGACCCTTCTATCAA SEQ. ID. NO. 21 GGTACGAGCCTTCTTGGTGGGAGCA SEQ. ID. NO. 18 CTGGCTGGCCAGCGAGGCCTGGGCC SEQ. ID. NO. 19 CCACAACCCTACCCGCGTGAAACTC SEQ. ID. NO. 20 CTGCACAGTGGATGAGATGACTGAG SEQ. ID. NO. 21 GGTGCACACGGAAGCCAACTCATCC SEQ. ID. NO. 18 AGCTCCTCCCTGATCGCCATGCCTC SEQ. ID. NO. 19 TTTGAAAAGTGGGGCTGGAAGAAGA SEQ. ID. NO. 20 GCGGTGGAGGGCCACATCACAACTG SEQ. ID. NO. 21 CGCTGCCTCCGGAAGAATCTGCTTG SEQ. ID. NO. 18 AGTACTTCCACGTGGTTGGCGGCAC SEQ. ID. NO. 19 TTGCTACCATCCAGCAGACCACTGA SEQ. ID. NO. 20 AGATTGTCATGCTGAATCCTGCCAA SEQ. ID. NO. 21 CTGCCATGGAGGGCTACATTGGCGT SEQ. ID. NO. 18 CATTGGATTCGCTCTGAAGGCTGGG SEQ. ID. NO. 19 GGTCTTCACTTCGACTCTGGACGAC SEQ. ID. NO. 20 TACCCGCAGCATTCCAACATGACA SEQ. ID. NO. 21 GGATTTCGAGCCCCTGAGCTCCAAG SEQ. ID. NO. 18 CAGATCCCAGGCTTCCGGGAATTCC SEQ. ID. NO. 19 CTGGAGGAACGAGTGAAGGAGGCTG SEQ. ID. NO. 20 TCCCAGGAATTTGTGGAGAACTAA SEQ. ID. NO. 21 CAGATCAAGACCATCTCAGGAAAGA

SEQ. ID. NO. 18 TGAAGAAGGTCCATCCCAGGAAGTC SEQ. ID. NO. 19 GAATTGAGATTACTTTCCGCCAGAG SEQ. ID. NO. 20 CCAAGCGACTGAAAAGACACCCTGA SEQ. ID. NO. 21 CTCCACAGCAGTATGAGAGAGTA SEQ. ID. NO. 18 TGTCCACAATGGTTTTGCCAAGGAG SEQ. ID. NO. 19 TTTCTTCTCAGATCCAGCTGTGCCC SEQ. ID. NO. 20 GGAGACAGGAGGCTTCCAGGAGGCA SEQ. ID. NO. 21 CAACAACAGCGGTCAGGCGTGGGG SEQ. ID. NO. 18 TTTTGGGAAGAAACATTTAACTGCC SEQ. ID. NO. 19 GTCAAAACCTGAAGCGCCAGGATG SEQ. ID. NO. 20 CCGCTGGCCTATGATGCCATCTGGG SEQ. ID. NO. 21 CCCAGCAAGTTCCACGGGTACGCCT SEQ. ID. NO. 18 ACCTCCAAGAAGGTGCAAAAGGACC SEQ. ID. NO. 19 CCCGAATCATCGTGGGACTTTTCTA SEQ. ID. NO. 20 CCTTGGCACTGGCCCTGAACAAGAC SEQ. ID. NO. 21 ACGATGGCATCTGGGTCATCGCCAA SEQ. ID. NO. 18 TTTACCTGTGGACACCTTTCTGAGA SEQ. ID. NO. 19 TGAGACTGAAGCCCGGAAAGTTTTT SEQ. ID. NO. 20 A T C T G G A G G A G G C G G C C G T T C T G G T SEQ. ID. NO. 21 GACACTGCAGAGGCCATGGAGACA SEQ. ID. NO. 18 GGTCACGAAGAAGTGGCGACAGGT SEQ. ID. NO. 19 TGTGAGGTGTACAAGGAGCGTCTCT SEQ. ID. NO. 20 GTGCGCCTGGAGGACTTCAACTACA SEQ. ID. NO. 21 CTGCATGCCAGCAGCCGGCACCAGC SEQ. ID. NO. 18 TTAGCAACAGCTCGACAGCCTTCCG SEQ. ID. NO. 19 TTGGGAAGAAGTACGTCTGGTTCCT SEQ. ID. NO. 20 ACAACCAGACCATTACCGACCAAAT SEQ. ID. NO. 21 GGATCCAGGACTTCAACTACACGGA SEQ. ID. NO. 18 ACCCCTCTGTACAGGGATGAGAAC SEQ. ID. NO. 19 CATTGGGTGGTATGCTGACAATTGG SEQ. ID. NO. 20 CTACCGGGCAATGAACTCTTCGTCC SEQ. ID. NO. 21 CCACACGCTGGGCAGGATCATCCTC

```
SEQ. ID. NO. 18 ATCAGCAGTGTCGAGACCCCTTACA
SEQ. ID. NO. 19 TTCAAGATCTACGACCCTTCTATCA
SEQ. ID. NO. 20 TTTGAGGGTGTCTCTGGCCATGTGG
SEQ. ID. NO. 21 AATGCCATGAACGAGACCAACTTCT
SEQ. ID. NO. 18 TAGATTACACGCATTTACGGATATC
SEQ. ID. NO. 19 ACTGCACAGTGGATGAGATGACTGA
SEQ. ID. NO. 20 TGTTTGATGCCAGCGGCTCTCGGAT
SEQ. ID. NO. 21 TCGGGGTCACGGGTCAAGTTGTATT
SEQ. ID. NO. 18 CTACAATGTGTACTTAGCAGTCTAC
SEQ. ID. NO. 19 GGCGGTGGAGGGCCACATCACAACT
SEQ. ID. NO. 20 GGCATGGACGCTTATCGAGCAGCTT
SEQ. ID. NO. 21 CCGGAATGGGGAGAATGGGGACC
SEQ. ID. NO. 18 TCCATTGCCCACGCCTTGCAAGATA
SEQ. ID. NO. 19 GAGATTGTCATGCTGAATCCTGCCA
SEQ. ID. NO. 20 CAGGGTGGCAGCTACAAGAAGATTG
SEQ. ID. NO. 21 ATTAAATTTACTCAATTTCAAGACA
SEQ. ID. NO. 18 TATATACCTGCTTACCTGGGAGAGG
SEQ. ID. NO. 19 ATACCCGCAGCATTTCCAACATGAC
SEQ. ID. NO. 20 GCTACTATGACAGCACCAAGGATGA
SEQ. ID. NO. 21 GCAGGGAGGTGAAGGTGAGGAAGTA
SEQ. ID. NO. 18 GCTCTTCACCAATGGCTCCTGTGCA
SEQ. ID. NO. 19 A T C C C A G G A A T T T G T G G A G A A C T A
SEQ. ID. NO. 20 TCTTTCCTGGTCCAAAACAGATAAA
SEQ. ID. NO. 21 CAACGCTGTGGCCGACACACTGGAG
SEQ. ID. NO. 18 GACATCAAGAAAGTTGAGGCGTGGC
SEQ. ID. NO. 19 ACCAAGCGACTGAAAAGACACCCTG
SEQ. ID. NO. 20 TGGATTGGAGGGTCCCCCCAGCTG
SEQ. ID. NO. 21 A T C A T C A A T G A C A C C A T C A G G T T C C
SEQ. ID. NO. 18 AGGTCCTGAAGCACCTACGGCATCT
SEQ. ID. NO. 19 AGGAGAGAGGGTTCCAGGAGGC
SEQ. ID. NO. 20 ACCAGACCCTGGTCATCAAGACATT
SEQ. ID. NO. 21 AAGGATCCGAACCACCAAAAGACAA
```

de la house de la constante de

SEQ. ID. NO. 18 AAACTTTACAAACAATATGGGGGAG SEQ. ID. NO. 19 ACCGCTGGCCTATGATGCCATCTGG SEQ. ID. NO. 20 CCGCTTCCTGTCACAGAAACTCTTT SEQ. ID. NO. 21 GACCATCATCCTGGAGCAGCTGCGG SEQ. ID. NO. 18 CAGGTGACCTTTGATGAGTGTGGTG SEQ. ID. NO. 19 GCCTTGGCACTGGCCCTGAACAAGA SEQ. ID. NO. 20 A T C T C C G T C T C A G T T C T C C A G C C SEQ. ID. NO. 21 AAGATCTCCCTACCTCTACAGCA SEQ. ID. NO. 18 ACCTGGTGGGGAACTATTCCATCAT SEQ. ID. NO. 19 CATCTGGAGGAGGCGGCCGTTCTGG SEQ. ID. NO. 20 TGGGCATTGTCCTAGCTGTTGTCTG SEQ. ID. NO. 21 TCCTCTCTGCCCTCACCATCCTCGG SEQ. ID. NO. 18 CAACTGGCACCTCTCCCCAGAGGAT SEQ. ID. NO. 19 TGTGCGCCTGGAGGACTTCAACTAC SEQ. ID. NO. 20 TCTGTCCTTTAACATCTACAACTCA SEQ. ID. NO. 21 GATGATCATGGCCAGTGCTTTTCTC SEQ. ID. NO. 18 GGCTCCATCGTGTTTAAGGAAGTCG SEQ. ID. NO. 19 AACAACCAGACCATTACCGACCAAA SEQ. ID. NO. 20 CATGTCCGTTATATCCAGAACTCAC SEQ. ID. NO. 21 TTCTTCAACATCAAGAACCGGAATC SEQ. ID. NO. 18 GGTATTACAACGTCTATGCCAAGAA SEQ. ID. NO. 19 TCTACCGGGCAATGAACTCTTCGTC SEQ. ID. NO. 20 AGCCCAACCTGAACAACCTGACTGC SEQ. ID. NO. 21 AGAAGCTCATAAAGATGTCGAGTCC SEQ. ID. NO. 18 GGGAGAAAGACTCTTCATCAACGAG SEQ. ID. NO. 19 CTTTGAGGGTGTCTCTGGCCATGTG SEQ. ID. NO. 20 TGTGGGCTGCTCACTGGCTTAGCT SEQ. ID. NO. 21 A TACATGAACAACCTTATCATCCTT SEQ. ID. NO. 18 GAGAAAATCCTGTGGAGTGGGTTCT SEQ. ID. NO. 19 GTGTTTGATGCCAGCGGCTCTCGGA SEQ. ID. NO. 20 GCTGTCTTCCCCCTGGGGCTCGATG SEQ. ID. NO. 21 GGAGGGATGCTCCCTATGCTTCCA

Figure 5h

at a transfer of a

```
SEQ. ID. NO. 18 CCAGGGAGGTGCCCTTCTCCAACTG
SEQ. ID. NO. 19 TGGCATGGACGCTTATCGAGCAGCT
SEQ. ID. NO. 20 GTTACCACATTGGGAGGAACCAGTT
SEQ. ID. NO. 21 TATTTCTCTTTTGGCCTTGATGGATC
SEQ. ID. NO. 18 CAGCCGAGACTGCCTGGCAGGGACC
SEQ. ID. NO. 19 TCAGGGTGGCAGCTACAAGAAGATT
SEQ. ID. NO. 20 TCCTTTCGTCTGCCAGGCCCGCCTC
SEQ. ID. NO. 21 CTTTGTCTCTGAAAAGACCTTTGAA
SEQ. ID. NO. 18 AGGAAAGGGATCATTGAGGGGGAGC
SEQ. ID. NO. 19 GGCTACTATGACAGCACCAAGGATG
SEQ. ID. NO. 20 TGGCTCCTGGGCCTGGGCTTTAGTC
SEQ. ID. NO. 21 ACACTTTGCACCGTCAGGACCTGGA
SEQ. ID. NO. 18 CCACCTGCTGCTTTGAGTGTGGA
SEQ. ID. NO. 19 A T C T T T C C T G G T C C A A A C A G A T A A
SEQ. ID. NO. 20 TGGGCTACGGTTCCATGTTCACCAA
SEQ. ID. NO. 21 TTCTCACCGTGGGCTACACGACCGC
SEQ. ID. NO. 18 GTGTCCTGATGGGGAGTATAGTGAT
SEQ. ID. NO. 19 ATGGATTGGAGGGTCCCCCCAGCT
SEQ. ID. NO. 20 GATTTGGTGGGTCCACACGGTCTTC
SEQ. ID. NO. 21 TTTGGGGCCATGTTTGCAAAGACC
SEQ. ID. NO. 18 GAGACAGATGCCAGTGCCTGTAACA
SEQ. ID. NO. 19 GACCAGACCCTGGTCATCAAGACAT
SEQ. ID. NO. 20 A C A A A G A A G G A A G A A A G A A G G A G T
SEQ. ID. NO. 21 TGGAGAGTCCACGCCATCTTCAAAA
SEQ. ID. NO. 18 AGTGCCCAGATGACTTCTGGTCCAA
SEQ. ID. NO. 19 TCCGCTTCCTGTCACAGAACTCTT
SEQ. ID. NO. 20 GGAGGAAGACTCTGGAACCCTGGAA
SEQ. ID. NO. 21 ATGTGAAAATGAAGAAGATCAT
SEQ. ID. NO. 18 TGAGAACCACACCTCCTGCATTGCC
SEQ. ID. NO. 19 TATCTCCGTCTCAGTTCTCTCCAGC
SEQ. ID. NO. 20 GCTGTATGCCACAGTGGGCCTGCTG
SEQ. ID. NO. 21 CAAGGACCAGAAACTGCTTGTGATC
```

```
SEQ. ID. NO. 18 AAGGAGATCGAGTTTCTGTCGTGGA
SEQ. ID. NO. 19 CTGGGCATTGTCCTAGCTGTTGTCT
SEQ. ID. NO. 20 GTGGGCATGGATGTCCTCACTCTCG
SEQ. ID. NO. 21 GTGGGGGGCATGCTGATCGACC
SEQ. ID. NO. 18 CGGAGCCCTTTGGGATCGCACTCAC
SEQ. ID. NO. 19 GTCTGTCCTTTAACATCTACAACTC
SEQ. ID. NO. 20 CCATCTGGCAGATCGTGGACCCTCT
SEQ. ID. NO. 21 TGTGTATCCTGATCTGCTGGCAGGC
SEQ. ID. NO. 18 CCTCTTTGCCGTGCTGGGCATTTTC
SEQ. ID. NO. 19 A C A T G T C C G T T A T A T C C A G A A C T C A
SEQ. ID. NO. 20 GCACCGGACCATTGAGACATTTGCC
SEQ. ID. NO. 21 TGTGGACCCCCTGCGAAGGACAGTG
SEQ. ID. NO. 18 CTGACAGCCTTTGTGCTGGGTGTGT
SEQ. ID. NO. 19 CAGCCCAACCTGAACAACCTGACTG
SEQ. ID. NO. 20 AAGGAGGAACCTAAGGAAGATATTG
SEQ. ID. NO. 21 GAGAAGTACAGCATGGAGCCGGACC
SEQ. ID. NO. 18 TTATCAAGTTCCGCAACACACCCAT
SEQ. ID. NO. 19 CTGTGGGCTGCTCACTGGCTTAGC
SEQ. ID. NO. 20 ACGTCTCTATTCTGCCCCAGCTGGA
SEQ. ID. NO. 21 CAGCAGGACGGGATATCTCCATCCG
SEQ. ID. NO. 18 TGTCAAGGCCACCAACCGAGAGCTC
SEQ. ID. NO. 19 TGCTGTCTTCCCCCTGGGGCTCGAT
SEQ. ID. NO. 20 GCATTGCAGCTCCAGGAAGATGAAT
SEQ. ID. NO. 21 CCCTCTCCTGGAGCACTGTGAGAAC
SEQ. ID. NO. 18 TCCTACCTCCTCCTCCTGC
SEQ. ID. NO. 19 GGTTACCACATTGGGAGGAACCAGT
SEQ. ID. NO. 20 ACATGGCTTGGCATTTCTATGGTT
SEQ. ID. NO. 21 ACCCATATGACCATCTGGCTTGGCA
SEQ. ID. NO. 18 TCTGCTGCTTCTCCAGCTCCCTGTT
SEQ. ID. NO. 19 TTCCTTTCGTCTGCCAGGCCCGCCT
SEQ. ID. NO. 20 ACAAGGGGCTGCTGCTGGG
SEQ. ID. NO. 21 TCGTCTATGCCTACAAGGGACTTCT
```

SEQ. ID. NO. 18 CTTCATCGGGGAGCCCCAGGACTGG SEQ. ID. NO. 19 CTGGCTCCTGGGCCTGTAGT SEQ. ID. NO. 20 AATCTTCCTTGCTTATGAGACCAAG SEQ. ID. NO. 21 CATGTTGTTCGGTTGTTTCTTAGCT SEQ. ID. NO. 18 ACGTGCCGCCTGCGCCAGCCGGCCT SEQ. ID. NO. 19 CTGGGCTACGGTTCCATGTTCACCA SEQ. ID. NO. 20 AGTGTGTCCACTGAGAAGATCAATG SEQ. ID. NO. 21 TGGGAGACCCGCAACGTCAGCATCC SEQ. ID. NO. 18 TTGGCATCAGCTTCGTGCAT SEQ. ID. NO. 19 AGATTTGGTGGGTCCACACGGTCTT SEQ. ID. NO. 20 A T C A C C G G G C T G T G G G C A T G G C T A T SEQ. ID. NO. 21 CCGCACTCAACGACAGCAAGTACAT SEQ. ID. NO. 18 CTCATGCATCCTGGTGAAAACCAAC SEQ. ID. NO. 19 CACAAAGAAGGAAGAAGAAGGAG SEQ. ID. NO. 20 CTACAATGTGGCAGTCCTGTGCCTC SEQ. ID. NO. 21 CGGGATGAGTGTCTACAACGTGGGG SEQ. ID. NO. 18 CGTGTCCTCCTGGTGTTTGAGGCCA SEQ. ID. NO. 19 TGGAGGAAGACTCTGGAACCCTGGA SEQ. ID. NO. 20 A T C A C T G C T C C T G T C A C C A T G A T T C SEQ. ID. NO. 21 A T C A T G T G C A T C A T C G G G G C C G C T G SEQ. ID. NO. 18 AGATCCCCACCAGCTTCCACCGCAA SEQ. ID. NO. 19 AGCTGTATGCCACAGTGGGCCTGCT SEQ. ID. NO. 20 TGTCCAGCCAGCAGGATGCAGCCTT SEQ. ID. NO. 21 TCTCCTTCCTGACCCGGGACCAGCC SEQ. ID. NO. 18 GTGGTGGGGGCTCAACCTGCAGTTC SEQ. ID. NO. 19 GGTGGGCATGGATGTCCTCACTCTC SEQ. ID. NO. 20 TGCCTTTGCCATAGTT SEQ. ID. NO. 21 CAATGTGCAGTTCTGCATCGTGGCT SEQ. ID. NO. 18 CTGCTGGTTTTCCTCTGCACCTTCA SEQ. ID. NO. 19 GCCATCTGGCAGATCGTGGACCCTC SEQ. ID. NO. 20 TTCTCCTCCTATATCACTCTTGTTG SEQ. ID. NO. 21 CTGGTCATCATCTTCTGCAGCACCA

SEQ. ID. NO. 18 TGCAGATTGTCATCTGTGATCTG SEQ. ID. NO. 19 TGCACCGGACCATTGAGACATTTGC SEQ. ID. NO. 20 TGCTCTTTGTGCCCAAGATGCGCAG T C A C C C T C T G C C T G G T A T T C G T G C C SEQ. ID. NO. 21 SEQ. ID. NO. 18 GCTCTACACCGCGCCCCCCTCAAGC SEQ. ID. NO. 19 CAAGGAGGAACCTAAGGAAGATATT SEQ. ID. NO. 20 GCTGATCACCCGAGGGAATGGCAG SEQ. ID. NO. 21 GAAGCTCATCACCCTGAGAACAAC SEQ. ID. NO. 18 TACCGCAACCAGGAGCTGGAGGATG SEQ. ID. NO. 19 GACGTCTCTATTCTGCCCCAGCTGG SEQ. ID. NO. 20 TCGGAGGCGCAGGACACCATGAAGA SEQ. ID. NO. 21 CCAGATGCAGCAACGCAGAACAGGC SEQ. ID. NO. 18 AGATCATCTTCATCACGTGCCACGA SEQ. ID. NO. 19 AGCATTGCAGCTCCAGGAAGATGAA SEQ. ID. NO. 20 CAGGGTCATCGACCAACAACGA SEQ. ID. NO. 21 GATTCCAGTTCACTCAGAATCAGAA SEQ. ID. NO. 18 GGGCTCCCTCATGGCCCTGGGCTTC SEQ. ID. NO. 19 TACATGGCTTGGCATTTCTATGGT SEQ. ID. NO. 20 GGAGGAGAGTCCCGGCTGTTGGAG SEQ. ID. NO. 21 GAAAGAAGATTCTAAAACGTCCACC SEQ. ID. NO. 18 CTGATCGGCTACACCTGCCTGG SEQ. ID. NO. 19 TACAAGGGGCTGCTGCTGCTGG SEQ. ID. NO. 20 AAGGAGAACCGTGAACTGGAAAAGA SEQ. ID. NO. 21 TCGGTCACCAGTGTGAACCAAGCCA SEQ. ID. NO. 18 CTGCCATCTGCTTCTTTGCCTT SEQ. ID. NO. 19 GAATCTTCCTTGCTTATGAGACCAA SEQ. ID. NO. 20 TCATTGCTGAGAAAGAGAGCGTGT SEQ. ID. NO. 21 GCACATCCCGCCTGGAGGGCCTACA SEQ. ID. NO. 18 CAAGTCCCGGAAGCTGCCGGAGAAC SEQ. ID. NO. 19 GAGTGTGTCCACTGAGAAGATCAAT SEQ. ID. NO. 20 CTCTGAACTGCGCCATCAACTCCAG SEQ. ID. NO. 21 GTCAGAAACCATCGCCTGCGAATG

SEQ. ID. NO. 18 TTCAATGAAGCCAAGTTCATCACCT SEQ. ID. NO. 19 GATCACCGGGCTGTGGGCATGGCTA SEQ. ID. NO. 20 TCTCGGCAGCAGCTCCGGC SEQ. ID. NO. 21 AAGATCACAGAGCTGGATAAAGACT SEQ. ID. NO. 18 TCAGCATGCTCATCTTCATCGT SEQ. ID. NO. 19 TCTACAATGTGGCAGTCCTGTGCCT SEQ. ID. NO. 20 GCCACCCACCGACACCCCAGAACC SEQ. ID. NO. 21 TGGAAGAGGTCACCATGCAGCTGCA SEQ. ID. NO. 18 CTGGATCTCCTTCATTCCAGCCTAT SEQ. ID. NO. 19 CATCACTGCTCCTGTCACCATGATT SEQ. ID. NO. 20 CTCTGGGGGCCTGCCCAGGGGACCC SEQ. ID. NO. 21 GGACACACCAGAAAAGACCACCTAC SEQ. ID. NO. 18 GCCAGCACCTATGGCAAGTTTGTCT SEQ. ID. NO. 19 CTGTCCAGCCAGCAGGATGCAGCCT SEQ. ID. NO. 20 CCTGAGCCCCCGACCGGCTTAGCT SEQ. ID. NO. 21 ATTAAACAGAACCACTACCAAGAGC SEQ. ID. NO. 18 CTGCCGTAGAGGTGATTGCCATCCT SEQ. ID. NO. 19 TTGCCTTTGCCTTTTGCCATAGT SEQ. ID. NO. 20 GTGATGGGAGTCGAGTGCATTTGCT SEQ. ID. NO. 21 TCAATGACATCCTCAACCTGGGAAA SEQ. ID. NO. 18 GGCAGCCAGCTTTGGCTTGGCG SEQ. ID. NO. 19 TTTCTCCTCCTATATCACTCTTGTT SEQ. ID. NO. 20 TTATAAGTGAGGGTAGGGA SEQ. ID. NO. 21 CTTCACTGAGAGCACAGATGGAGGA SEQ. ID. NO. 18 TGCATCTTCTACAACAAGATCTACA SEQ. ID. NO. 19 GTGCTCTTTGTGCCCAAGATGCGCA SEQ. ID. NO. 20 GGACAGGCCAGTAGGGGAAGA SEQ. ID. NO. 21 AAGGCCATTTTAAAAAATCACCTCG SEQ. ID. NO. 18 TCATTCTCTTCAAGCCATCCCGCAA SEQ. ID. NO. 19 GGCTGATCACCCGAGGGAATGGCA SEQ. ID. NO. 20 GGGAGAGGGGAAGGGGACTC SEQ. ID. NO. 21 ATCAAAATCCCCAGCTACAGTGGAA

SEQ. ID. NO. 18 CACCATCGAGGAGGTGCGTTGCAGC SEQ. ID. NO. 19 GTCGGAGGCGCAGGACACCATGAAG SEQ. ID. NO. 20 AGGAAGCAGGGGGTCCCCATCCCA SEQ. ID. NO. 21 CACAACAGAGCCCTCTCGAACATGC SEQ. ID. NO. 18 ACCGCAGCTCACGCTTTCAAGGTGG SEQ. ID. NO. 19 ACAGGGTCATCGACCAACAACG SEQ. ID. NO. 20 GCTGGGAAGAACATGCTATCCAATC SEQ. ID. NO. 21 AAAGATCCTATAGAAGATATAAACT SEQ. ID. NO. 18 CTGCCCGGGCCACGCTGCGCCGCAG SEQ. ID. NO. 19 AGGAGGAGAGTCCCGGCTGTTGGA SEQ. ID. NO. 20 TCATCTCTTGTAAATACATGTCCCC SEQ. ID. NO. 21 CTCCAGAACACATCCAGCGTCGGCT SEQ. ID. NO. 18 CAACGTCTCCCGCAAGCGGTCCAGC SEQ. ID. NO. 19 GAAGGAGAACCGTGAACTGGAAAG SEQ. ID. NO. 20 CTGTGAGTTCTGGGCTGATTTGGGT SEQ. ID. NO. 21 GTCCCTCCAGCTCCCATCCAC SEQ. ID. NO. 18 AGCCTTGGAGGCTCCACGGGATCCA SEQ. ID. NO. 19 ATCATTGCTGAGAAAGAGAGCGTG SEQ. ID. NO. 20 CTCTCATACCTCTGGGAAACAGACC SEQ. ID. NO. 21 CACGCCTACCTCCCATCGGAG SEQ. ID. NO. 18 CCCCCTCCTCCTCCATCAGCAGCAA SEQ. ID. NO. 19 TCTCTGAACTGCGCCATCAGCTCCA SEQ. ID. NO. 20 TTTTCTCTCTTACTGCTTCATGTA SEQ. ID. NO. 21 GCGTGGACGCCAGCTGTGTCAGCCC SEQ. ID. NO. 18 GAGCAACAGCGAAGACCCATTCCCA SEQ. ID. NO. 19 GTCTCGGCAGCAGCTCCGGG SEQ. ID. NO. 20 ATTTTGTATCACCTCTTCACAATTT SEQ. ID. NO. 21 CTGCGTCAGCCCACCGCCAGCCC SEQ. ID. NO. 18 CAGCCCGAGAGGCAGCAGC SEQ. ID. NO. 19 CGCCACCCACCGACACCCCAGAAC SEQ. ID. NO. 20 AGTTCGTACCTGGCTTGAAGCTGCT SEQ. ID. NO. 21 CGCCACAGACATGTGCCACCCTCCT

at the property of

SEQ. ID. NO. 18 AGCCGCTGGCCCTAACCCAGCAAGA SEQ. ID. NO. 19 CCTCTGGGGGCCTGCCCAGGGGACC SEQ. ID. NO. 20 CACTGCTCACACGCTGCCTCAG SEQ. ID. NO. 21 TCCGAGTCATGGTCTCGGGCCTGTA SEQ. ID. NO. 18 GCAGCAGCAGCCCCCTGACCCTC SEQ. ID. NO. 19 CCCTGAGCCCCCGACCGGCTTAGC SEQ. ID. NO. 20 CAGCCTCACTGCATCTTTCTCTTTCC SEQ. ID. NO. 21 AGGGTGGGAGGCCTGGGCCCGGGGC SEQ. ID. NO. 18 CCACAGCAGCAACGATCTCAGCAGC SEQ. ID. NO. 19 TGTGATGGGAGTCGAGTGCATTTGC SEQ. ID. NO. 20 CATGCAACACCCTCTTCTAGTTACC SEQ. ID. NO. 21 CTCCCCCGTGACAGAACCACACTGG SEQ. ID. NO. 18 AGCCCAGATGCAAGCAGAAGGTCAT SEQ. ID. NO. 19 TTTATAAGTGAGGGTAGGGG SEQ. ID. NO. 20 ACGGCAACCCCT SEQ. ID. NO. 21 GCAGAGGGGTCTGCTGCAGAACAC SEQ. ID. NO. 18 CTTTGGCAGCGGCACGGTCACCTTC SEQ. ID. NO. 19 AGGACAGGCCAGTAGGGGAAGGAA SEQ. ID. NO. 20 SEQ. ID. NO. 21 TGTCGGCTCTGGCTGCGGAGAGCT SEQ. ID. NO. 18 TCACTGAGCTTTGATGAGCCTCAGA SEQ. ID. NO. 19 AGGGAGGGGAAGGGGACT SEQ. ID. NO. 20 SEQ. ID. NO. 21 GGGCACCATGGCTGGCCTCTCAGGA SEQ. ID. NO. 18 AGAACGCCATGGCCCACGGGAATTC SEQ. ID. NO. 19 CAGGAAGCAGGGGGTCCCCATCCCC SEQ. ID. NO. 20 SEQ. ID. NO. 21 CCACTCGGATGGCACTCAGGTGGAC SEQ. ID. NO. 18 TACGCACCAGAACTCCCTGGAGGCC SEQ. ID. NO. 19 AGCTGGGÄAGAACATGCTATCCAAT SEQ. ID. NO. 20

والمستور والم

```
SEQ. ID. NO. 18 CAGAAAAGCAGCGATACGCTGACCC
SEQ. ID. NO. 19 CTCATCTCTTGTAAATACATGTCCC
SEQ. ID. NO. 20
SEQ. ID. NO. 21 ACCTGACCTCGAGCCTTATTTGTGA
SEQ. ID. NO. 18 GACACCAGCCATTACTCCCGCTGCA
SEQ. ID. NO. 19 CCTGTGAGTTCTGGGCTGATTTGGG
SEQ. ID. NO. 20
SEQ. ID. NO. 21 AGTCCTTATTTCTTCACAAAGAAGA
SEQ. ID. NO. 18 GTGCGGGGAAACGGACTTAGATCTG
SEQ. ID. NO. 19 TCTCTCATACCTCTGGGAAACAGAC
SEQ. ID. NO. 20
SEQ. ID. NO. 21 GGAACGGAAATGGGACGTCTTCCTT
SEQ. ID. NO. 18 ACCGTCCAGGAAACAGGTCTGCAAG
SEQ. ID. NO. 19 CTTTTCTCTCTTACTGCTTCATGT
SEQ. ID. NO. 20
SEQ. ID. NO. 21 AACATCTGCAAACAAGGAGGCGCTG
SEQ. ID. NO. 18 GACCTGTGGGTGGAGACCAGCGGCC
SEQ. ID. NO. 19 AATTTTGTATCACCTCTTCACAATT
SEQ. ID. NO. 20
SEQ. ID. NO. 21 GGATATCAAACTTGCAAAAAAAAAA
SEQ. ID. NO. 18 AGAGGTGGAGGACCCTGAAGAGTTG
SEQ. ID. NO. 19 TAGTTCGTACCTGGCTTGAAGCTGC
SEQ. ID. NO. 20
SEQ. ID. NO. 21 AAAAAAAAAAA
SEQ. ID. NO. 18 TCCCCAGCACTTGTAGTGTCCAGTT
SEQ. ID. NO. 19 TCACTGCTCACACGCTGCCTCA
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18 CACAGAGCTTTGTCATCAGTGGTGG
SEQ. ID. NO. 19 GCAGCCTCACTGCATCTTTCTCTTC
SEQ. ID. NO. 20
SEQ. ID. NO. 21
```

```
SEQ. ID. NO. 18 AGGCAGCACTGTTACAGAAACGTA
SEQ. ID. NO. 19 CCATGCAACACCCTCTTCTAGTTAC
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18 GTGAATTCA
SEQ. ID. NO. 19 CACGGCAACCCCTGCAGCTCCTG
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18
SEQ. ID. NO. 19 CCTTTGTGCTCTGTTCCAGC
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18
SEQ. ID. NO. 19 AGGGGTCTCCCAACAAGTGCTCTTT
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18
SEQ. ID. NO. 19 CCACCCCAAAGGGGCCTCTCCTTT
 SEQ. ID. NO. 20
SEQ. ID. NO. 21
 SEQ. ID. NO. 18
 SEQ. ID. NO. 19 CTCCACTGTCATAATCTCTTTCCAT
 SEQ. ID. NO. 20
 SEQ. ID. NO. 21
 SEQ. ID. NO. 18
 SEQ. ID. NO. 19 CTTACTTGCCCTTCTATACTTCTC
 SEQ. ID. NO. 20
 SEQ. ID. NO. 21
 SEQ. ID. NO. 18
 SEQ. ID. NO. 19 ACATGTGGCTCCCCCTGAATTTTGC
 SEQ. ID. NO. 20
 SEQ. ID. NO. 21
```

Figure 5q

SEQ. ID. NO. 18
SEQ. ID. NO. 19 TTCCTTTGGGGAGCTCATTCTTTCG
SEQ. ID. NO. 20
SEQ. ID. NO. 21

SEQ. ID. NO. 18
SEQ. ID. NO. 19 CCAAGGTCACATGCTCCCTTGCCTC
SEQ. ID. NO. 20
SEQ. ID. NO. 21

SEQ. ID. NO. 18 SEQ. ID. NO. 19 TGGCTCCGTGCA SEQ. ID. NO. 20 SEQ. ID. NO. 21 in in the state of the state of

SEQ. ID. NO. 22 CTCCGCCCCCTGGGCGCTGGCGGGGCGCAG SEQ. ID. NO. 23 GGGTGGCCGCTGCCTCTTCTGCTGGTGATG

SEQ. ID. NO. 22 A T T A T A C A T C C G C C C T G G G A A G G T G G C A T C SEQ. ID. NO. 23 C A C T C C C C T C A T C T C C C G C G G C C T C A C C C G

SEQ. ID. NO. 22 A A G G C C A T C A A C T T C C T G C C T G T G G A C T A T SEQ. ID. NO. 23 C G T G C A G T A T A C A T C G G G G C G C T G T T T C C C

SEQ. ID. NO. 22 GAGATCGAATATGTGTGCCGAGGGAGCGC SEQ. ID. NO. 23 ATGAGCGGGGGCTGGCCGGGGGCCAGGCC

SEQ. ID. NO. 22 GAGGTGGTGGGGCCCAAGGTGCGCAAATGC SEQ. ID. NO. 23 TGCCAGCCCGCGGTGGAGATGGCGCTGGAG

SEQ. ID. NO. 22 CTGGCCAACGGCTCCTGGACGGATATGGAC SEQ. ID. NO. 23 GACGTTAACAGCCGCAGAGACATCCTGCCG

SEQ. ID. NO. 22 A C A C C C A G C C G C T G T G T C C G A A T C T G C T C C SEQ. ID. NO. 23 G A C T A C G A G C T C A A G C T T A T C C A C C A C G A C

SEQ. ID. NO. 22 A A G T C T T A T T T G A C C C T G G A A A T G G G A A G SEQ. ID. NO. 23 A G C A A G T G T G A C C C A G G G C A A G C C A A G

SEQ. ID. NO. 22 GTTTTCCTGACGGGTGGGGACCTCCCAGCT SEQ. ID. NO. 23 TACTTGTACGAACTACTCTACAATGACCCC at the seminately

SEQ. ID. NO. 22 CTGGATGGAGCCCGGGTGGAGTTCCGATGT SEQ. ID. NO. 23 ATCAAGATCATTCTCATGCCTGGCTGTAGT

SEQ. ID. NO. 22 GACCCCGACTTCCATCTGGTGGCAGCTCC SEQ. ID. NO. 23 TCTGTCTCCACACTTGTAGCTGAGGCTGCC

SEQ. ID. NO. 22 CGGAGCGTCTGTAGTCAGGGCCAGTGGAGC SEQ. ID. NO. 23 CGGATGTGGAACCTTATTGTGCTCTCATAT

SEQ. ID. NO. 22 A C C C C A A G C C C C A C T G C C A G G T G A A T C G A SEQ. ID. NO. 23 G G C T C C A G T T C A C C A G C C T T G T C A A A C C G A

SEQ. ID. NO. 22 A C G C C A C A C T C A G A A C G G C G T G C A G T A T A C SEQ. ID. NO. 23 C A G C G G T T C C C A C G T T C T T C C G G A C G C A T

SEQ. ID. NO. 22 A T C G G G G C G C T G T T T C C C A T G A G C G G G G C SEQ. ID. NO. 23 C C A T C C G C C A C A C T C C A C A A T C C C A C C G G

SEQ. ID. NO. 22 TGGCCGGGGGCCAGGCCTGCCAGCCGGGSEQ. ID. NO. 23 GTGAAACTCTTCGAAAAGTGGGGCTGGAAG

SEQ. ID. NO. 22 GTGGAGATGGCGCTGGAGGACGTTAACAGCSEQ. ID. NO. 23 AAGATCGCTACCATCCAACAGACCGAG

SEQ. ID. NO. 22 CGCAGAGACATCCTGCCGGACTACGAGCTC SEQ. ID. NO. 23 GTCTTCACCTCAACGCTGGATGACCTGGAG

SEQ. ID. NO. 22 A A G C T T A T C C A C C A C G A C A G C A A G T G T G A C SEQ. ID. NO. 23 G A G C G A G T G A A A G A G G C T G G G A T C G A G A T C

SEQ. ID. NO. 22 CCAGGGCAAGCCACCAAGTACTTGTACGAA SEQ. ID. NO. 23 ACTTTCCGACAGAGTTCTTCTCGGATCCA

SEQ. ID. NO. 22 CTACTCTACAATGACCCCATCAAGATCATT SEQ. ID. NO. 23 GCTGTGCCTGTTAAAAACCTGAAGCGTCAA

SEQ. ID. NO. 22 CTCATGCCTGGCTGTAGTTCTGTCTCCACA SEQ. ID. NO. 23 GATGCTCGAATCATCGTGGGACTTTTCTAT باللعائم ال

SEQ. ID. NO. 22 CTTGTAGCTGAGGCTGCCCGGATGTGGAAC SEQ. ID. NO. 23 GAGACGGAAGCCCGGAAAGTTTTTTGTGAG

SEQ. ID. NO. 22 CTTATTGTGCTCTCATATGGCTCCAGTTCA SEQ. ID. NO. 23 GTCTATAAGGAAAGGCTCTTTGGGAAGAAG

SEQ. ID. NO. 22 CCAGCCTTGTCAAACCGACAGCGGTTTCCCC SEQ. ID. NO. 23 TACGTCTGGTTCCTCATCGGGTGGTATGCT

SEQ. ID. NO. 22 A C G T T C T T C C G G A C G C A T C C A T C C G C C A C A SEQ. ID. NO. 23 G A C A A C T G G T T C A A G A C C T A T G A C C C G T C A

SEQ. ID. NO. 22 CTCCACAATCCCACCCGGGTGAAACTCTTC SEQ. ID. NO. 23 ATCAATTGTACAGTGGAAGAAATGACCGAG

SEQ. ID. NO. 22 GAAAAGTGGGGCTGGAAGAAGATCGCTACC SEQ. ID. NO. 23 GCGGTGGAGGGCCACATCACCACGGAGATT

SEQ. ID. NO. 22 A T C C A A C A G A C C A C C G A G G T C T T C A C C T C A SEQ. ID. NO. 23 G T C A T G C T G A A C C C T G C C A A C A C C C G A A G C

SEQ. ID. NO. 22 A C G C T G G A T G A C C T G G A G G A G C G A G T G A A A SEQ. ID. NO. 23 A T T T C C A A C A T G A C G T C A C A G G A A T T T G T G

SEQ. ID. NO. 22 GAGGCTGGGATCGAGATCACTTTCCGACAG SEQ. ID. NO. 23 GAGAAACTAACCAAGCGGCTGAAAAGACAC

SEQ. ID. NO. 22 A G T T T C T T C T C G G A T C C A G C T G T G C C T G T T SEQ. ID. NO. 23 C C C G A G G A G A C T G G A G G C T T C C A G G A G G C A

SEQ. ID. NO. 22 A A A A A C C T G A A G C G T C A A G A T G C T C G A A T C SEQ. ID. NO. 23 C C A C T G G C C T A T G A T G C T A T C T G G G C C T T G

SEQ. ID. NO. 22 A T C G T G G G A C T T T T C T A T G A G A C G G A A G C C SEQ. ID. NO. 23 G C T T T G G C C T T G A A C A A G A C G T C T G G A G G A

SEQ. ID. NO. 22 CGGAAAGTTTTTTGTGAGGTCTATAAGGAA SEQ. ID. NO. 23 GGTGGTCGTTCCGGCGTGCGCCTGGAGGAC ي ئىلىدانىد.

SEQ. ID. NO. 22 A G G C T C T T T G G G A A G A A G T A C G T C T G G T T C SEQ. ID. NO. 23 TTTAACTACAACAACCAGACCATTACAGAC SEQ. ID. NO. 22 CTCATCGGGTGGTATGCTGACAACTGGTTC SEQ. ID. NO. 23 CAGATCTACCGGGCCATGAACTCCTCC SEQ. ID. NO. 22 AAGACCTATGACCCGTCAATCAATTGTACA SEQ. ID. NO. 23 TTTGAGGGGGTTTCTGGCCATGTGGTCTTT SEQ. ID. NO. 22 GTGGAAGAATGACCGAGGCGGTGGAGGC SEQ. ID. NO. 23 GATGCCAGCGGCTCCCGGATGGCATGGACA SEQ. ID. NO. 22 CACATCACCACGGAGATTGTCATGCTGAAC SEQ. ID. NO. 23 CTTATCGAGCAGCTACAGGGCGGCAGCTAC SEQ. ID. NO. 22 CCTGCCAACACCGGAAGCATTTCCAACATG SEQ. ID. NO. 23 A A G A A G A T C G G C T A C T A C G A C A G C A C C A A G SEQ. ID. NO. 22 A C G T C A C A G G A A T T T G T G G A G A A A C T A A C C SEQ. ID. NO. 23 GATGATCTTCCTGGTCCAAAACGGACAAG SEQ. ID. NO. 22 A A G C G G C T G A A A G A C A C C C C G A G G A C T SEQ. ID. NO. 23 TGGATTGGAGGTCTCCCCCAGCTGACCAG SEQ. ID. NO. 22 GGAGGCTTCCAGGAGGCACCACTGGCCTAT SEQ. ID. NO. 23 A C C T T G G T C A T C A A G A C A T T C C G T T T C C T G SEQ. ID. NO. 22 GATGCTATCTGGGCCTTGGCTTTGGCCTTG SEQ. ID. NO. 23 TOTCAGAAACTCTTTATCTCCGTCTCAGTT SEQ. ID. NO. 22 AACAAGACGTCTGGAGGAGGTGGTCGTTCC SEQ. ID. NO. 23 CTCTCCAGCCTGGGCATTGTTCTTGCTGTT SEQ. ID. NO. 22 GGCGTGCGCCTGGAGGACTTTAACTACAAC SEQ. ID. NO. 23 GTCTGTCTGTCCTTTAACATCTACAACTCC

SEQ. ID. NO. 22 A A C C A G A C C A T T A C A G A C C A G A T C T A C C G G SEQ. ID. NO. 23 C A C G T T C G T T A T A T C C A G A C T C C C A G C C

SEQ. ID. NO. 22 GCCATGAACTCCTCCTCCTTTGAGGGCGTT SEQ. ID. NO. 23 AACCTGAACAATCTGACTGCTGGGCTGC SEQ. ID. NO. 22 TCTGGCCATGTGGTCTTTGATGCCAGCGGC SEQ. ID. NO. 23 TCACTGGCACTGGCTGCTGTCTCCCTCTC SEQ. ID. NO. 22 TCCCGGATGGCATGGACACTTATCGAGCAG SEQ. ID. NO. 23 GGGCTGGATGGTTACCACATAGGGAGAAGC SEQ. ID. NO. 22 CTACAGGGCGGCAGCTACAAGAAGATCGGC SEQ. ID. NO. 23 CAGTTCCCGTTTGTCTGCCAGGCCCGCCTT SEQ. ID. NO. 22 TACTACGACAGCACCAAGGATGATCTTTCC SEQ. ID. NO. 23 TGGCTCTTGGGCTTGGGCTTTAGTCTGGGC SEQ. ID. NO. 22 TGGTCCAAAACGGACAAGTGGATTGGAGGG SEQ. ID. NO. 23 TATGGCTCTATGTTCACCAAGATCTGGTGG SEQ. ID. NO. 22 TOTCCCCCAGCTGACCAGACCTTGGTCATC SEQ. ID. NO. 23 GTCCACACAGTCTTCACGAAGAAGAAGAAG SEQ. ID. NO. 22 A A G A C A T T C C G T T T C C T G T C T C A G A A A C T C SEQ. ID. NO. 23 A A G A A G G A G T G G A G G A A G A C C C T A G A G C C C SEQ. ID. NO. 22 TTTATCTCCGTCTCAGTTCTCTCCAGCCTG SEQ. ID. NO. 23 TGGAAACTCTATGCCACTGTGGGCCTGCTG SEQ. ID. NO. 22 GGCATTGTTCTTGCTGTTGTCTGTCC SEQ. ID. NO. 23 GTGGGGATGGATGTCCTGACTCTTGCCATC SEQ. ID. NO. 22 TTTAACATCTACAACTCCCACGTTCGTTAT SEO, ID. NO. 23 TGGCAGATTGTGGACCCCTTGCACCGAACC SEQ. ID. NO. 22 A T C C A G A A C T C C C A G C C C A A C C T G A A C A A T SEQ. ID. NO. 23 ATTGAGACTTTTGCCAAGGAGGAACCAAAG SEQ. ID. NO. 22 CTGACTGCTGTGGGCTGCTCACTGGCACTG SEQ. ID. NO. 23 GAAGACATCGATGTCTCCATTCTGCCCCAG SEQ. ID. NO. 22 GCTGCTGTCTTCCCTCTCGGGCTGGATGGT SEO, ID. NO. 23 TTGGAGCACTGCAGCTCCAAGAAGATGAAT SEQ. ID. NO. 22 TACCACATAGGGAGAAGCCAGTTCCCGTTT SEQ. ID. NO. 23 A C G T G G C T T G G C A T T T T C T A T G G T T A C A A G SEQ. ID. NO. 22 GTCTGCCAGGCCCGCCTTTGGCTCTTGGGC SEQ. ID. NO. 23 GGGCTGCTGCTGCTGGGGAATCTTTCTT SEQ. ID. NO. 22 TTGGGCTTTAGTCTGGGCTATGGCTCTATG SEQ. ID. NO. 23 GCTTACGAAACCAAGAGCGTGTCCACTGAA SEQ. ID. NO. 22 TTCACCAAGATCTGGTGGGTCCACACAGTC SEQ. ID. NO. 23 A A G A T C A A T G A C C A C A G G G C C G T G G G C A T G SEQ. ID. NO. 22 TTCACGAAGAAGGAGGAGAAGAAGAAGTGG SEQ. ID. NO. 23 GCTATCTACAATGTCGCGGTCCTGTGTCTC SEQ. ID. NO. 22 AGGAAGACCCTAGAGCCCTGGAAACTCTAT SEQ. ID. NO. 23 A T C A C T G C T C C T G T G A C C A T G A T C C T T T C C SEQ. ID. NO. 22 GCCACTGTGGGCCTGCTGGTGGGCATGGAT SEQ. ID. NO. 23 A G T C A G C A G G A C G C A G C C T T T G C C T T T G C C SEQ. ID. NO. 22 GTCCTGACTCTTGCCATCTGGCAGATTGTG SEQ. ID. NO. 23 TOTOTGGCCATCGTGTTCTCCTACATC SEQ. ID. NO. 22 GACCCCTTGCACCGAACCATTGAGACTTTT SEQ. ID. NO. 23 ACTCTGGTTGTGCTCTTTGTGCCCAAGATG SEQ. ID. NO. 22 GCCAAGGAAGCCAAAGGAAGACATCGAT SEQ. ID. NO. 23 CGCAGGCTGATCACCCGAGGGGAATGGCAG SEQ. ID. NO. 22 GTCTCCATTCTGCCCCAGTTGGAGCACTGC SEQ. ID. NO. 23 TCTGAAACGCAGGACACCATGAAAACAGGA SEQ. ID. NO. 22 A G C T C C A A G A A G A T G A A T A C G T G G C T T G G C

SEQ. ID. NO. 23 TCATCCACCAACAACAACGAGGAAGAAG

SEQ. ID. NO. 22 A T T T T C T A T G G T T A C A A G G G G C T G C T G SEQ. ID. NO. 23 T C C C G A C T G T T G G A G A A G G A A A C C G A G A A

SEQ. ID. NO. 22 CTGCTGGGAATCTTTCTTGCTTACGAAACC SEQ. ID. NO. 23 CTGGAAAAGATCATCGCTGAGAAAGAGAG

SEQ. ID. NO. 22 A A G A G C G T G T C C A C T G A A A A A A T C A A T G A C SEQ. ID. NO. 23 C G C G T C T C T G A A C T G C G C C A T C A G C T C C A G

SEQ. ID. NO. 22 CACAGGGCCGTGGGCATGGCTATCTACAAT SEQ. ID. NO. 23 TCTCGGCAGCAACTCCGCTCACGGCGCCAC

SEQ. ID. NO. 22 GTCGCGGTCCTGTGTCTCATCACTGCTCCT SEQ. ID. NO. 23 CCCCCAACACCCCCAGATCCCTTGGGGGC

SEQ. ID. NO. 22 GTGACCATGATCCTTTCCAGTCAGCAGGAC SEQ. ID. NO. 23 CTTCCCAGGGACCCTCTGAGCCCCTGAC

SEQ. ID. NO. 22 GCAGCCTTTGCCTTTGCCTCTCTGGCCATC SEQ. ID. NO. 23 CGGCTTAGCTGATGGGAGTCGAGTACAT

SEQ. ID. NO. 22 GTGTTCTCTTCCTACATCACTCTGGTTGTG
SEQ. ID. NO. 23 TTGCTTTACAAG

SEQ. ID. NO. 22 CTCTTTGTGCCCAAGATGCGCAGGCTGATC SEQ. ID. NO. 23

SEQ. ID. NO. 22 ACCCGAGGGAATGGCAGTCTGAAACGCAG SEQ. ID. NO. 23

SEQ. ID. NO. 22 GACACCATGAAAACAGGATCATCCACCAAC SEQ. ID. NO. 23

SEQ. ID. NO. 22 A A C A A C G A G G A A G A G A G T C C C G A C T G T T G SEQ. ID. NO. 23

SEQ. ID. NO. 22 GAGAAGGAAACCGAGAACTGGAAAAGATC SEQ. ID. NO. 23 SEQ. ID. NO. 22 A T C G C T G A G A A G A G G G G G G G G C T C T G A A SEQ. ID. NO. 23

SEQ. ID. NO. 22 CTGCGCCATCAGCTCCAGTCTCGGCAGCAA SEQ. ID. NO. 23

SEQ. ID. NO. 22 CTCCGCTCACGGCGCCACCCCAACACACCCCSEQ. ID. NO. 23

SEQ. ID. NO. 22 CCAGATCCCTCTGGGGGCCTTCCCAGGGA SEQ. ID. NO. 23

SEQ. ID. NO. 22 CCCTCTGAGCCCCTGACCGGCTTAGCTGT SEQ. ID. NO. 23

SEQ. ID. NO. 22 GATGGGAGTCGAGTACATTTGCTTACAAG SEQ. ID. NO. 23 il . ; . ji latts ab, j. .

SEQ. ID. NO. 24 M L L L L V P L F L R P L G A G G A Q T P N A T S E G C Q SEQ. ID. NO. 25 M G P G G P C T P V G W P L P L L L V M A A G V A P V W A S

SEQ. ID. NO. 24 I I H P P W E G G I R Y R G L T R D Q V K A I N F L P V D Y SEQ. ID. NO. 25 H S P H L P R P H P R V P P H P S S E R R A V Y I G A L F P

SEQ. ID. NO. 24 E I E Y V C R G E R E V V G P K V R K C L A N G S W T D M D SEQ. ID. NO. 25 M S G G W P G G Q A C Q P A V E M A L E D V N S R R D I L P

SEQ. ID. NO. 24 TPSRCVRICSKSYLTLENGKVFLTGGDLPA SEQ. ID. NO. 25 DYELKLIHHDSKCDPGQATKYLYELLYNDP

SEQ. ID. NO. 24 LDGARVEFRCDPDFHLVGSSRSVCSQGQWS SEQ. ID. NO. 25 IKIILMPGCSSVSTLVAEAARMWNLIVLSY

SEQ. ID. NO. 24 TPKPHCQVNRTPHSERRAVYIGALFPMSGG SEQ. ID. NO. 25 GSSSPALSNRQRFPTFFRTHPSATLHNPTR

SEQ. ID. NO. 24 WPGGQACQPAVE MALEDVNSRRDILPDYEL SEQ. ID. NO. 25 VKLFEKWGWKKIATIQQTTEVFTSTLDDLE

SEQ. ID. NO. 24 KLIHHDSKCDPGQATKYLYELLYNDPIKII SEQ. ID. NO. 25 ERVKEAGIEITFRQSFFSDPAVPVKNLKRQ

SEQ. ID. NO. 24 LMPGCSSVSTLVAEAARMWNLIVLSYGSSS SEQ. ID. NO. 25 DARIIVGLFYETEARKVFCEVYKERLFGKK

SEQ. ID. NO. 24 PALS NRQRFPTFFRTHPSATLHNPTRVKLF SEQ. ID. NO. 25 YVWFLIGWYADNWFKTYDPSINCTVEEMTE

SEQ. ID. NO. 24 EKWGWKKIATIQQTTEVFTSTLDDLEERVK SEQ. ID. NO. 25 AVEGHITTEIVMLNPANTRSISNMTSQEFV

SEQ. ID. NO. 24 EAGIEITFRQSFFSDPAVPVKNLKRQDARI SEQ. ID. NO. 25 EKLTKRLKRHPEETGGFQEAPLAYDAIWAL SEQ. ID. NO. 24 IVGLFYE, TEARKVFCEVYKERLFGKKYVWF SEQ. ID. NO. 25 A L A L N K T S G G G G R S G V R L E D F N Y N N Q T I T D SEQ. ID. NO. 24 LIGWYADNWFKTYDPSINCTVEEMTEAVEG SEO, ID, NO. 25 Q 1 Y R A M N S S S F E G V S G H V V F D A S G S R M A W T SEQ. ID. NO. 24 HITTEIVMLNPANTRSISNMTSQEFVEKLT SEQ. ID. NO. 25 LIEQLQGGSYKKIGYYDSTKDDLSWSKTDK SEQ. ID. NO. 24 KRLKRHPEETGGFQEAPLAYDAIWALALAL SEQ. ID. NO. 25 WIGGSPPADQILVIKTFRFLSQKLFISVSV SEQ. ID. NO. 24 NKTSGGGGRSGVRLEDFNYNNQTITDQIYR SEQ. ID. NO. 25 LSSLGIVLAVVCLSFNIYNSHVRYIQNSQP SEQ. ID. NO. 24 AMNSSSFEGVSGHVVFDASGSRMAWTLIEQ SEQ. ID. NO. 25 NLNNLTAVGCSLALAAVFPLGLDGYHIGRS SEQ. ID. NO. 24 LQGGSYKKIGYYDSTKDDLSWSKTDKWIGG SEQ. ID. NO. 25 QFPFVCQARLWLLGLGFSLGYGSMFTKIWW SEQ. ID. NO. 24 SPPADQILVIKTFRFLSQKLFISVSVLSSL SEQ. ID. NO. 25 VHTVFTKKEEKKEWRKTLEPWKLYATVGLL SEQ. ID. NO. 24 GIVLAVVCLS FNIYNSHVRYIQNS QPNLNN SEQ. ID. NO. 25 VGMDVLTLAIWQIVDPLHRTIETFAKEEPK SEQ. ID. NO. 24 LTAVGCSLALAAVFPLGLDGYHIGRSQFPF SEQ. ID. NO. 25 EDIDVSILPQLEHCSSKKMNTWLGIFYGYK SEQ. ID. NO. 24 VCQARLWLLGLGFSLGYGSMFTKIWWVHTV SEQ. ID. NO. 25 GLLLLLGIFLAYETKS VSTEKINDHRAVGM SEQ. ID. NO. 24 FTKKEEKKEWRKTLEPWKLYATVGLLVGMD SEQ. ID. NO. 25 A I Y N V A V L C L I T A P V T M I L S S Q Q D A A F A F A

SEQ. ID. NO. 24 VLTLAIWQIVDPLHRTIETFAKEEPKEDID SEQ. ID. NO. 25 SLAIVFSSYITLVVLFVPKMRRLITRGEWQ SEQ. ID. NO. 24 VSILPQLEHCSSKKMNTWLGIFYGYKGLLL SEQ. ID. NO. 25 SETQDTMKTGSSTNNNEEEKSRLLEKENRE

SEQ. ID. NO. 24 L L G I F L A Y E T K S V S T E K I N D H R A V G M A I Y N SEQ. ID. NO. 25 L E K I I A E K E E R V S E L R H Q L Q S R Q Q L R S R R H

SEQ. ID. NO. 24 V A V L C L I T A P V T M I L S S Q Q D A A F A F A S L A I SEQ. ID. NO. 25 P P T P P D P S G G L P R G P S E P P D R L S C D G S R V H

SEQ. ID. NO. 24 V F S S Y I T L V V L F V P K M R R L I T R G E W Q S E T Q SEQ. ID. NO. 25 L L Y K


SEQ. ID. NO. 24 D T M K T G S S T N N N E E E K S R L L E K E N R E L E K I SEQ. ID. NO. 25

SEQ. ID. NO. 24 | I A E K E E R V S E L R H Q L Q S R Q Q L R S R R H P P T P SEQ. ID. NO. 25

SEQ. ID. NO. 24 PDPSGGLPRGPSEPPDRLSCDGSRVHLLYK SEQ. ID. NO. 25

the training the training of the training training the training tr

Mr Herry Mary many going group



ClustalW Formatted Alignments

```
SEQ. ID. NO. 38 ATGGTATGCGAGGGAAAGCGATCAG
SEQ. ID. NO. 34 ATGGGATCGCTGCTTGCGCTCCCGG
SEQ. ID. NO. 30 ATGGCATTTTATAGCTGCTGGG
SEQ. ID. NO. 26 ATGGGATCGCTGCTTGCGCTCCTGG
SEQ. ID. NO. 38 CCTCTTGCCCCTTGTTTCTTCCTCTT
SEQ. ID. NO. 34 CACTGCTGCTGCTGGGGGTGCTGT
SEQ. ID. NO. 30 TCCTCTTGGCACTCACCTGGCACAC
SEQ. ID. NO. 26 CACTGCTGCCGCTGTGGGGTGCTGT
SEQ. ID. NO. 38 GACCGCCAAGTTCTACTGGATCCTC
SEQ. ID. NO. 34 GGCTGAGGGCCCAGCCAAGAAGGTG
SEQ. ID. NO. 30 CTCTGCCTACGGGCCAGACCAGCGA
SEQ. ID. NO. 26 GGCTGAGGGCCCAGCCAAGAAGGTG
SEQ. ID. NO. 38 A C A A T G A T G C A A A G A A C T C A C A G C C
SEQ. ID. NO. 34 CTGACCCTGGAGGGAGACTTGGTGC
SEQ. ID. NO. 30 GCCCAAAAGAAGGGGGACATTATCC
SEQ. ID. NO. 26 CTGACCCTGGAGGGAGACTTGGTGC
SEQ. ID. NO. 38 AGGAGTATGCCCATTCCATACGGGT
SEQ. ID. NO. 34 TGGGTGGGCTGTTCCCAGTGCACCA
SEQ. ID. NO. 30 TTGGGGGGCTCTTTCCTATTCATT
SEQ. ID. NO. 26 TGGGGGGGTGTTCCCAGTGCACCA
    1
SEQ. ID. NO. 38 GGATGGGGACATTATTTGGGGGGT
SEQ. ID. NO. 34 GAAGGGCGGCCCAGCAGAGGACTGT
SEQ. ID. NO. 30 TGGAGTAGCAGCTAAAGATCAAGAT
SEQ. ID. NO. 26 GAAGGGCGGCCCAGCAGAGGACTGT
SEQ. ID. NO. 38 CTCTTCCCTGTCCACGCAAAGGGAG
SEQ. ID. NO. 34 GGTCCTGTCAATGAGCACCGTGGCA
SEQ. ID. NO. 30 CTCAAATCAAGGCCGGAGTCTGTGG
SEQ. ID. NO. 26 GGTCCTGTCAATGAGCACCGTGGCA
SEQ. ID. NO. 38 AGAGAGGGGTGCCTTGTGGGGAGCT
SEQ. ID. NO. 34 TCCAGCGCCTGGAGGCCATGCTTTT
SEQ. ID. NO. 30 AATGTATCAGGTATAATTTCCGTGG
SEQ. ID. NO. 26 TCCAGCGCCTGGAGGCCATGCTTTT
```

SEQ. ID. NO. 38 GAAGAAGGAAAAGGGGATTCACAGA SEQ. ID. NO. 34 TGCACTGGACCGCATCAACCGTGAC SEQ. ID. NO. 30 GTTTCGCTGGTTACAGGCTATGATA SEQ. ID. NO. 26 TGCACTGGACCGCATCAACCGTGAC SEQ. ID. NO. 38 CTGGAGGCCATGCTTTATGCAATTG SEQ. ID. NO. 34 CCGCACCTGCTGCCTGGCGTGCGCC SEQ. ID. NO. 30 TTTGCCATAGAGGAGATAAACAGCA SEQ. ID. NO. 26 CCGCACCTGCTGCCTGGCGTGCGCC SEQ. ID. NO. 38 ACCAGATTAACAAGGACCCTGATCT SEQ. ID. NO. 34 TGGGTGCACACATCCTCGACAGTTG SEQ. ID. NO. 30 GCCCAGCCCTTCTTCCCAACTTGAC SEQ. ID. NO. 26 TGGGTGCACACATCCTCGACAGTTG SEQ. ID. NO. 38 CCTTTCCAACACACCTCTGGGTGTC SEQ. ID. NO. 34 CTCCAAGGACACACATGCGCTGGAG SEQ. ID. NO. 30 GCTGGGATACAGGATATTTGACACT SEQ. ID. NO. 26 CTCCAAGGACACACATGCGCTGGAG SEQ. ID. NO. 38 CGCATCCTCGACACGTGCTCTAGGG SEQ. ID. NO. 34 CAGGCACTGGACTTTGTGCGTGCCT SEQ. ID. NO. 30 TGCAACACCGTTTCTAAGGCCTTGG SEQ. ID. NO. 26 CAGGCACTGGACTTTGTGCGTGCCT SEQ. ID. NO. 38 ACACCTATGCTTTGGAGCAGTCTCT SEQ. ID. NO. 34 CACTCAGCCGTGGTGCTGATGGCTC SEQ. ID. NO. 30 AAGCCACCCTGAGTTTTGTTGCTCA SEQ. ID. NO. 26 CACTCAGCCGTGGTGCTGATGGATC SEQ. ID. NO. 38 AACATTCGTGCAGGCATTAATAGAG SEQ. ID. NO. 34 ACGCCACATCTGCCCCGACGGCTCT SEQ. ID. NO. 30 AAACAAAATTGATTCTTTGAACCTT SEQ. ID. NO. 26 ACGCCACATCTGCCCCGACGGCTCT SEQ. ID. NO. 38 AAAGATGCTTCGGATGTGAAGTGTG SEQ. ID. NO. 34 TATGCGACCCATGGTGATGCTCCCA SEQ. ID. NO. 30 GATGAGTTCTGCAACTGCTCAGAGC SEQ. ID. NO. 26 TATGCGACCCATGGTGATGCTCCCA SEQ. ID. NO. 38 CTAATGGAGATCCACCCATTTCAC SEQ. ID. NO. 34 CTGCCATCACTGGTGTTATTGGCGG SEQ. ID. NO. 30 ACATTCCCTCTACGATTGCTGTGT SEQ. ID. NO. 26 CTGCCATCACTGGTGTTATTGGCGG SEQ. ID. NO. 38 CAAGCCCGACAAGATTTCTGGCGTC SEQ. ID. NO. 34 TTCCTACAGTGATGTCTCCATCCAG SEQ. ID. NO. 30 GGGAGCAACTGGCTCAGGCGTCTCC SEQ. ID. NO. 26 TTCCTACAGTGATGTCTCCATCCAG SEQ. ID. NO. 38 ATAGGTGCTGCAGCAAGCTCCGTGT SEQ. ID. NO. 34 GTGGCCAACCTCTTGAGGCTATTC SEQ. ID. NO. 30 ACGGCAGTGGCAAATCTGCTGGGGC SEQ. ID. NO. 26 GTGGCCAACCTCTTGAGGCTATTTC SEQ. ID. NO. 38 CCATCATGGTTGCTAACATTTTAAG SEQ. ID. NO. 34 AGATCCCACAGATTAGCTACGCCTC SEQ. ID. NO. 30 TCTTCTACATTCCCCAGGTCAGTTA SEQ. ID. NO. 26 AGATCCCACAGATTAGCTACGCCTC SEQ. ID. NO. 38 ACTTTTTAAGATACCTCAAATCAGC SEQ. ID. NO. 34 TACCAGTGCCAAGCTGAGTGACAAG SEQ. ID. NO. 30 TGCCTCCTCCAGCAGACTCCTCAGC SEQ. ID. NO. 26 TACCAGTGCCAAGCTGAGTGACAAG SEQ. ID. NO. 38 TATGCATCCACAGCCCCAGAGCTAA SEQ. ID. NO. 34 TCCCGCTATGACTACTTTGCCCGCA SEQ. ID. NO. 30 AACAAGAATCAATTCAAGTCTTTCC SEQ. ID. NO. 26 TCCCGCTATGACTACTTTGCCCGCA SEQ. ID. NO. 38 GTGATAACACCAGGTATGACTTTT SEQ. ID. NO. 34 CAGTGCCTCCTGACTTCTTCCAAGC SEQ. ID. NO. 30 TCCGAACCATCCCCAATGATGAGCA SEQ. ID. NO. 26 CAGTGCCTCCTGACTTCTTCCAAGC SEQ. ID. NO. 38 CTCTCGAGTGGTTCCGCCTGACTCC SEQ. ID. NO. 34 CAAGGCCATGGCTGAGATTCTCCGC SEQ. ID. NO. 30 CCAGGCCACTGCCATGGCAGACATC SEQ. ID. NO. 26 CAAGGCCATGGCTGAGATTCTCCGC

SEQ. ID. NO. 38 TACCAAGCCCAAGCCATGGTGGACA SEQ. ID. NO. 34 TTCTTCAACTGGACCTATGTCCA SEQ. ID. NO. 30 A T C G A G T A T T T C C G C T G G A A C T G G G SEQ. ID. NO. 26 TTCTTCAACTGGACCTATGTCCA SEQ. ID. NO. 38 TCGTGACAGCACTGGGAATTA SEQ. ID. NO. 34 CTGTGGCGTCTGAGGGCGACTATGG SEQ. ID. NO. 30 TGGGCACAATTGCAGCTGATGACGA SEQ. ID. NO. 26 CTGAGGCCTCTGAGGGCGACTATGG SEQ. ID. NO. 38 TGTTTCGACACTGGCTTCTGAGGGG SEQ. ID. NO. 34 CGAGACAGGCATTGAGGCCTTTGAG SEQ. ID. NO. 30 CTATGGGCGGCCGGGGATTGAGAAA SEQ. ID. NO. 26 CGAGACAGGCATTGAGGCCTTTGAG SEQ. ID. NO. 38 AACTATGGTGAGAGCGGTGTGGAGG SEQ. ID. NO. 34 CTAGAGGCTCGTGCCCGCAACATCT SEQ. ID. NO. 30 TTCCGAGAGGAAGCTGAGGAAAGGG SEQ. ID. NO. 26 CTAGAGGCTCGTGCCCGCAACATCT SEQ. ID. NO. 38 CCTTCACCCAGATCTCGAGGGAGAT SEQ. ID. NO. 34 GTGTGGCCACCTCGGAGAAGTGGG SEQ. ID. NO. 30 ATATCTGCATCGACTTCAGTGAACT SEQ. ID. NO. 26 GTGTGGCCACCTCGGAGAAGTGGG SEQ. ID. NO. 38 TGGTGGTGTTTGCATTGCTCAGTCA SEQ. ID. NO. 34 CCGTGCCATGAGCCGCGCGCCTTT SEQ. ID. NO. 30 CATCTCCCAGTACTCTGATGAGGAA SEQ. ID. NO. 26 CCGTGCCATGAGCCGCGCGCCTTT SEQ. ID. NO. 38 CAGAAAATCCCACGTGAACCAAGAC SEQ. ID. NO. 34 GAGGGTGTGGTGCGAGCCCTGCTGC SEQ. ID. NO. 30 GAGATCCAGCATGTGGTAGAGGTGA SEQ. ID. NO. 26 GAGGGTGTGGTGCGAGCCCTGCTGC SEQ. ID. NO. 38 CTGGAGAATTTGAAAAATTATCAA SEQ. ID. NO. 34 AGAAGCCCAGTGCCCGCGTGGCTGT SEQ. ID. NO. 30 TTCAAAATTCCACGGCCAAAGTCAT SEQ. ID. NO. 26 AGAAGCCCAGTGCCCGCGTGGCTGT

SEQ. ID. NO. 38 ACGCCTGCTAGAACACCTAATGCT SEQ. ID. NO. 34 CCTGTTCACCCGTTCTGAGGATGCC SEQ. ID. NO. 30 CGTGGTTTTCTCCAGTGGCCCAGAT SEQ. ID. NO. 26 CCTGTTCACCCGTTCTGAGGATGCC SEQ. ID. NO. 38 CGAGCAGTGATTATGTTTGCCAATG SEQ. ID. NO. 34 CGGGAGCTGCTTGCTGCCAGCCAGC SEQ. ID. NO. 30 CTTGAGCCCCTCATCAAGGAGATTG SEQ. ID. NO. 26 CGGGAGCTGCTTGCTGCCAGCCAGC SEQ. ID. NO. 38 AGGATGACATCAGGAGGATATTGGA SEQ. ID. NO. 34 GCCTCAATGCCAGCTTCACCTGGGT SEQ. ID. NO. 30 TCCGGCGCAATATCACGGGCAAGAT SEQ. ID. NO. 26 GCCTCAATGCCAGCTTCACCTGGGT SEQ. ID. NO. 38 AGCAGCAAAAAACTAAACCAAAGT SEQ. ID. NO. 34 GGCCAGTGATGGTTGGGGGGCCCTG SEQ. ID. NO. 30 CTGGCTGGCCAGCGAGGCCTGGGCC SEQ. ID. NO. 26 GGCCAGTGATGGTTGGGGGGCCCTG SEQ. ID. NO. 38 GGGCATTTCTCTGGATTGGCTCAG SEQ. ID. NO. 34 GAGAGTGTGGTGGCAGTGAGG SEQ. ID. NO. 30 AGCTCCTCCCTGATCGCCATGCCTC SEQ. ID. NO. 26 GAGAGTGTGGTGGCAGGCAGTGAGG SEQ. ID. NO. 38 ATAGTTGGGGATCCAAAATAGCACC SEQ. ID. NO. 34 GGGCTGCTGAGGGTGCTATCACCAT SEQ. ID. NO. 30 AGTACTTCCACGTGGTTGGCGGCAC SEQ. ID. NO. 26 GGGCTGCTGAGGGTGCTATCACCAT SEQ. ID. NO. 38 TGTCTATCAGCAAGAGGAGATTGCA SEQ. ID. NO. 34 CGAGCTGGCCTCCTACCCCATCAGT SEQ. ID. NO. 30 CATTGGATTCGCTCTGAAGGCTGGG SEQ. ID. NO. 26 CGAGCTGGCCTCCTACCCCATCAGT SEQ. ID. NO. 38 GAAGGGGCTGTGACAATTTTGCCCA SEQ. ID. NO. 34 GACTTTGCCTCCTACTTCCAGAGCC SEQ. ID. NO. 30 CAGATCCCAGGCTTCCGGGAATTCC SEQ. ID. NO. 26 GACTTTGCCTCCTACTTCCAGAGCC

Figure 9e

SEQ. ID. NO. 38 AACGAGCATCAATTGATGGATTTGA SEQ. ID. NO. 34 TGGACCCTTGGAACAACAGCCGGAA SEQ. ID. NO. 30 TGAAGAAGGTCCATCCCAGGAAGTC SEQ. ID. NO. 26 TGGACCCTTGGAACAACAGCCGGAA SEQ. ID. NO. 38 TCGATACTTTAGAAGCCGAACTCTT SEQ. ID. NO. 34 CCCCTGGTTCCGTGAATTCTGGGAG SEQ. ID. NO. 30 TGTCCACAATGGTTTTGCCAAGGAG SEQ. ID. NO. 26 CCCCTGGTTCCGTGAATTCTGGGAG SEQ. ID. NO. 38 GCCAATAATCGAAGAAATGTGTGGT SEQ. ID. NO. 34 CAGAGGTTCCGCTGCAGCTTCCGGC SEQ. ID. NO. 30 TTTTGGGAAGAAACATTTAACTGCC SEQ. ID. NO. 26 CAGAGGTTCCGCTGCAGCTTCCGGC SEQ. ID. NO. 38 TTGCAGAATTCTGGGAGGAATTT SEQ. ID. NO. 34 AGCGAGACTGCGCAGCCCACTCTCT SEQ. ID. NO. 30 ACCTCCAAGAAGGTGCAAAAGGACC SEQ. ID. NO. 26 AGCGAGACTGCGCAGCCCACTCT SEQ. ID. NO. 38 TGGCTGCAAGTTAGGATCACATGGG SEQ. ID. NO. 34 CCGGGCTGTGCCCTTTGAGCAGGAG SEQ. ID. NO. 30 TTTACCTGTGGACACCTTTCTGAGA SEQ. ID. NO. 26 CCGGGCTGTGCCCTTTGAACAGGAG SEQ. ID. NO. 38 AAAAGGAACAGTCATATAAAGAAAT SEQ. ID. NO. 34 TCCAAGATCATGTTTGTGGTCAATG SEQ. ID. NO. 30 GGTCACGAAGAAGTGGCGACAGGT SEQ. ID. NO. 26 TCCAAGATCATGTTTGTGGTCAATG SEQ. ID. NO. 38 GCACAGGGCTGGAGCGAATTGCTCG SEQ. ID. NO. 34 CAGTGTACGCCATGGCCCATGCGCT SEQ. ID. NO. 30 TTAGCAACAGCTCGACAGCCTTCCG SEQ. ID. NO. 26 CAGTGTACGCCATGGCCCATGCGCT SEQ. ID. NO. 38 GGATTCATCTTATGAACAGGAAGGA SEQ. ID. NO. 34 CCACAACATGCACCGTGCCCTCTGC SEQ. ID. NO. 30 ACCCCTCTGTACAGGGGATGAGAAC SEQ. ID. NO. 26 CCACAACATGCACCGTGCCCTCTGC SEQ. ID. NO. 38 AAGGTCCAATTTGTAATTGATGCTG SEQ. ID. NO. 34 CCCAACACCACCGGCTCTGTGACG SEQ. ID. NO. 30 ATCAGCAGTGTCGAGACCCCTTACA SEQ. ID. NO. 26 CCCAACACCACCGGCTCTGTGACG SEQ. ID. NO. 38 TATATTCCATGGCTTACGCCCTGCA SEQ. ID. NO. 34 CGATGCGGCCAGTTAACGGGCGCCG SEQ. ID. NO. 30 TAGATTACACGCATTTACGGATATC SEQ. ID. NO. 26 CGATGCGGCCAGTTAACGGGCGCCG SEQ. ID. NO. 38 CAATATGCACAAAGATCTCTGCCCT SEQ. ID. NO. 34 CCTCTACAAGGACTTTGTGCTCAAC SEQ. ID. NO. 30 CTACAATGTGTACTTAGCAGTCTAC SEQ. ID. NO. 26 CCTCTACAAGGACTTTGTGCTCAAC SEQ. ID. NO. 38 GGATACATTGGCCTTTGTCCACGAA SEQ. ID. NO. 34 GTCAAGTTTGATGCCCCCTTTCGCC SEQ. ID. NO. 30 TCCATTGCCCACGCCTTGCAAGATA SEQ. ID. NO. 26 GTCAAGTTTGATGCCCCCTTTCGCC SEQ. ID. NO. 38 TGAGTACCATTGATGGGAAAGAGCT SEQ. ID. NO. 34 CAGCTGACACCCACAATGAGGTCCG SEQ. ID. NO. 30 TATATACCTGCTTACCTGGGAGAGG SEQ. ID. NO. 26 CAGCTGACACCCACAATGAGGTCCG SEQ. ID. NO. 38 ACTTGGTTATATTCGGGCTGTAAAT SEQ. ID. NO. 34 CTTTGACCGCTTTGGTGATGGTATT SEQ. ID. NO. 30 GCTCTTCACCAATGGCTCCTGTGCA SEQ. ID. NO. 26 CTTTGACCGCTTTGGTGATGGTATT SEQ. ID. NO. 38 TTTAATGGCAGTGCTGGCACTCCTG SEQ. ID. NO. 34 GGCCGCTACAACATCTTCACCTATC SEQ. ID. NO. 30 GACATCAAGAAAGTTGAGGCGTGGC SEQ. ID. NO. 26 GGCCGCTACAACATCTTCACCTATC SEQ. ID. NO. 38 TCACTTTTAATGAAAACGGAGATGC SEQ. ID. NO. 34 TGCGTGCAGGCAGTGGGCGCTATCG SEQ. ID. NO. 30 AGGTCCTGAAGCACCTACGGCATCT SEQ. ID. NO. 26 TGCGTGCAGGCAGTGGGCGCTATCG SEQ. ID. NO. 38 TCCTGGACGTTATGATATCTTCCAG SEQ. ID. NO. 34 CTACCAGAAGGTGGGCTACTGGGCA SEQ. ID. NO. 30 AAACTTTACAAACAATATGGGGGAG SEQ. ID. NO. 26 CTACCAGAAGGTGGGCTACTGGGCA SEQ. ID. NO. 38 TATCAAATAACCAACAAAAGCACAG SEQ. ID. NO. 34 GAAGGCTTGACTCTGGACACCAGCC SEQ. ID. NO. 30 CAGGTGACCTTTGATGAGTGTGGTG SEQ. ID. NO. 26 GAAGGCTTGACTCTGGACACCAGCC SEQ. ID. NO. 38 AGTACAAGTCATCGGCCACTGGAC SEQ. ID. NO. 34 TCATCCCATGGGCCTCACCCTCAGC SEQ. ID. NO. 30 ACCTGGTGGGGAACTATTCCATCAT SEQ. ID. NO. 26 TCATCCCATGGGCCTCACCGTCAGC SEQ. ID. NO. 38 CAATCAGCTTCATCTAAAAGTGGAA SEQ. ID. NO. 34 CGGCCCCCCTGCCCGCCTCTCGCTGC SEQ. ID. NO. 30 CAACTGGCACCTCTCCCCAGAGGAT SEQ. ID. NO. 26 CGGCCCCCTGGCCGCCTCTCGCTGC SEQ. ID. NO. 38 GACATGCAGTGGGCTCATAGAGAAC SEQ. ID. NO. 34 AGTGAGCCCTGCCTCCAGAATGAGG SEQ. ID. NO. 30 GGCTCCATCGTGTTTAAGGAAGTCG SEQ. ID. NO. 26 AGTGAGCCCTGCCTCCAGAATGAGG SEQ. ID. NO. 38 ATACTCACCGGGGGTCTGTCTGCAG SEQ. ID. NO. 34 TGAAGAGTGTGCAGCCGGGCGAAGT SEQ. ID. NO. 30 GGTATTACAACGTCTATGCCAAGAA SEQ. ID. NO. 26 TGAAGAGTGTGCAGCCGGGCGAAGT SEQ. ID. NO. 38 CCTGCCGTGTAAGCCAGGGGAGAGG SEQ. ID. NO. 34 CTGCTGCTGGCTCTGCATTCCGTGC SEQ. ID. NO. 30 GGGAGAAAGACTCTTCATCAACGAG SEQ. ID. NO. 26 CTGCTGCTGGCTCTGCATTCCGTGC SEQ. ID. NO. 38 AAGAAACGGTGAAAGGGGTCCCTT SEQ. ID. NO. 34 CAGCCCTATGAGTACCGATTGGACG SEQ. ID. NO. 30 GAGAAAATCCTGTGGAGTGGGTTCT SEQ. ID. NO. 26 CAGCCCTATGAGTACCGATTGGACG SEQ. ID. NO. 38 GCTGCTGGCACTGTGAACGCTGTGA SEQ. ID. NO. 34 AATTCACTTGCGCTGATTGTGGCCT SEQ. ID. NO. 30 CCAGGGAGGTGCCCTTCTCCAACTG SEQ. ID. NO. 26 AATTCACTTGCGCTGATTGTGGCCT SEQ. ID. NO. 38 AGGTTACAACTACCAGGTGGATGAG SEQ. ID. NO. 34 GGGCTACTGGCCCAATGCCAGCCTG SEQ. ID. NO. 30 CAGCCGAGACTGCCTGGCAGGGACC SEQ. ID. NO. 26 GGGCTACTGGCCCAATGCCAGCCTG SEQ. ID. NO. 38 CTGTCCTGTGAACTTTGCCCTCTGG SEQ. ID. NO. 34 ACTGGCTGCTTCGAACTGCCCCAGG SEQ. ID. NO. 30 AGGAAAGGGATCATTGAGGGGGAGC SEQ. ID. NO. 26 ACTGGCTGCTTCGAACTGCCCCAGG SEQ. ID. NO. 38 ATCAGAGACCCAACATGAACCGCAC SEQ. ID. NO. 34 AGTACATCCGCTGGGGGGATGCCTG SEQ. ID. NO. 30 CCACCTGCTGCTTTGAGTGTGGA SEQ. ID. NO. 26 AGTACATCCGCTGGGGGCGATGCCTG SEQ. ID. NO. 38 AGGCTGCCAGCTTATCCCCATCATC SEQ. ID. NO. 34 GGCTGTGGGACCTGTCACCATCGCC SEQ. ID. NO. 30 GTGTCCTGATGGGGAGTATAGTGAT SEQ. ID. NO. 26 GGCTGTGGGGACCTGTCACCATCGCC SEQ. ID. NO. 38 AAATTGGAGTGGCATTCTCCCTGGG SEQ. ID. NO. 34 TGCCTCGGTGCCCTGGCCACCCTCT SEQ. ID. NO. 30 GAGACAGATGCCAGTGCCTGTAACA SEQ. ID. NO. 26 TGCCTCGGTGCCCTGGCCACCCTGT SEQ. ID. NO. 38 CTGTGGTGCCTGTGTTGCAAT SEQ. ID. NO. 34 TTGTGCTGGGTGTCTTTGTGCGGCA SEQ. ID. NO. 30 AGTGCCCAGATGACTTCTGGTCCAA SEQ. ID. NO. 26 TTGTGCTGGGTGTCTTTGTGCGGCA SEQ. ID. NO. 38 ATTGGGAATCATCGCCACCATT SEQ. ID. NO. 34 CAATGCCACACCAGTGGTCAAGGCC SEQ. ID. NO. 30 TGAGAACCACACCTCCTGCTTCGAA SEQ. ID. NO. 26 CAATGCCACACCAGTGGTCAAGGCC

SEQ. ID. NO. 38 GTGATCGTGACCTTTGTCCGCTATA SEQ. ID. NO. 34 TCAGGTCGGGAGCTCTGCTACATCC SEQ. ID. NO. 30 CTGCCCCAGGAGTACATCCGCTGGG SEQ. ID. NO. 26 TCAGGTCGGGAGCTCTGCTACATCC SEQ. ID. NO. 38 ATGACACACCTATCGTGAGGGCTTC SEQ. ID. NO. 34 TGCTGGGTGGTGTCTTCCTCTGCTA SEQ. ID. NO. 30 GCGATGCCTGGGCTGTGGGACCTGT SEQ. ID. NO. 26 TGCTGGGTGTCTTCCTCTGCTA SEQ. ID. NO. 38 AGGACGCGAACTTAGTTACGTGCTC SEQ. ID. NO. 34 CTGCATGACCTTCATCTTCATTGCC SEQ. ID. NO. 30 CACCATCGCCTGCCTCGGTGCCCTG SEQ. ID. NO. 26 CTGCATGACCTTCATCTTGCC SEQ. ID. NO. 38 CTAACGGGGATTTTTCTCTGTTATT SEQ. ID. NO. 34 AAGCCATCCACGGCAGTGTGTACCT SEQ. ID. NO. 30 GCCACCCTGTTTGTGCTGGGTGTCT SEQ. ID. NO. 26 AAGCCATCCACGGCAGTGTACCT SEQ. ID. NO. 38 CAATCACGTTTTTAATGATTGCAGC SEQ. ID. NO. 34 TACGGCGTCTTGGTTTGGGCACTGC SEQ. ID. NO. 30 TTGTGCGGCACAATGCCACACCAGT SEQ. ID. NO. 26 TACGGCGTCTTGGTTTTGGGCACTGC SEQ. ID. NO. 38 ACCAGATACAATCATATGCTCCTTC SEQ. ID. NO. 34 CTTCTCTGTCTGCTACTCAGCCCTG SEQ. ID. NO. 30 GGTCAAGGCCTCAGGTCGGGAGCTC SEQ. ID. NO. 26 CTTCTCTGTCTGCTACTCAGCCCTG SEQ. ID. NO. 38 CGACGGGTCTTCCTAGGACTTGGCA SEQ. ID. NO. 34 CTCACCAAGACCAACCGCATTGCAC SEQ. ID. NO. 30 TGCTACATCCTGCTGGTTGTCT SEQ. ID. NO. 26 CTCACCAAGACCAACCGCATTGCAC SEQ. ID. NO. 38 TGTGTTTCAGCTATGCAGCCCTTCT SEQ. ID. NO. 34 GCATCTTCGGTGGGGCCCGGGAGGG SEQ. ID. NO. 30 TCCTCTGCTACTGCATGACCTTCAT *SEQ. ID. NO. 26* GCATCTTCGGTGGGGCCCGGGAGGG والمنافقة والمنافقة

SEQ. ID. NO. 38 GACCAAAACAAACGTATCCACCGA SEQ. ID. NO. 34 TGCCCAGCGGCCACGCTTCATCAGT SEQ. ID. NO. 30 CTTCATTGCCAAGCCATCCACGGCA SEQ. ID. NO. 26 TGCCCAGCGGCCACGCTTCATCAGT SEQ. ID. NO. 38 ATATTTGAGCAGGGGAAGAATCTG SEQ. ID. NO. 34 CCTGCCTCACAGGTGGCCATCTGCC SEQ. ID. NO. 30 GTGTGTACCTTACGGCGTCTTGGTT SEQ. ID. NO. 26 CCTGCCTCACAGGTGGCCATCTGCC SEQ. ID. NO. 38 TCACAGCGCCCAAGTTCATTAGTCC SEQ. ID. NO. 34 TGGCACTTATCTCGGGCCAGCTGCT SEQ. ID. NO. 30 TGGGCACTGCCTTCTCTGTCTGCTA SEQ. ID. NO. 26 TGGCACTTATCTCGGGCCAGCTGCT SEQ. ID. NO. 38 AGCATCTCAGCTGGTGATCACCTTC SEQ. ID. NO. 34 CATCGTGGTCGCCTGGCTGGTG SEQ. ID. NO. 30 CTCAGCCCTGCTCACCAAGACCAAC SEQ. ID. NO. 26 CATCGTGGTCGCCTGGCTGGTG SEQ. ID. NO. 38 AGCCTCATCTCCGTCCAGCTCCTTG SEQ. ID. NO. 34 GAGGCACCGGGCACAGGCAAGGAA SEQ. ID. NO. 30 CGCATTGCACGCATCTTCGGTGGGG SEQ. ID. NO. 26 GAGGCACCGGGCACAGGCAAGGAGA SEQ. ID. NO. 38 GAGTGTTTGTCTGGTTTGTTGGA SEQ. ID. NO. 34 CAGCCCCGAACGGCGGAGGTGGT SEQ. ID. NO. 30 CCCGGGAGGGTGCCCAGCGCCACG SEQ. ID. NO. 26 CAGCCCCGAACGGCGGGAGGTGGT SEQ. ID. NO. 38 TCCCCCCCACATCATCATTGACTAT SEQ. ID. NO. 34 GACACTGCGCTGCAACCACCGCGAT SEQ. ID. NO. 30 CTTCATCAGTCCTGCCTCACAGGTG SEQ. ID. NO. 26 GACACTGCGCTGCAACCACCGCGAT SEQ. ID. NO. 38 GGAGAGCAGCGGACACTAGATCCAG SEQ. ID. NO. 34 GCAAGTATGTTGGGCTCGCTGGCCT SEQ. ID. NO. 30 GCCATCTGCCTGGCACTTATCTCGG SEQ. ID. NO. 26 GCAAGTATGTTGGGCTCGCTGGCCT

Figure 9k

SEQ. ID. NO. 38 AGAAGGCCAGGGGAGTGCTCAAGTG SEQ. ID. NO. 34 ACAATGTGCTCCTCATCGCGCTCTG SEQ. ID. NO. 30 GCCAGCTGCTCATCGTGGTCGCCTG SEQ. ID. NO. 26 ACAATGTGCTCCTCATCGCGCTCTG SEQ. ID. NO. 38 TGACATTTCTGATCTCACTCATT SEQ. ID. NO. 34 CACGCTTTATGCCTTCAAGACTCGC SEQ. ID. NO. 30 GCTGGTGGTGGAGGCACCGGCACA SEQ. ID. NO. 26 CACGCTTTATGCCTTCAATACTCGC SEQ. ID. NO. 38 TGTTCACTTGGATACAGTATCCTCT SEQ. ID. NO. 34 AAGTGCCCCGAAAACTTCAACGAGG SEQ. ID. NO. 30 GGCAAGGAGAGAGCCCCCGAACGGC SEQ. ID. NO. 26 AAGTGCCCCGAAAACTTCAACGAGG SEQ. ID. NO. 38 TGATGGTCACTTGTACTGTTTATGC SEQ. ID. NO. 34 CCAAGTTCATTGGCTTCACCATGTA SEQ. ID. NO. 30 GGGAGGTGGTGACACTGCGCTGCAA SEQ. ID. NO. 26 CCAAGTTCATTGGCTTCACCATGTA SEQ. ID. NO. 38 CATTAAAACGAGAGGTGTCCCAGAG SEQ. ID. NO. 34 CACCACCTGCATCATCTGGCTGGCA SEQ. ID. NO. 30 CCACCGCGATGCAAGTATGTTGGGC SEQ. ID. NO. 26 CACCACCTGCATCATCTGGCTGGCA SEQ. ID. NO. 38 ACTTTCAATGAAGCCAAACCTATTG SEQ. ID. NO. 34 TTCCTGCCCATCTTCTATGTCACCT SEQ. ID. NO. 30 TCGCTGGCCTACAATGTGCTCCTCA SEQ. ID. NO. 26 TTGTTGCCCATCTTCTATGTCACCT SEQ. ID. NO. 38 GATTTACCATGTATACCACCTGCAT SEQ. ID. NO. 34 CCAGTGACTACCGGGTACAGACCAC SEQ. ID. NO. 30 TCGCGCTCTGCACGCTTTATGCCTT SEQ. ID. NO. 26 CCAGTGACTACCGGGTACAGACCAC SEQ. ID. NO. 38 CATTTGGTTAGCTTTCATCCCCATC SEQ. ID. NO. 34 CACCATGTGCGTGTCAGTCAGCCTC SEQ. ID. NO. 30 CAATACTCGCAAGTGCCCCGAAAAC SEQ. ID. NO. 26 CACCATGTGCGTGTCAGTCAGCCTC

SEQ. ID. NO. 38 TTTTTTGGTACAGCCCAGTCAGCAG SEQ. ID. NO. 34 AGCGGCTCCGTGGTGCTTGGCTGCC SEQ. ID. NO. 30 TTCAACGAGGCCAAGTTCATTGGCT SEQ. ID. NO. 26 AGCGGCTCCGTGGTGCTTGGCTGCC SEQ. ID. NO. 38 AAAAGATGTACATCCAGACAACAAC SEQ. ID. NO. 34 TCTTTGCGCCCAAGCTGCACATCAT SEQ. ID. NO. 30 TCACCATGTACACCACCTGCATCAT SEQ. ID. NO. 26 TCTTTGCGCCCAAGCTGCACATCAT SEQ. ID. NO. 38 ACTTACTGTCTCCATGAGTTTAAGT SEQ. ID. NO. 34 CCTCTTCCAGCCGCAGAAGAACACC SEQ. ID. NO. 30 CTGGCTGGCATTGTTGCCCATCTTC SEQ. ID. NO. 26 CCTCTTCCAGCCGCAGAAGAACGTG SEQ. ID. NO. 38 GCTTCAGTATCTCTGGGCATGCTCT SEQ. ID. NO. 34 A T C G A G G A G G T G C G T T G C A G C A C C G SEQ. ID. NO. 30 TATGTCACCTCCAGTGACTACCGGG SEQ. ID. NO. 26 GTTAGCCACCGGGCACCACCAGCC SEQ. ID. NO. 38 ATATGCCCAAGGTTTATATAAT SEQ. ID. NO. 34 CAGCTCACGCTTTCAAGGTGGCTGC SEQ. ID. NO. 30 TACAGACCACCACCATGTGCGTGTC SEQ. ID. NO. 26 GCTTTGGCAGTGCTGCCAGGGC SEQ. ID. NO. 38 TTTTCATCCAGAACAGAATACCATC SEQ. ID. NO. 34 CCGGGCCACGCTGCGCCGCAGCAAC SEQ. ID. NO. 30 AGTCAGCCTCAGCGGCTCCGTGGTG SEQ. ID. NO. 26 CAGCTCCAGCCTTGGCCAAGGGTCT SEQ. ID. NO. 38 GAGGAGGTGCGTTGCAGCACCGCAG SEQ. ID. NO. 34 GTCTCCCGCAAGCGGTCCAGCAGCC SEQ. ID. NO. 30 CTTGGCTGCCTCTTTGCGCCCAAGC SEQ. ID. NO. 26 GGCTCCCAGTTTGTCCCCACTGTTT SEQ. ID. NO. 38 CTCACGCTTTCAAGGTGGCTGCCCG SEQ. ID. NO. 34 TTGGAGGCTCCACGGGATCCACCC SEQ. ID. NO. 30 TGCACATCATCCTCTTCCAGCCGCA SEQ. ID. NO. 26 GCAATGGCCGTGAGGTGGACTC

```
SEQ. ID. NO. 38 GGCCACGCTGCGCCGCAGCAACGTC
 SEQ. ID. NO. 34 CTCCTCCTCCATCAGCAGCAAGAGC
 SEQ. ID. NO. 30 GAAGAACGTGGTTAGCCACCGGGCA
 SEQ. ID. NO. 26 GACAACGTCATCGCTT
 SEQ. ID. NO. 38 TCCCGCAAGCGGTCCAGCAGCCTTG
 SEQ. ID. NO. 34 AACAGCGAAGACCCATTCCCACAGC
 SEQ. ID. NO. 30 CCCACCAGCGGCTTTGGCAGTGCTG
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 GAGGCTCCACGGGATCCACCCCTC
 SEQ. ID. NO. 34 CCGAGAGGCAGCAGCAGCC
 SEQ. ID. NO. 30 CTGCCAGGGCCAGCTCCAGCCTTGG
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 CTCCTCCATCAGCAGCAAGAGCAAC
 SEQ. ID. NO. 34 GCTGGCCCTAACCCAGCAAGAGCAG
 SEQ. ID. NO. 30 CCAAGGGTCTGGCTCCCAGTTTGTC
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 AGCGAAGACCCATTCCCACAGCCCG
 SEQ. ID. NO. 34 CAGCAGCAGCCCTGACCCTCCAC
 SEQ. ID. NO. 30 CCCACTGTTTGCAATGGCCGTGAGG
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 AGAGGCAGCAGCAGCCGCT
 SEQ. ID. NO. 34 AGCAGCAACGATCTCAGCAGCC
 SEQ. ID. NO. 30 TGGTGGACTCGACAACGTCATCGCT
SEQ. ID. NO. 26
 SEQ. ID. NO. 38 GGCCCTAACCCAGCAGAGCAG
 SEQ. ID. NO. 34 CAGATGCAAGCAGAAGGTCATCTT
 SEQ. ID. NO. 30 T
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 CAGCAGCCCCTGACCCTCCCACAGC
 SEQ. ID. NO. 34 GGCAGCGGCACGGTCACCTTCTCAC
 SEQ. ID. NO. 30
 SEQ. ID. NO. 26
```

```
SEQ. ID. NO. 38 AGCAACGATCTCAGCAGCAGCCAG
SEQ. ID. NO. 34 TGAGCTTTGATGAGCCTCAGAAGAA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 ATGCAAGCAGAAGGTCATCTTTGGC
SEQ. ID. NO. 34 CGCCATGGCCCACGGGAATTCTACG
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 AGCGGCACGGTCACCTTCTCACTGA
SEQ. ID. NO. 34 CACCAGAACTCCCTGGAGGCCCAGA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GCTTTGATGAGCCTCAGAAGAACGC
SEQ. ID. NO. 34 AAAGCAGCGATACGCTGACCCGACA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CATGGCCCACGGGAATTCTACGCAC
SEQ. ID. NO. 34 CCAGCCATTACTCCCGCTGCAGTGC
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CAGAACTCCCTGGAGGCCCAGAAAA
SEQ. ID. NO. 34 GGGGAAACGGACTTAGATCTGACCG
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GCAGCGATACGCTGACCCGACACCA
SEQ. ID. NO. 34 TCCAGGAAACAGGTCTGCAAGGACC
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GCCATTACTCCCGCTGCAGTGCGGG
SEQ. ID. NO. 34 TGTGGGTGGAGACCAGCGGCCAGAG
SEQ. ID. NO. 30
SEQ. ID. NO. 26
```

```
SEQ. ID. NO. 38 GAAACGGACTTAGATCTGACCGTCC
SEQ. ID. NO. 34 GTGGAGGACCCTGAAGAGTTGTCCC
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 AGGAAACAGGTCTGCAAGGACCTGT
SEQ. ID. NO. 34 CAGCACTTGTAGTGTCCAGTTCACA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GGGTGGAGACCAGCGGCCAGAGGTG
SEQ. ID. NO. 34 GAGCTTTGTCATCAGTGGTGGAGGC
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GAGGACCCTGAAGAGTTGTCCCCAG
SEQ. ID. NO. 34 AGCACTGTTACAGAAAACGTAGTGA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CACTTGTAGTGTCCAGTTCACAGAG
SEQ. ID. NO. 34 ATTCA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CTTTGTCATCAGTGGTGGAGGCAGC
SEQ. ID. NO. 34
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 ACTGTTACAGAAACGTAGTGAATT
SEQ. ID. NO. 34
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CA
SEQ. ID. NO. 34
SEQ. ID. NO. 30
SEQ. ID. NO. 26
```

Figure 9p

ClustalW Formatted Alignments

```
SEQ. ID. NO. 39 M V C E G K R S A S C P C F F L L T A K F Y W I L
SEQ. ID. NO. 35 MGSLLALPALLLLWGAVAEGPAKKV
SEQ. ID. NO. 31 MAFYSCCWVLLALTWHTSAYGPDQR
SEQ. ID. NO. 27 MGSLLALLALLPLWGAVAEGPAKKV
SEQ. ID. NO. 39 TMMQRTHSQEYAHSIRVDGDIILGG
SEQ. ID. NO. 35 LTLEGDLVLGGLFPVHQKGGPAEDC
SEQ. ID. NO. 31 AQKKGDIILGGLFPIHFGVAAKDQD
SEQ. ID. NO. 27 LTLEGDLVLGGLFPVHQKGGPAEDC
SEQ. ID. NO. 39 LFPVHAKGERGVPCGELKKEKGIHR
SEQ. ID. NO. 35 GPVNEHRGIQRLEAMLFALDRINRD
SEQ. ID. NO. 31 LKSRPESVECIRYNFRGFRWLQAMI
SEQ. ID. NO. 27 GPVNEHRGIQRLEAMLFALDRINRD
SEQ. ID. NO. 39 LEAMLY AIDQINKDPDLLS NITLGV
SEQ. ID. NO. 35 PHLLPGVRLGAHILDSCSKDTHALE
SEQ. ID. NO. 31 FAIEEINSSPALLPNLTLGYRIFDT
SEQ. ID. NO. 27 PHLLPGVRLGAHILDSCSKDTHALE
SEQ. ID. NO. 39 RILDTCSRDTYALEQSLTFVQALIE
SEQ. ID. NO. 35 QALDFVRASLSRGADGSRHICPDGS
SEQ. ID. NO. 31 CNTVSKALEATLSFVAQNKIDSLNL
SEQ. ID. NO. 27 QALDFVRASLSRGADGSRHICPDGS
SEQ. ID. NO. 39 KDASDVKCANGDPPIFTKPDKISGV
SEQ. ID. NO. 35 YATHGDAPTAITGVIGGSYSDVSIQ
SEQ. ID. NO. 31 DEFCNCSEHIPSTIAVVGATGSGVS
SEQ. ID. NO. 27 YATHGDAPTAITGVIGGSYSDVSIQ
SEQ. ID. NO. 39 IGAAASSVSIMVANILRLFKIPQIS
SEQ. ID. NO. 35 VANLLRLFQIPQISYASTSAKLSDK
SEQ. ID. NO. 31 TAVANLLGLFYIPQVSYASSSRLLS
SEQ. ID. NO. 27 VANLLRLFQIPQISYASTSAKLSDK
SEQ. ID. NO. 39 YASTAPELS DNTRYDFF SRVVPPDS
SEQ. ID. NO. 35
          SRYDYFARTVPPDFFQAKAMAEILR
SEQ. ID. NO. 31 NKNQFKSFLRTIPNDEHQATAMADI
SEQ. ID. NO. 27 SRYDYFARTVPPDFFQAKAMAEILR
```

```
SEQ. ID. NO. 39 YQAQAMVDIVTALGWNYVSTLASEG
SEQ. ID. NO. 35 FFNWTYVSTVASEGDYGETGIEAFE
SEQ. ID. NO. 31 IEYFRWNWVGTIAADDDYGRPGIEK
SEQ. ID. NO. 27 FFNWTYVSTEASEGDYGETGIEAFE
SEQ. ID. NO. 39 NYGESGVEAFTQISREIGGVCIAQS
SEQ. ID. NO. 35 LEARARNIC VATSEK V GRAMSRAAF
SEQ. ID. NO. 31 FREEAEERDICIDFSELISQYSDEE
SEQ. ID. NO. 27 LEARARNIC VATSEK V GRAMSRAAF
SEQ. ID. NO. 39 QKIPREPRPGEFEKIIKRLLETPNA
SEQ. ID. NO. 35 EGVVRALLQKPSARVAVLFTRSEDA
SEQ. ID. NO. 31 EIQHVVEVIQNSTAKVIVVFSSGPD
SEQ. ID. NO. 27 EGVVRALLQKPSARVAVLFTRSEDA
SEQ. ID. NO. 39 RAVIMFANEDDIRRILEAAKKLNQS
SEQ. ID. NO. 35 RELLAASQRLNASFTWVASDGWGAL
SEQ. ID. NO. 31 LEPLIKEIVRRNITGKIWLASEAWA
SEQ. ID. NO. 27 RELLAASQRLNASFTWVASDGWGAL
SEQ. ID. NO. 39 GHFLWIGSDSWGSKIAPVYQQEEIA
SEQ. ID. NO. 35 ESVVAGSEGAAEGAITIELASYPIS
SEQ. ID. NO. 31 SSSLIAMPQYFHVVGGTIGFALKAG
SEQ. ID. NO. 27 ESVVAGSEGAAEGAITIELASYPIS
SEQ. ID. NO. 39 EGAVTILPKRASIDGFDRYFRSRTL
SEQ. ID. NO. 35 DFASYFQSLDPWNNSRNPWFREFWE
SEQ. ID. NO. 31 QIPGFREFLKKVHPRKSVHNGFAKE
SEQ. ID. NO. 27 DFASYFQSLDPWNNSRNPWFREFWE
SEQ. ID. NO. 39 ANNRRNVWFAEFWEENFGCKLGSHG
SEQ. ID. NO. 35 QRFRCSFRQRDCAAHSLRAVPFEQE
SEQ. ID. NO. 31 FWEETFNCHLQEGAKGPLPVDTFLR
SEQ. ID. NO. 27 QRFRCSFRQRDCAAHSLRAVPFEQE
SEQ. ID. NO. 39 KRNSHIKKCTGLERIARDSSYEQEG
SEQ. ID. NO. 35 SKIMFVVNAVYAMAHALHNMHRALC
SEQ. ID. NO. 31 GHEESGDRFSNSSTAFRPLCTGDEN
SEQ. ID. NO. 27 SKIMFVVNAVYAMAHALHNMHRALC
```

```
SEQ. ID. NO. 39 KVOFVIDAVYSMAYALHNMHKDLCP
SEQ. ID. NO. 35 PNTTRLCDAMRPVNGRRLYKDFVLN
SEQ. ID. NO. 31 ISSVETPYIDYTHLRISYNVYLAVY
SEQ. ID. NO. 27 PNTTRLCDAMRPVNGRRLYKDFVLN
SEQ. ID. NO. 39 GYIGLCPRMSTIDGKELLGYIRAVN
SEQ. ID. NO. 35 VK FDAPFRPADTHNEVRFDRFGDGI
SEQ. ID. NO. 31 SIAHALQDIYTCLPGRGLFTNGSCA
SEQ. ID. NO. 27 VKFDAPFRPADTHNEVRFDRFGDGI
SEQ. ID. NO. 39 FNGSAGTPVTFNENGDAPGRYDIFQ
SEQ. ID. NO. 35 GRYNIFTYLRAGSGRYRYQKYGYWA
SEQ. ID. NO. 31 DIKKVEAWQVLKHLRHLNFTNNMGE
SEQ. ID. NO. 27 GRYNIFTYLRAGSGRYRYQKVGYWA
SEQ. ID. NO. 39 YQITNKSTEYKVIGHWTNQLHLKVE
SEQ. ID. NO. 35 EGLTLDTSLIPWASPSAGPLPASRC
SEQ. ID. NO. 31 QVTFDECGDLVGNYSIINWHLSPED
SEQ. ID. NO. 27 EGLTLDTSLIPWASPSAGPLAASRC
SEQ. ID. NO. 39 DMQWAHREHTHPASYCSLPCKPGER
SEQ. ID. NO. 35 SEPCLQNEVKSVOPGEVCCWLCIPC
SEQ. ID. NO. 31 GSIVFKEVGYYNVYAKKGERLFINE
SEQ. ID. NO. 27 SEPCLQNEVKSVOPGEVCCWLCIPC
SEQ. ID. NO. 39 KKTVKGVPCCWHCERCEGYNYQVDE
SEQ. ID. NO. 35 QPYEYRLDEFTCADCGLGYWPNASL
SEQ. ID. NO. 31 EKILWSGFSREVPFSNCSRDCLAGT
SEQ. ID. NO. 27 QPYEYRLDEFTCADCGLGYWPNASL
SEQ. ID. NO. 39 LSCELCPLDQRPNMNRTGCQLIPII
SEQ. ID. NO. 35 TGCFELPQEYIRWGDAWAVGPYTIA
SEQ. ID. NO. 31 RKGIIEGEPTCCFECVECPDGEYSD
SEQ. ID. NO. 27 TGCFELPQEYIRWGDAWAVGPVTIA
SEQ. ID. NO. 39 KLEWHSPWAVVPVFVAILGIIATTF
SEQ. ID. NO. 35 CLGALATLFVLGVFVRHNATPVVKA
SEQ. ID. NO. 31 ETDASACNKCPDDFWSNENHTSCFE
SEQ. ID. NO. 27 CLGALATLFVLGVFVRHNATPVVKA
```

SEQ. ID. NO. 39 VIVTFVRYNDTPIVRASGRELSYVL SEQ. ID. NO. 35 SGRELCYILLGGVFLCYCMTFIFIA SEQ. ID. NO. 31 LPQEYIRWGDAWAYGPVTIACLGAL SEQ. ID. NO. 27 SGRELCYILLGGVFLCYCMTFIFIA SEQ. ID. NO. 39 LTGIFLCYSITFLMIAAPDTIICSF SEQ. ID. NO. 35 KPSTAVCTLRRLGLGTAFSVCYSAL SEQ. ID. NO. 31 ATLFVLGVFVRHNATPVVKASGREL SEQ. ID. NO. 27 KPSTAVCTLRRLGLGTAFSVCYSAL SEQ. ID. NO. 39 RRVFLGLGMCFSYAALLTKTNRIHR SEQ. ID. NO. 35 LTKTNRIARIFGGAREGAQRPRFIS SEQ. ID. NO. 31 CYILLGGVFLCYCMTFIFIAKPSTA SEQ. ID. NO. 27 LTKTNRIARIFGGAREGAQRPRFIS SEQ. ID. NO. 39 I FEQGKKSVTAPKFISPASQLVITF SEQ. ID. NO. 35 PASQVAICLALISGQLLIVVAWLVV SEQ. ID. NO. 31 VCTLRRLGLGTAFSVCYSALLTKTN SEQ. ID. NO. 27 PASQVAICLALISGQLLIVVAWLVV SEQ. ID. NO. 39 SLISVQLLGVFVWFVVDPPHIIIDY SEQ. ID. NO. 35 EAPGTGKETAPERREVVTLRCNHRD SEQ. ID. NO. 31 RIARIFGGAREGAQRPRFISPASQV SEQ. ID. NO. 27 EAPGTGKETAPERREVVTLRCNHRD SEQ. ID. NO. 39 GEQRTLDPEKARGVLKCDISDLSLI SEQ. ID. NO. 35 ASMLGSLAYNVLLIALCTLYAFKTR SEQ. ID. NO. 31 AICLALISGQLLIVVAWLVVEAPGT SEQ. ID. NO. 27 ASMLGSLAYNVLLIALCTLYAFNTR SEQ. ID. NO. 39 CSLGYSILLMVTCTVYAIKTRGVPE SEQ. ID. NO. 35 KCPENFNEAKFIGFTMYTTCIIWLA SEQ. ID. NO. 31 GKETAPERREVVTLRCNHRDASMLG SEQ. ID. NO. 27 KCPENFNEAKFIGFTMYTTCIIWLA SEQ. ID. NO. 39 TFNEAKPIGFTMYTTCIIWLAFIPI SEQ. ID. NO. 35 FLPIFYVTSSDYRVQTTTMCVSVSL SEQ. ID. NO. 31 SLAYNVLLIALCTLYAFNTRKCPEN SEQ. ID. NO. 27 LLPIFYVTSSDYRVQTTTMCVSVSL

· Gallery .

```
SEQ. ID. NO. 39 FFGTAQSAEKMYIQTTTLTVSMSLS
SEQ. ID. NO. 35 SGSVVLGCLFAPKLHIILFQPQKNT
SEQ. ID. NO. 31 FNEAKFIGFTMYTTCIIWLALLPIF
SEQ. ID. NO. 27 SGSVVLGCLFAPKLHIILFQPQKN
SEQ. ID. NO. 39 AS V S L G M L Y M P K V Y I I I F H P E Q N T I
SEQ. ID. NO. 35 I E E V R C S T A A H A F K V A A R A T L R R S N
SEQ. ID. NO. 31 YVTSSDYRVQTTTMCVSVSLSGSVV
SEQ. ID. NO. 27
SEQ. ID. NO. 39 EEVRCSTAAHAFKVAARATLRRSNV
SEQ. ID. NO. 35 VSRKRSSSLGGSTGSTPSSSISSKS
SEQ. ID. NO. 31 LGCLFAPKLHIILFQPQKNVVSHRA
SEQ. ID. NO. 27
SEQ. ID. NO. 39 SRKRSSSLGGSTGSTPSSSISSKSN
SEQ. ID. NO. 35 NSEDPFPQPERQKQQQPLALTQQEQ
SEQ. ID. NO. 31 PTSRFGSAAARASSSLGQGSGSQFV
SEQ. ID. NO. 27
SEQ. ID. NO. 39 SEDPFPQPERQKQQQPLALTQQEQQ
SEQ. ID. NO. 35 QQQPLTLPQQQRSQQQPRCKQKVIF
SEQ. ID. NO. 31 PTVCNGREVVDSTTSSL
SEQ. ID. NO. 27
SEQ. ID. NO. 39 QQPLTLPQQQRSQQQPRCKQKVIFG
SEQ. ID. NO. 35 GSGTVTFSLSFDEPQKNAMAHGNST
SEQ. ID. NO. 31
SEQ. ID. NO. 27
SEQ. ID. NO. 39 SGTVTFSLSFDEPQKNAMAHGNSTH
SEQ. ID. NO. 35 HQNSLEAQKSSDTLTRHQPLLPLQC
SEQ. ID. NO. 31
SEQ. ID. NO. 27
SEQ. ID. NO. 39 QNSLEAQKSSDTLTRHQPLLPLQCG
SEQ. ID. NO. 35 GETDLDLTVQETGLQGPVGGDQRPE
SEQ. ID. NO. 31
SEQ. ID. NO. 27
```

SEQ. ID. NO. 39 ETD'LDLTVQETGLQGPVGGDQRPEV SEQ. ID. NO. 35 VEDPEELSPALVVSSSQSFVISGGG SEQ. ID. NO. 31 SEQ. ID. NO. 27

SEQ. ID. NO. 39 EDPEELSPALVVSSSQSFVISGGGS SEQ. ID. NO. 35 STVTENVVNS SEQ. ID. NO. 31 SEQ. ID. NO. 27

SEQ. ID. NO. 39 TVTENVVNS SEQ. ID. NO. 35 SEQ. ID. NO. 31 SEQ. ID. NO. 27

ClustalW Formatted Alignments

```
SEQ. ID. NO. 40 ATGGTATGCGAGGGAAAGCGATCAG
SEQ. ID. NO. 46 A T G G G A T C G C T G C G C T C C C G G
SEQ. ID. NO. 36 A TGGGATCGCTGCTTGCGCTCCCGG
SEQ. ID. NO. 32 ATGGCATTTTATAGCTGCTGGG
SEQ. iD. NO. 40 CCTCTTGCCCTTTTTCTTCCTCTT
SEQ. ID. NO. 46 CACTGCTGCTGCTGTGGGGTGCTGT
SEQ. ID. NO. 36 CACTGCTGCTGCTGTGGGGTGCTGT
SEQ. ID. NO. 32 TCCTCTTGGCACTCACCTGGCACAC
SEQ. ID. NO. 40 GACCGCCAAGTTCTACTGGATCCTC
SEQ. ID. NO. 46 GGCTGAGGGCCCAGCCAAGAAGGTG
SEQ. ID. NO. 36 GGCTGAGGGCCCAGCCAAGAGGTG
SEQ. ID. NO. 32 CTCTGCCTACGGGCCAGACCAGCGA
SEQ. ID. NO. 40 A C A A T G A T G C A A A G A A C T C A C A G C C
SEQ. ID. NO. 46 CTGACCCTGGAGGGAGACTTGGTGC
SEQ. ID. NO. 36 CTGACCCTGGAGGGAGACTTGGTGC
SEQ. ID. NO. 32 GCCCAAAAGAAGGGGGACATTATCC
SEQ. ID. NO. 40 AGGAGTATGCCCATTCCATACGGGT
SEQ. ID. NO. 46 TGGGTGGGCTGTTCCCAGTGCACCA
SEQ. ID. NO. 36 TGGGGGGGTGTTCCCAGTGCACCA
SEQ. ID. NO. 32 TTGGGGGGCTCTTTCCTATTCATT
SEQ. ID. NO. 40 GGATGGGGACATTATTTGGGGGGGT
SEQ. ID. NO. 46 GAAGGGCGGCCCAGCAGAGGACTGT
SEQ. ID. NO. 36 GAAGGGCGGCCCAGCAGAGGACTGT
SEQ. ID. NO. 32 TGGAGTAGCAGCTAAAGATCAAGAT
SEQ. ID. NO. 40 CTCTTCCCTGTCCACGCAAAGGGAG
SEQ. ID. NO. 46 GGTCCTGTCAATGAGCACCGTGGCA
SEQ. ID. NO. 36 GGTCCTGTCAATGAGCACCGTGGCA
SEQ. ID. NO. 32 CTCAAATCAAGGCCGGAGTCTGTGG
SEQ. ID. NO. 40 AGAGAGGGGTGCCTTGTGGGGAGCT
SEQ. ID. NO. 46 TCCAGCGCCTGGAGGCCATGCTTT
SEQ. ID. NO. 36 TCCAGCGCCTGGAGGCCATGCTTT
SEQ. ID. NO. 32 AATGTATCAGGTATAATTCCGTGG
```

```
SEQ. ID. NO. 40 GAAGAAGGAAAAGGGGATTCACAGA
SEQ. ID. NO. 46 TGCACTGGACCGCATCAACCGTGAC
SEQ. ID. NO. 36 TGCACTGGACCGCATCAACCGTGAC
SEQ. ID. NO. 32 GTTTCGCTGGTTACAGGCTATGATA
SEQ. ID. NO. 40 CTGGAGGCCATGCTTTATGCAATTG
SEQ. ID. NO. 46 CCGCACCTGCTGCCTGGCGTGCGCC
SEQ. ID. NO. 36 CCGCACCTGCTGCCTGGCGTGCGCC
SEQ. ID. NO. 32 TTTGCCATAGAGGAGATAAACAGCA
SEQ. ID. NO. 40 ACCAGATTAACAAGGACCCTGATCT
SEQ. ID. NO. 46 TGGGTGCACACATCCTCGACAGTTG
SEQ. ID. NO. 36 TGGGTGCACACATCCTCGACAGTTG
SEQ. ID. NO. 32 GCCCAGCCCTTCTTCCCAACTTGAC
SEQ. ID. NO. 40 CCTTTCCAACATCACTCTGGGTGTC
SEQ. ID. NO. 46 CTCCAAGGACACATGCGCTGGAG
SEQ. ID. NO. 36 CTCCAAGGACACACATGCGCTGGAG
SEQ. ID. NO. 32 GCTGGGATACAGGATATTTGACACT
SEQ. ID. NO. 40 CGCATCCTCGACACGTGCTCTAGGG
SEQ. ID. NO. 46 CAGGCACTGGACTTTGTGCGTGCCT
SEQ. ID. NO. 36 CAGGCACTGGACTTTGTGCGTGCCT
SEQ. ID. NO. 32 TGCAACACCGTTTCTAAGGCCTTGG
SEQ. ID. NO. 40 A C A C C T A T G C T T T G G A G C A G T C T C T
SEQ. ID. NO. 46 CACTCAGCCGTGGTGCTGATGGCTC
SEQ. ID. NO. 36 CACTCAGCCGTGGTGCTGATGGCTC
SEQ. ID. NO. 32 AAGCCACCCTGAGTTTTGTTGCTCA
SEQ. ID. NO. 40 AACATTCGTGCAGGCATTAATAGAG
SEQ. ID. NO. 46 ACGCCACATCTGCCCCGACGGCTCT
SEQ. ID. NO. 36 ACGCCACATCTGCCCCGACGGCTCT
SEQ. ID. NO. 32 AAACAAATTGATTCTTTGAACCTT
SEQ. ID. NO. 40 A A A G A T G C T T C G G A T G T G A A G T G T G
SEQ. ID. NO. 46 TATGCGACCCATGGTGATGCTCCCA
SEQ. ID. NO. 36 TATGCGACCCATGGTGATGCTCCCA
SEQ. ID. NO. 32 GATGAGTTCTGCAACTGCTCAGAGC
```

```
SEQ. ID. NO. 40 CTAATGGAGATCCACCCATTTCAC
SEQ. ID. NO. 46 CTGCCATCACTGGTGTTATTGGCGG
SEQ. ID, NO. 36 CTGCCATCACTGGTGTTATTGGCGG
SEQ. ID. NO. 32 ACATTCCCTCTACGATTGCTGTGGT
SEQ. ID. NO. 40 CAAGCCCGACAAGATTTCTGGCGTC
SEQ. ID. NO. 46 TTCCTACAGTGATGTCTCCATCCAG
SEQ. ID. NO. 36 TTCCTACAGTGATGTCTCCATCCAG
SEQ. ID. NO. 32 GGGAGCAACTGGCTCAGGCGTCTCC
SEQ. ID. NO. 40 ATAGGTGCTGCAGCAAGCTCCGTGT
SEQ. ID. NO. 46 GTGGCCAACCTCTTGAGGCTATTTC
SEQ. ID. NO. 36 GTGGCCAACCTCTTGAGGCTATTTC
SEQ. ID. NO. 32 ACGGCAGTGGCAAATCTGCTGGGGC
SEQ. ID. NO. 40 CCATCATGGTTGCTAACATTTTAAG
SEQ. ID. NO. 46 AGATCCCACAGATTAGCTACGCCTC
SEQ. ID. NO. 36 AGATCCCACAGATTAGCTACGCCTC
SEQ. ID. NO. 32 TCTTCTACATTCCCCAGGTCAGTTA
SEQ. ID. NO. 40 ACTTTTTAAGATACCTCAAATCAGC
SEQ. ID. NO. 46 TACCAGTGCCAAGCTGAGTGACAAG
SEQ. ID. NO. 36 TACCAGTGCCAAGCTGAGTGACAAG
SEQ. ID. NO. 32 TGCCTCCTCCAGCAGACTCCTCAGC
SEQ. ID. NO. 40 TATGCATCCACAGCCCCAGAGCTAA
SEQ. ID. NO. 46 TCCCGCTATGACTACTTTGCCCGCA
SEQ. ID. NO. 36 TCCCGCTATGACTACTTTGCCCGCA
SEQ. ID. NO. 32 AACAAGAATCAATTCAAGTCTTTCC
SEQ. ID. NO. 40 GTGATAACACCAGGTATGACTTTT
SEQ. ID. NO. 46 CAGTGCCTCCTGACTTCTTCCAAGC
SEQ. ID. NO. 36 CAGTGCCTCCTGACTTCTTCCAAGC
SEQ. ID. NO. 32 TCCGAACCATCCCCAATGATGAGCA
SEQ. ID. NO. 40 CTCTCGAGTGGTTCCGCCTGACTCC
SEQ. ID. NO. 46 CAAGGCCATGGCTGAGATTCTCCGC
SEQ. ID. NO. 36 CAAGGCCATGGCTGAGATTCTCCGC
SEQ. ID. NO. 32 CCAGGCCACTGCCATGGCAGACATC
```

```
SEQ. ID. NO. 40 TACCAAGCCCAAGCCATGGTGGACA
SEQ. ID. NO. 46 TTCTTCAACTGGACCTATGTCCA
SEQ. ID. NO. 36 TTCTTCAACTGGACCTATGTGTCCA
SEQ. ID. NO. 32 ATCGAGTATTTCCGCTGGAACTGGG
SEQ. ID. NO. 40 TCGTGACAGCACTGGGATGGAATTA
SEQ. ID. NO. 46 CTGTGGCGTCTGAGGGCGACTATGG
SEQ. ID. NO. 36 CTGTGGCGTCTGAGGGCGACTATGG
SEQ. ID. NO. 32 TGGGCACAATTGCAGCTGATGACGA
SEQ. ID. NO. 40 TGTTTCGACACTGGCTTCTGAGGGG
SEQ. ID. NO. 46 CGAGACAGGCATTGAGGCCTTTGAG
SEQ. ID. NO. 36 CGAGACAGGCATTGAGGCCTTTGAG
SEQ. ID. NO. 32 CTATGGGCGGCCGGGGATTGAGAAA
SEQ. ID. NO. 40 AACTATGGTGAGAGCGGTGTGGAGG
SEQ. ID. NO. 46 CTAGAGGCTCGTGCCCGCAACATCT
SEQ. ID. NO. 36 CTAGAGGCTCGTGCCCGCAACATCT
SEQ. ID. NO. 32 TTCCGAGAAGCTGAGGAAAGGG
SEQ. ID. NO. 40 CCTTCACCCAGATCTCGAGGGAGAT
SEQ. ID. NO. 46 GTGTGGCCACCTCGGAGAAAGTGGG
SEQ. ID. NO. 36 GTGTGGCCACCTCGGAGAAGTGGG
SEQ. ID. NO. 32 A TATCTGCATCGACTTCAGTGAACT
SEQ. ID. NO. 40 TGGTGGTGTTTGCATTGCTCAGTCA
SEQ. ID. NO. 46 CCGTGCCATGAGCCGCGCGCCTTT
SEQ. ID. NO. 36 CCGTGCCATGAGCCGCGCGCCTTT
SEQ. ID. NO. 32 CATCTCCCAGTACTCTGATGAGGAA
SEQ. ID. NO. 40 CAGAAAATCCCACGTGAACCAAGAC
SEQ. ID. NO. 46 GAGGGTGTGGTGCGAGCCCTGCTGC
SEQ. ID. NO. 36 GAGGGTGTGGTGCGAGCCCTGCTGC
SEQ. ID. NO. 32 GAGATCCAGCATGTGGTAGAGGTGA
SEQ. ID. NO. 40 CTGGAGAATTTGAAAAATTATCAA
SEQ. ID. NO. 46 AGAAGCCCAGTGCCCGCGTGGCTGT
SEQ. ID. NO. 36 AGAAGCCCAGTGCCCGCGTGGCTGT
SEQ. ID. NO. 32 TTCAAAATTCCACGGCCAAAGTCAT
```

Figure 11d

SEQ. ID. NO. 40 A C G C C T G C T A G A A A C A C C T A A T G C T SEQ. ID. NO. 46 C C T G T T C A C C C G T T C T G A G G A T G C C SEQ. ID. NO. 36 C C T G T T C T C T C C A G T G G C C C A G A T SEQ. ID. NO. 32 C G T G G T T T T C T C C A G T G G C C C A G A T SEQ. ID. NO. 32

SEQ. ID. NO. 40 CGAGCAGTGATTATGTTTGCCAATG SEQ. ID. NO. 46 CGGGAGCTGCTTGCTGCCAGCCAGC SEQ. ID. NO. 36 CGGGAGCTGCTTGCTGCCAGCCAGC SEQ. ID. NO. 32 CTTGAGCCCCTCATCAAGGAGATTG

SEQ. ID. NO. 40 AGGATGACATCAGGAGGATATTGGA SEQ. ID. NO. 46 GCCTCAATGCCAGCTTCACCTGGGT SEQ. ID. NO. 36 GCCTCAATGCCAGCTTCACCTGGGT SEQ. ID. NO. 32 TCCGGCGCAATATCACGGGCAAGAT

SEQ. ID. NO. 40 A G C A G C A A A A A A A A C T A A A C C A A A G T SEQ. ID. NO. 46 G G C C A G T G A T G G T T G G G G G G C C C T G SEQ. ID. NO. 36 G G C C A G T G A T G G T T G G G G C C C T G SEQ. ID. NO. 32 C T G G C T G G C C A G C G A G G C C T G G G C C

SEQ. ID. NO. 40 GGGCATTTTCTCTCTGGATTGGCTCAG SEQ. ID. NO. 46 GAGAGTGTGGTTGGCAGGCAGTGAGG SEQ. ID. NO. 36 GAGAGTGTTGTTGGTTGGCAGGCAGTGAGG SEQ. ID. NO. 32 AGCTCCTCCCTGATCGCCATGCCTC

SEQ. ID. NO. 40 A T A G T T G G G G A T C C A A A A T A G C A C C SEQ. ID. NO. 46 G G G C T G C T G A G G G T G C T A T C A C C A T SEQ. ID. NO. 36 G G G C T G C T G A G G G T G C T A T G G C G G C A C SEQ. ID. NO. 32 A G T A C T T C C A C G T G G T T G G C G G C A C

SEQ. ID. NO. 40 TGTCTATCAGCAAGAGGAGATTGCAGTSEQ. ID. NO. 46 CGAGCTGGCCTCCTACCCCATCAGTSEQ. ID. NO. 36 CGAGCTGGCCTCCTACCCCATCAGTSEQ. ID. NO. 32 CATTGGATTCGCTCTGAAGGCTGGC

SEQ. ID. NO. 40 GAAGGGGCTGTGACAATTTTGCCCASEQ. ID. NO. 46 GACTTTGCCTCTACTTCCAGAGCCSEQ. ID. NO. 36 GACTTTGCCTCCTACTTCCAGAGCCSEQ. ID. NO. 36 CAGATCCCAGGCTTCCTGCGGGAATTCC

```
SEQ. ID. NO. 40 AACGAGCATCAATTGATGGATTTGA
SEQ. ID. NO. 46 TGGACCCTTGGAACAACAGCCGGAA
SEQ. ID. NO. 36 TGGACCCTTGGAACAACAGCCGGAA
SEQ. ID. NO. 32 TGAAGAAGGTCCATCCCAGGAAGTC
SEQ. ID. NO. 40 TCGATACTTTAGAAGCCGAACTCTT
SEQ. ID. NO. 46 CCCCTGGTTCCGTGAATTCTGGGAG
SEQ. ID. NO. 36 CCCCTGGTTCCGTGAATTCTGGGAG
SEQ. ID. NO. 32 TGTCCACAATGGTTTTGCCAAGGAG
SEQ. ID. NO. 40 GCCAATAATCGAAGAAATGTGTGGT
SEQ. ID. NO. 46 CAGAGGTTCCGCTGCAGCTTCCGGC
SEQ. ID. NO. 36 CAGAGGTTCCGCTGCAGCTTCCGGC
SEQ. ID. NO. 32 TTTTGGGAAGAAACATTTAACTGCC
SEQ. ID. NO. 40 TTGCAGAATTCTGGGAGGAGAATTT
SEQ. ID. NO. 46 AGCGAGACTGCGCAGCCCACTCT
SEQ. ID. NO. 36 AGCGAGACTGCGCAGCCCACTCT
SEQ. ID. NO. 32 ACCTCCAAGAAGGTGCAAAAGGACC
SEQ. ID. NO. 40 TGGCTGCAAGTTAGGATCACATGGG
SEQ. ID. NO. 46 CCGGGCTGTGCCCTTTGAGCAGGAG
SEQ. ID. NO. 36 CCGGGCTGTGCCCTTTGAGCAGGAG
SEQ. ID. NO. 32 TTTACCTGTGGACACCTTTCTGAGA
SEQ. ID. NO. 40 AAAAGGAACAGTCATAAAAGAAAT
SEQ. ID. NO. 46 TCCAAGATCATGTTTGTGGTCAATG
SEQ. ID. NO. 36 TCCAAGATCATGTTTGTGGTCAATG
SEQ. ID. NO. 32 GGTCACGAAGAAGTGGCGACAGGT
SEQ. ID. NO. 40 GCACAGGGCTGGAGCGAATTGCTCG
SEQ. ID. NO. 46 CAGTGTACGCCATGGCCCATGCGCT
SEQ. ID. NO. 36 CAGTGTACGCCATGGCCCT
SEQ. ID. NO. 32 TTAGCAACAGCTCGACAGCCTTCCG
SEQ. ID. NO. 40 GGATTCATCTTATGAACAGGAAGGA
SEQ. ID. NO. 46 CCACAACATGCACCGTGCCCTCTGC
SEQ. ID. NO. 36 CCACAACATGCACCGTGCCCTCTGC
SEQ. ID. NO. 32 ACCCCTCTGTACAGGGGATGAGAAC
```

```
SEQ. ID. NO. 40 AAGGTCCAATTTGTAATTGATGCTG
SEQ. ID. NO. 46 CCCAACACCACCGGCTCTGTGACG
SEQ. ID. NO. 36 CCCAACACCACCGGCTCTGTGACG
SEQ. ID. NO. 32 ATCAGCAGTGTCGAGACCCCTTACA
SEQ. ID. NO. 40 TATATTCCATGGCTTACGCCCTGCA
SEQ. ID. NO. 46 CGATGCGGCCAGTTAACGGGCCCG
SEQ. ID. NO. 36 CGATGCGGCCAGTTAACGGGCCCG
SEQ. ID. NO. 32 TAGATTACACGCATTTACGGATATC
SEQ. ID. NO. 40 CAATATGCACAAAGATCTCTGCCCT
SEQ. ID. NO. 46 CCTCTACAAGGACTTTGTGCTCAAC
SEQ. ID. NO. 36 CCTCTACAAGGACTTTGTGCTCAAC
SEQ. ID. NO. 32 CTACAATGTGTACTTAGCAGTCTAC
SEQ. ID. NO. 40 GGATACATTGGCCTTTGTCCACGAA
SEQ. ID. NO. 46 GTCAAGTTTGATGCCCCCTTTCGCC
SEQ. ID. NO. 36 GTCAAGTTTGATGCCCCCTTTCGCC
SEQ. ID. NO. 32 TCCATTGCCCACGCCTTGCAAGATA
SEQ. ID. NO. 40 TGAGTACCATTGATGGGAAAGAGCT
SEQ. ID. NO. 46 CAGCTGACACCCACAATGAGGTCCG
SEQ. ID. NO. 36 CAGCTGACACCCACAATGAGGTCCG
SEQ. ID. NO. 32 TATATACCTGCTTACCTGGGAGAGG
SEQ. ID. NO. 40 ACTTGGTTATATTCGGGCTGTAAAT
SEQ. ID. NO. 46 CTTTGACCGCTTTGGTGATGGTATT
SEQ. ID. NO. 36 CTTTGACCGCTTTGGTGATGGTATT
SEQ. ID. NO. 32 GCTCTTCACCAATGGCTCCTGTGCA
SEQ. ID. NO. 40 TTTAATGGCAGTGCTGGCACTCCTG
SEQ. ID. NO. 46 GGCCGCTACAACATCTTCACCTATC
SEQ. ID. NO. 36 GGCCGCTACAACATCTTCACCTATC
SEQ. ID. NO. 32 GACATCAAGAAAGTTGAGGCGTGGC
SEQ. ID. NO. 40 TCACTTTTAATGAAAACGGAGATGC
SEQ. ID. NO. 46 TGCGTGCAGGCAGTGGGCGCTATCG
SEQ. ID. NO. 36 TGCGTGCAGGCAGTGGGCGCTATCG
SEQ. ID. NO. 32 AGGTCCTGAAGCACCTACGGCATCT
```

```
SEQ. ID. NO. 40 TCCTGGACGTTATGATATCTTCCAG
SEQ. ID. NO. 46 CTACCAGAAGGTGGGCTACTGGGCA
SEQ. ID. NO. 36 CTACCAGAAGGTGGGCTACTGGGCA
SEQ. ID. NO. 32 AAACTTTACAAACAATATGGGGGAG
SEQ. ID. NO. 40 TATCAAATAACCAACAAAGCACAG
SEQ. ID. NO. 46 GAAGGCTTGACTCTGGACACCAGCC
SEQ. ID. NO. 36 GAAGGCTTGACTCTGGACACCAGCC
SEQ. ID. NO. 32 CAGGTGACCTTTGATGAGTGTGGTG
SEQ. ID. NO. 40 AGTACAAAGTCATCGGCCACTGGAC
SEQ. ID. NO. 46 TCATCCCATGGGCCTCACCCTCAGC
SEQ. ID. NO. 36 TCATCCCATGGGCCTCACCCTCAGC
SEQ. ID. NO. 32 ACCTGGTGGGGAACTATTCCATCAT
SEQ. ID. NO. 40 CAATCAGCTTCATCTAAAAGTGGAA
SEQ. ID. NO. 46 CGGCCCCCCCCCCCCCCCCCCCCCCCCC
SEQ. ID. NO. 36 CGGCCCCCTGCCCGCCTCTCGCTGC
SEQ. ID. NO. 32 CAACTGGCACCTCTCCCCAGAGGAT
SEQ. ID. NO. 40 GACATGCAGTGGGCTCATAGAGAAC
SEQ. ID. NO. 46 AGTGAGCCCTGCCTCCAGAATGAGG
SEQ. ID. NO. 36 AGTGAGCCCTGCCTCCAGAATGAGG
SEQ. ID. NO. 32 GGCTCCATCGTGTTTAAGGAAGTCG
SEQ. ID. NO. 40 A TACTCACCCGGCGTCTGTCTGCAG
SEQ. ID. NO. 46 TGAAGAGTGTGCAGCCGGGCGAAGT
SEQ. ID. NO. 36 TGAAGAGTGTGCAGCCGGGCGAAGT
SEQ. ID. NO. 32 GGTATTACAACGTCTATGCCAAGAA
SEQ. ID. NO. 40 CCTGCCGTGTAAGCCAGGGAGAGG
SEQ. ID. NO. 46 CTGCTGCTGGCTCTGCATTCCGTGC
SEQ. ID. NO. 36 CTGCTGCTGGCTCTGCATTCCGTGC
SEQ. ID. NO. 32 GGGAGAAAGACTCTTCATCAACGAG
SEQ. ID. NO. 40 AAGAAACGGTGAAAGGGGTCCCTT
SEQ. ID. NO. 46 CAGCCCTATGAGTACCGATTGGACG
SEQ. ID. NO. 36 CAGCCCTATGAGTACCGATTGGACG
SEQ. ID. NO. 32 GAGAAATCCTGTGGAGTGGGTTCT
```

```
SEQ. ID. NO. 40 GCTGCTGGCACTGTGAACGCTGTGA
SEQ. ID. NO. 46 AATTCACTTGCGCTGATTGTGGCCT
SEQ. ID. NO. 36 AATTCACTTGCGCTGATTGTGGCCT
SEQ. ID. NO. 32 CCAGGGAGGTGCCCTTCTCCAACTG
SEQ. ID. NO. 40 AGGTTACAACTACCAGGTGGATGAG
SEQ. ID. NO. 46 GGGCTACTGGCCCAATGCCAGCCTG
SEQ. ID. NO. 36 GGGCTACTGGCCCAATGCCAGCCTG
SEQ. ID. NO. 32 CAGCCGAGACTGCCTGGCAGGGACC
SEQ. ID. NO. 40 CTGTCCTGTGAACTTTGCCCTCTGG
SEQ. ID. NO. 46 ACTGGCTGCTTCGAACTGCCCAGG
SEQ. ID. NO. 36 ACTGGCTGCTTCGAACTGCCCAGG
SEQ. ID. NO. 32 AGGAAAGGGATCATTGAGGGGAGC
SEQ. ID. NO. 40 A T C A G A G A C C C A A C A T G A A C C G C A C
SEQ. ID. NO. 46 AGTACATCCGCTGGGGCGATGCCTG
SEQ. ID. NO. 36 AGTACATCCGCTGGGGCGATGCCTG
SEQ. ID. NO. 32 CCACCTGCTGCTTTGAGTGTGGA
SEQ. ID. NO. 40 AGGCTGCCAGCTTATCCCCATCATC
SEQ. ID. NO. 46 GGCTGTGGGACCTGTCACCATCGCC
SEQ. ID. NO. 36 GGCTGTGGGACCTGTCACCATCGCC
SEQ. ID. NO. 32 GTGTCCTGATGGGGAGTATAGTGAT
SEQ. ID. NO. 40 A A A T T G G A G T G G C A T T C T C C C T G G G
SEQ. ID. NO. 46 TGCCTCGGTGCCCTGGCCACCCTCT
SEQ. ID. NO. 36 TGCCTCGGTGCCCTGGCCACCCTCT
SEQ. ID. NO. 32 GAGACAGATGCCAGTGCCTGTAACA
SEQ. ID. NO. 40 CTGTGGTGCCTGTGTTTGTTGCAAT
SEQ. ID. NO. 46 TTGTGCTGGGTGTCTTTGTGCGGCA
SEQ. ID. NO. 36 TTGTGCTGGGTGTCTTTGTGCGGCA
SEQ. ID. NO. 32 AGTGCCCAGATGACTTCTGGTCCAA
SEQ. ID. NO. 40 ATTGGGAATCATCGCCACCACCTTT
SEQ. ID. NO. 46 CAATGCCACACCAGTGGTCAAGGCC
SEQ. ID. NO. 36 CAATGCCACACCAGTGGTCAAGGCC
SEQ. ID. NO. 32 TGAGAACCACACCTCCTGCTTCGAA
```

SEQ. ID. NO. 40 GTGATCGTGACCTTTGTCCGCTATA SEQ. ID. NO. 46 TCAGGTCGGGAGCTCTGCTACATCC SEQ. ID. NO. 36 TCAGGTCGGGAGCTCTGCTACATCC SEQ. ID. NO. 32 CTGCCCCAGGAGTACATCCGCTGGG SEQ. ID. NO. 40 ATGACACACCTATCGTGAGGGCTTC SEQ. ID. NO. 46 TGCTGGGTGGTGTCTTCCTCTGCTA SEQ. ID. NO. 36 TGCTGGGTGGTGTCTTCCTCTGCTA SEQ. ID. NO. 32 GCGATGCCTGGGCTGTGGGACCTGT SEQ. ID. NO. 40 AGGACGCGAACTTAGTTACGTGCTC SEQ. ID. NO. 46 CTGCATGACCTTCATCTTCATTGCC SEQ. ID. NO. 36 CTGCATGACCTTCATCTTCATTGCC SEQ. ID. NO. 32 CACCATCGCCTGCCTCGGTGCCCTG SEQ. ID. NO. 40 CTAACGGGGATTTTCTCTGTTATT SEQ. ID. NO. 46 AAGCCATCCACGGCAGTGTGCCT SEQ. ID. NO. 36 AAGCCATCCACGGCAGTGTGCCT SEQ. ID. NO. 32 GCCACCCTGTTTGTGCTGGGTGTCT SEQ. ID. NO. 40 CAATCACGTTTTTAATGATTGCAGC SEQ. ID. NO. 46 TACGGCGTCTTGGTTTGGGCACTGC SEQ. ID. NO. 36 TACGGCGTCTTGGTTTGGGCACTGC SEQ. ID. NO. 32 TTGTGCGGCACAATGCCACACCAGT SEQ. ID. NO. 40 ACCAGATACAATCATATGCTCCTTC SEQ. ID. NO. 46 CTTCTCTGTCTGCTACTCAGCCCTG SEQ. ID. NO. 36 CTTCTCTGTCTGCTACTCAGCCCTG SEQ. ID. NO. 32 GGTCAAGGCCTCAGGTCGGGAGCTC SEQ. ID. NO. 40 CGACGGGTCTTCCTAGGACTTGGCA SEQ. ID. NO. 46 CTCACCAAGACCAACCGCATTGCAC SEQ. ID. NO. 36 CTCACCAAGACCAACCGCATTGCAC SEQ. ID. NO. 32 TGCTACATCCTGCTGGTGTGTCT SEQ. ID. NO. 40 TGTGTTTCAGCTATGCAGCCCTTCT SEQ. ID. NO. 46 GCATCTTCGGTGGGGCCCGGGAGGG SEQ. ID. NO. 36 GCATCTTCGGTGGGGCCCGGGAGGG SEQ. ID. NO. 32 TCCTCTGCTACTGCATGACCTTCAT

Figure 11j

SEQ. ID. NO. 40 GACCAAAACAAACCGTATCCACCGA SEQ. ID. NO. 46 TGCCCAGCGGCCACGCTTCATCAGT SEQ. ID. NO. 36 TGCCCAGCGCCACGCTTCATCAGT SEQ. ID. NO. 32 CTTCATTGCCAAGCCATCCACGGCA SEQ. ID. NO. 40 A T A T T T G A G C A G G G G A A G A A A T C T G SEQ. ID. NO. 46 CCTGCCTCACAGGTGGCCATCTGCC SEQ. ID. NO. 36 CCTGCCTCACAGGTGGCCATCTGCC SEQ. ID. NO. 32 G T G T G T A C C T T A C G G C G T C T T G G T T SEQ. ID. NO. 40 TCACAGCGCCCAAGTTCATTAGTCC SEQ. ID. NO. 46 TGGCACTTATCTCGGGCCAGCTGCT SEQ. ID. NO. 36 TGGCACTTATCTCGGGCCAGCTGCT SEQ. ID. NO. 32 TGGGCACTGCCTTCTCTGTCTA SEQ. ID. NO. 40 AGCATCTCAGCTGGTGATCACCTTC SEQ. ID. NO. 46 CATCGTGGTCGCCTGGCTGGTG SEQ. ID. NO. 36 CATCGTGGTCGCCTGGCTGGTG SEQ. ID. NO. 32 CTCAGCCCTGCTCACCAAGACCAAC SEQ. ID. NO. 40 AGCCTCATCTCCGTCCAGCTCCTTG SEQ. ID. NO. 46 GAGGCACCGGGCACAGGCAAGGA SEQ. ID. NO. 36 GAGGCACCGGGCACAGGCAAGAA SEQ. ID. NO. 32 CGCATTGCACGCATCTTCGGTGGGG SEQ. ID. NO. 40 GAGTGTTTGTCTGGTTTGTGGA SEQ. ID. NO. 46 CAGCCCCGAACGGCGGGAGGTGGT SEQ. ID. NO. 36 CAGCCCCCGAACGGCGGAGGTGGT SEQ. ID. NO. 32 CCCGGGAGGGTGCCCAGCG SEQ. ID. NO. 40 TCCCCCCCACATCATCATTGACTAT SEQ. ID. NO. 46 GACACTGCGCTGCAACCACCGCGAT SEQ. ID. NO. 36 GACACTGCGCTGCAACCACCGCGAT SEQ. ID. NO. 32 CTTCATCAGTCCTGCCTCACAGGTG SEQ. ID. NO. 40 GGAGAGCAGCGGACACTAGATCCAG SEQ. ID. NO. 46 GCAAGTATGTTGGGCTCGCTGGCCT SEQ. ID. NO. 36 GCAAGTATGTTGGGCTCGCTGGCCT SEQ. ID. NO. 32 GCCATCTGCCTGGCACTTATCTCGG

SEQ. ID. NO. 40 AGAAGGCCAGGGGAGTGCTCAAGTG SEQ. ID. NO. 46 ACAATGTGCTCCTCATCGCGCTCTG SEQ. ID. NO. 36 ACAATGTGCTCCTCATCGCGCTCTG SEQ. ID. NO. 32 GCCAGCTGCTCATCGTGGTCGCCTG SEQ. ID. NO. 40 TGACATTTCTGATCTCACTCATT SEQ. ID. NO. 46 CACGCTTTATGCCTTCAAGACTCGC SEQ. ID. NO. 36 CACGCTTATGCCTTCAAGACTCGC SEQ. ID. NO. 32 GCTGGTGGTGGAGGCACCGGCACA SEQ. ID. NO. 40 TGTTCACTTGGATACAGTATCCTCT SEQ. ID. NO. 46 AAGTGCCCCGAAAACTTCAACGAGG SEQ. ID. NO. 36 AAGTGCCCCGAAAACTTCAACGAGG SEQ. ID. NO. 32 GGCAAGGAGAGACCCCCGAACGGC SEQ. ID. NO. 40 TGATGGTCACTGTACTGC SEQ. ID. NO. 46 CCAAGTTCATTGGCTTCACCATGTA SEQ. ID. NO. 36 CCAAGTTCATTGGCTTCACCATGTA SEQ. ID. NO. 32 GGGAGGTGGTGACACTGCGCTGCAA SEQ. ID. NO. 40 CATTAAAACGAGAGGTGTCCCAGAG SEQ. ID. NO. 46 CACCACCTGCATCATCTGGCTGGCA SEQ. ID. NO. 36 CACCACCTGCATCATCTGGCTGGCA SEQ. ID. NO. 32 CCACCGCGATGCAAGTATGTTGGGC SEQ. ID. NO. 40 ACTTTCAATGAAGCCAAACCTATTG SEQ. ID. NO. 46 TTCCTGCCCATCTTCTATGTCACCT SEQ. ID. NO. 36 TTCCTGCCCATCTTCTATGTCACCT SEQ. ID. NO. 32 TCGCTGGCCTACAATGTGCTCCTCA SEQ. ID. NO. 40 GATTTACCATGTATACCACCTGCAT SEQ. ID. NO. 46 CCAGTGACTACCGGGTACAGACCAC SEQ. ID. NO. 36 CCAGTGACTACCGGGTACAGACCAC SEQ. ID. NO. 32 TCGCGCTCTGCACGCTTTATGCCTT SEQ. ID. NO. 40 CATTTGGTTAGCTTTCATCCCCATC SEQ. ID. NO. 46 CACCATGTGCGTGTCAGTCAGCCTC SEQ. ID. NO. 36 CACCATGTGCGTGTCAGTCAGCCTC SEQ. ID. NO. 32 CAATACTCGCAAGTGCCCCGAAAAC April 1

SEQ. ID. NO. 40 TTTTTGGTACAGCCCAGTCAGCAG SEQ. ID. NO. 46 AGCGGCTCCGTGGTGCTTGGCTGCC SEQ. ID. NO. 36 AGCGGCTCCGTGGTGCTTGGCTGCC SEQ. ID. NO. 32 TTCAACGAGGCCAAGTTCATTGGCT SEQ. ID. NO. 40 AAAAGATGTACATCCAGACAACAAC SEQ. ID. NO. 46 TCTTTGCGCCCAAGCTGCACATCAT SEQ. ID. NO. 36 TCTTTGCGCCCAAGCTGCACATCAT SEQ. ID. NO. 32 TCACCATGTACACCACCTGCATCAT SEQ. ID. NO. 40 ACTTACTGTCTCCATGAGTTTAAGT SEQ. ID. NO. 46 CCTCTTCCAGCCGCAGAAGAACACC SEQ. ID. NO. 36 CCTCTTCCAGCCGCAGAAGAACACC SEQ. ID. NO. 32 CTGGCTGGCATTGTTGCCCATCTTC SEQ. ID. NO. 40 GCTTCAGTATCTCTGGGCATGCTCT SEQ. ID. NO. 46 A T C G A G G A G G T G C G T T G C A G C A C C G SEQ. ID. NO. 36 ATCGAGGAGGTGCGTTGCAGCACCG SEQ. ID. NO. 32 TATGTCACCTCCAGTGACTACCGGG SEQ. ID. NO. 40 A TATGCCCAAGGTTTATATTATAAT SEQ. ID. NO. 46 CAGCTCACGCTTTCAAGGTGGCTGC SEQ. ID. NO. 36 CAGCTCACGCTTTCAAGGTGGCTGC SEQ. ID. NO. 32 TACAGACCACCACCATGTGCGTGTC SEQ. ID. NO. 40 TTTTCATCCAGAACAGAATACCATC SEQ. ID. NO. 46 CCGGGGCCACGCTGCGCCGCAGCAAC SEQ. ID. NO. 36 CCGGGGCACGCTGCGCCGCAGCAAC SEQ. ID. NO. 32 AGTCAGCCTCAGCGGCTCCGTGGTG SEQ. ID. NO. 40 GAGGAGGTGCGTTGCAGCACCGCAG SEQ. ID. NO. 46 GTCTCCCGCAAGCGGTCCAGCAGCC SEQ. ID. NO. 36 GTCTCCCGCAAGCGGTCCAGCC SEQ. ID. NO. 32 CTTGGCTGCCTCTTTGCGCCCAAGC SEQ. ID. NO. 40 CTCACGCTTTCAAGGTGGCTGCCCG SEQ. ID. NO. 46 TTGGAGGCTCCACGGGATCCACCC SEQ. ID. NO. 36 TTGGAGGCTCCACGGGATCCACCC SEQ. ID. NO. 32 TGCACATCATCCTCTTCCAGCCGCA

Figure 11m

1

Han Han

```
SEQ. ID. NO. 40 GGCCACGCTGCGCCGCAGCAACGTC
SEQ. ID. NO. 46 CTCCTCCATCAGCAGCAAGAGC
SEQ. ID. NO. 36 CTCCTCCTCCATCAGCAGCAAGAGC
SEQ. ID. NO. 32 GAAGAACGTGGTTAGCCACCGGGCA
SEQ. ID. NO. 40 TCCCGCAAGCGGTCCAGCAGCCTTG
SEQ. ID. NO. 46 AACAGCGAAGACCCATTCCCACAGC
SEQ. ID. NO. 36 AACAGCGAAGACCCATTCCCACAGC
SEQ. ID. NO. 32 CCCACCAGCCGCTTTGGCAGTGCTG
SEQ. ID. NO. 40 GAGGCTCCACGGGATCCACCCCTC
SEQ. ID. NO. 46 CCGAGAGGCAGAAGCAGCAGCC
SEQ. ID. NO. 36 CCGAGAGGCAGCAGCAGCC
SEQ. ID. NO. 32 CTGCCAGGGCCAGCTCCAGCCTTGG
SEQ. ID. NO. 40 CTCCTCCATCAGCAGCAAGAGCAAC
SEQ. ID. NO. 46 GCTGGCCCTAACCCAGCAAGAGCAG
SEQ. ID. NO. 36 GCTGGCCCTAACCCAGCAAGAGCAG
SEQ. ID. NO. 32 CCAAGGGTCTGGCTCCCAGTTTGTC
SEQ. ID. NO. 40 AGCGAAGACCCATTCCCACAGCCCG
SEQ. ID. NO. 46 CAGCAGCACCCTGACCCTAC
SEQ. ID. NO. 36 CAGCAGCAGCCCTGACCCAC
SEQ. ID. NO. 32 CCCACTGTTTGCAATGGCCGTGAGG
SEQ. ID. NO. 40 A G A G G C A G C A G C A G C C G C T
SEQ. ID. NO. 46 AGCAGCAACGATCTCAGCAGCC
SEQ. ID. NO. 36 AGCAGCAACGATCTCAGCAGCAGCC
SEQ. ID. NO. 32 TGGTGGACTCGACAACGTCATCGCT
SEQ. ID. NO. 40 GGCCCTAACCCAGCAAGAGCAGCAG
SEQ. ID. NO. 46 CAGATGCAAGCAGAAGGTCATCTTT
SEQ. ID. NO. 36 CAGATGCAAGCAGAAGGTCATCTT
SEQ. ID. NO. 32 TATGACTCTGGAGTCCATCATGGCG
SEQ. ID. NO. 40 CAGCAGCCCTGACCCTCCCACAGC
SEQ. ID. NO. 46 GGCAGCGGCACGGTCACCTTCTCAC
SEQ. ID. NO. 36 GGCAGGGCACGGTCACCTTCAC
SEQ. ID. NO. 32 TGCTGCCTGAGCGAGGAGGCCAAGG
```

Figure lln

الماليونية فالمراوية فا

SEQ. ID. NO. 40 AGCAACGATCTCAGCAGCCCAG SEQ. ID. NO. 46 TGAGCTTTGATGAGCCTCAGAAGAA SEQ. ID. NO. 36 TGAGCTTTGATGAGCCTCAGAAGAA SEQ. ID. NO. 32 AAGCCCGGCGGATCAACGACGAGAT SEQ. ID. NO. 40 ATGCAAGCAGAAGGTCATCTTTGGC SEQ. ID. NO. 46 CGCCATGGCCCACGGGAATTCTACG SEQ. ID. NO. 36 CGCCATGGCCCACGGGAATTCTACG SEQ. ID. NO. 32 CGAGCGGCAGCTCCGCAGGGACAAG SEQ. ID. NO. 40 AGCGGCACGGTCACCTTCTCACTGA SEQ. ID. NO. 46 CACCAGAACTCCCTGGAGGCCCAGA SEQ. ID. NO. 36 CACCAGAACTCCCTGGAGGCCCAGA SEQ. ID. NO. 32 CGGGGGCCCGCCGGGAGCTCAAGC SEQ. ID. NO. 40 GCTTTGATGAGCCTCAGAAGACGC SEQ. ID. NO. 46 A A A G C A G C G A T A C G C T G A C C C G A C A SEQ. ID. NO. 36 A A A G C A G C G A T A C G C T G A C C C G A C A SEQ. ID. NO. 32 TGCTGCTGGGGACAGGAGAG SEQ. ID. NO. 40 CATGGCCCACGGGAATTCTACGCAC SEQ. ID. NO. 46 CCAGCCATTACTCCCGCTGCAGTGC SEQ. ID. NO. 36 CCAGCCATTACTCCCGCTGCAGTGC SEQ. ID. NO. 32 TOGCAAGAGTACGTTTATCAAGCAG SEQ. ID. NO. 40 CAGAACTCCCTGGAGGCCCAGAAA SEQ. ID. NO. 46 GGGGAAACGGACTTAGATCTGACCG SEQ. ID. NO. 36 GGGGAAACGGACTTAGATCTGACCG SEQ. ID. NO. 32 ATGAGAATCATCCATGGGTCAGGAT SEQ. ID. NO. 40 GCAGCGATACGCTGACCCGACACCA SEQ. ID. NO. 46 TCCAGGAAACAGGTCTGCAAGGACC SEQ. ID. NO. 36 TCCAGGAAACAGGTCTGCAAGGACC SEQ. ID. NO. 32 ACTCTGATGAAGATAAAAGGGGCTT SEQ. ID. NO. 40 GCCATTACTCCCGCTGCAGTGCGGG SEQ. ID. NO. 46 TGTGGGTGGAGACCAGCGGCCAGAG SEQ. ID. NO. 36 TGTGGGTGGAGACCAGCGGCCAGAG SEQ. ID. NO. 32 CACCAAGCTGGTGTATCAGAACATC

Figure 11o

```
SEQ. ID. NO. 40 GAAACGGACTTAGATCTGACCGTCC
SEQ. ID. NO. 46 GTGGAGGACCCTGAAGAGTTGTCCC
SEQ. ID. NO. 36 GTGGAGGACCCTGAAGAGTTGTCCC
SEQ. ID. NO. 32 TTCACGGCCATGCAGGCCATGATCA
SEQ. ID. NO. 40 AGGAAACAGGTCTGCAAGGACCTGT
SEQ. ID. NO. 46 CAGCACTTGTAGTGTCCAGTTCACA
SEQ. ID. NO. 36 CAGCACTTGTAGTGTCCAGTTCACA
SEQ. ID. NO. 32 GAGCCATGGACACACTCAAGATCCC
SEQ. ID. NO. 40 GGGTGGAGACCAGCGGCCAGAGGTG
SEQ. ID. NO. 46 GAGCTTTGTCATCAGTGGTGGAGGC
SEQ. ID. NO. 36 GAGCTTTGTCATCAGTGGTGGAGGC
SEQ. ID. NO. 32 ATACAAGTATGAGCACAATAAGGCT
SEQ. ID. NO. 40 GAGGACCCTGAAGAGTTGTCCCCAG
SEQ. ID. NO. 46 AGCACTGTTACAGAAAACGTAGTGA
SEQ. ID. NO. 36 AGCACTGTTACAGAAAACGTAGTGA
SEQ. ID. NO. 32 CATGCACAATTAGTTCGAGAAGTTG
SEQ. ID. NO. 40 CACTTGTAGTGTCCAGTTCACAGAG
SEQ. ID. NO. 46 ATTCAGCGGCCGCCATGACTCTGGA
SEQ. ID. NO. 36 ATTCAATGACTCTGGAGTCCATCAT
SEQ. ID. NO. 32 ATGTGGAGAAGGTGTCTGCTTTTGA
SEQ. ID. NO. 40 CTTTGTCATCAGTGGTGGAGGCAGC
SEQ. ID. NO. 46 GTCCATCATGGCGTGCTGCCTGAGC
SEQ. ID. NO. 36 GGGGGGGCCCCCCCCGAGCGAGGCCC
SEQ. ID. NO. 32 GAATCCATATGTAGATGCAATAAAG
SEQ. ID. NO. 40 ACTGTTACAGAAACGTAGTGAATT
SEQ. ID. NO. 46 GAGGAGGCCAAGGAAGCCCGGCGA
SEQ. ID. NO. 36 AAGGAAGCCCGGCGGATCAACGACG
SEQ. ID. NO. 32 AGTTTATGGAATGATCCTGGAATCC
SEQ. ID. NO. 40 C A - - -
SEQ. ID. NO. 46 TCAACGACGAGATCGAGCGGCAGCT
SEQ. ID. NO. 36 AGATCGAGCGGCAGCTCCGCAGGGA
SEQ. ID. NO. 32 AGGAATGCTATGATAGACGACGAGA
```

```
SEQ. ID. NO. 40
SEQ. ID. NO. 46 CCGCAGGGACAAGCGGGACGCCGC
SEQ. ID. NO. 36 CAAGCGGGACGCCCGCGGGAGCTC
SEQ. ID. NO. 32 ATATCAATTATCTGACTCTACCAAA
SEQ. ID. NO. 40 - - -
                      - - - - A T G A C T C T G G
SEQ. ID. NO. 46 CGGGAGCTCAAGCTGCTGCTCG
SEQ. ID. NO. 36 AAGCTGCTGCTGCTCGGGACAGGAG
SEQ. ID. NO. 32 TACTATCTTAATGACTTGGACCGCG
SEQ. ID. NO. 40 AGTCCATCATGGCGTGCTGCCTGAG
SEQ. ID. NO. 46 GGACAGGAGAGAGTGGCAAGAGTAC
SEQ. ID. NO. 36 AGAGTGGCAAGAGTACGTTTATCAA
SEQ. ID. NO. 32 TAGCTGACCCTGCCTACCTAC
SEQ. ID. NO. 40 CGAGGAGGCCAAGGAAGCCCGGCGG
SEQ. ID. NO. 46 GTTTATCAAGCAGATGAGAATCATC
SEQ. ID. NO. 36 GCAGATGAGAATCATCCATGGGTCA
SEQ. ID. NO. 32 GCAACAAGATGTGCTTAGAGTTCGA
SEQ. ID. NO. 40 ATCAACGACGAGATCGAGCGGCAGC
SEQ. ID. NO. 46 CATGGGTCAGGATACTCTGATGAAG
SEQ. ID. NO. 36 GGATACTCTGATGAAGATAAAGGG
SEQ. ID. NO. 32 GTCCCCACCACAGGGATCATCGAAT
SEQ. ID. NO. 40 TCCGCAGGGACAAGCGGGACGCCCG
SEQ. ID. NO. 46 ATAAAAGGGGCTTCACCAAGCTGGT
SEQ. ID. NO. 36 GCTTCACCAAGCTGGTGTATCAGAA
SEQ. ID. NO. 32 ACCCCTTTGACTTACAAAGTGTCAT
SEQ. ID. NO. 40 CCGGGAGCTCAAGCTGCTGCTC
SEQ. ID. NO. 46 GTATCAGAACATCTTCACGGCCATG
SEQ. ID. NO. 36 CATCTTCACGGCCATGCAGGCCATG
SEQ. ID. NO. 40 GGGACAGGAGAGAGTGGCAAGAGTA
SEQ. ID. NO. 46 CAGGCCATGATCAGAGCCATGGACA
SEQ. ID. NO. 36 ATCAGAGCCATGGACACACTCAAGA
SEQ. ID. NO. 32 CAAAGGTCAGAGAAAAATGGA
```

SEQ. ID. NO. 40 CGTTTATCAAGCAGATGAGAATCAT SEQ. ID. NO. 46 CACTCAAGATCCCATACAAGTATGA SEQ. ID. NO. 36 TCCCATACAAGTATGAGCACAATAA SEQ. ID. NO. 32 TACACTGCTTTGAAAATGTCACCTC SEQ. ID. NO. 40 CCATGGGTCAGGATACTCTGATGAA SEQ. ID. NO. 46 GCACAATAAGGCTCATGCACAATTA SEQ. ID. NO. 36 GGCTCATGCACAATTAGTTCGAGAA SEQ. ID. NO. 32 TATCATGTTTCTAGTAGCGCTTAGT SEQ. ID. NO. 40 GATAAAAGGGGCTTCACCAAGCTGG SEQ. ID. NO. 46 GTTCGAGAAGTTGATGTGAAAGG SEQ. ID. NO. 36 GTTGATGTGGAGAAGGTGTCTGCTT SEQ. ID. NO. 32 GAATATGATCAAGTTCTCGTGGAGT SEQ. ID. NO. 40 TGTATCAGAACATCTTCACGGCCAT SEQ. ID. NO. 46 TGTCTGCTTTTGAGAATCCATATGT SEQ. ID. NO. 36 TTGAGAATCCATATGTAGATGCAAT SEQ. ID. NO. 32 CAGACAATGAGAACCGAATGGAGGA SEQ. ID. NO. 40 GCAGGCCATGATCAGAGCCATGGAC SEQ. ID. NO. 46 AGATGCAATAAAGAGTTTATGGAAT SEQ. ID. NO. 36 AAAGAGTTTATGGAATGATCCTGGA SEQ. ID. NO. 32 AAGCAAGGCTCTCTTTAGAACAATT SEQ. ID. NO. 40 A C A C T C A A G A T C C C A T A C A A G T A T G SEQ. ID. NO. 46 GATCCTGGAATCCAGGAATGCTATG SEQ. ID. NO. 36 ATCCAGGAATGCTATGATAGACGAC SEQ. ID. NO. 32 ATCACATACCCCTGGTTCCAGAACT SEQ. ID. NO. 40 AGCACAATAAGGCTCATGCACAATT SEQ. ID. NO. 46 ATAGACGACGAGAATATCAATTATC SEQ. ID. NO. 36 GAGAATATCAATTATCTGACTCTAC SEQ. ID. NO. 32 CCTCGGTTATTCTGTTCTTAAACAA SEQ. ID. NO. 40 AGTTCGAGAAGTTGATGTGGAAAG SEQ. ID. NO. 46 TGACTCTACCAAATACTATCTTAAT SEQ. ID. NO. 36 CAAATACTATCTTAATGACTTGGAC SEQ. ID. NO. 32 GAAAGATCTTCTAGAGGAAAAATC i deputed i

SEQ. ID. NO. 40 GTGTCTGCTTTTGAGAATCCATATG SEQ. ID. NO. 46 GACTTGGACCGCGTAGCTGACCCTG SEQ. ID. NO. 36 CGCGTAGCTGACCTGCCTACCTGC SEQ. ID. NO. 32 ATGTATTCCCATCTAGTCGACTACT SEQ. ID. NO. 40 TAGATGCAATAAAGAGTTTATGGAA SEQ. ID. NO. 46 CCTACCTGCCTACGCAACAAGATGT SEQ. ID. NO. 36 CTACGCAACAAGATGTGCTTAGAGT SEQ. ID. NO. 32 TCCCAGAATATGATGGACCCCAGAG SEQ. ID. NO. 40 TGATCCTGGAATCCAGGAATGCTAT SEQ. ID. NO. 46 GCTTAGAGTTCGAGTCCCCACCACA SEQ. ID. NO. 36 TCGAGTCCCCACCACAGGGATCATC SEQ. ID. NO. 32 AGATGCCCAGGCAGCCCGAGAATTC SEQ. ID. NO. 40 GATAGACGACGAGAATATCAATTAT SEQ. ID. NO. 46 GGGATCATCGAATACCCCTTTGACT SEQ. ID. NO. 36 GAATACCCCTTTGACTTACAAAGTG SEQ. ID. NO. 32 ATTCTGAAGATGTTCGTGGACCTGA SEQ. ID. NO. 40 CTGACTCTACCAAATACTATCTTAA SEQ. ID. NO. 46 TACAAAGTGTCATTTTCAGAATGGT SEQ. ID. NO. 36 TCATTTCAGAATGGTCGATGTAGG SEQ. ID. NO. 32 ACCCAGACAGTGACAAAATTATCTA SEQ. ID. NO. 40 TGACTTGGACCGCGTAGCTGACCCT SEQ. ID. NO. 46 CGATGTAGGGGGCCAAAGGTCAGAG SEQ. ID. NO. 36 GGGCCAAAGGTCAGAGAAAA SEQ. ID. NO. 32 CTCCCACTTCACGTGCGCCACAGAC SEQ. ID. NO. 40 GCCTACCTGCCTACGCAACAAGATG SEQ. ID. NO. 46 A G A A G A A A A T G G A T A C A C T G C T T T G SEQ. ID. NO. 36 TGGATACACTGCTTTGAAAATGTCA SEQ. ID. NO. 32 ACCGAGAATATCCGCTTTGTCTTTG SEQ. ID. NO. 40 TGCTTAGAGTTCGAGTCCCCACCAC SEQ. ID. NO. 46 AAAATGTCACCTCTATCATGTTTCT SEQ. ID. NO. 36 CCTCTATCATGTTTCTAGTAGCGCT SEQ. ID. NO. 32 CTGCCGTCAAGGACACCATCCTCCA . Butter to a

```
SEQ. ID. NO. 40 AGGGATCATCGAATACCCCTTTGAC
SEQ. ID. NO. 46 AGTAGCGCTTAGTGAATATGATCAA
SEQ. ID. NO. 36 TAGTGAATATGATCAAGTTCTCGTG
SEQ. ID. NO. 32 GTTGAACCTGAAGGACTGCGGTCTG
SEQ. ID. NO. 40 TTACAAAGTGTCATTTCAGAATGG
SEQ. ID. NO. 46 GTTCTCGTGGAGTCAGACAATGAGA
SEQ. ID. NO. 36 GAGTCAGACAATGAGAACCGAATGG
SEQ. ID. NO. 32 TTCTAA
SEQ. ID. NO. 40 TCGATGTAGGGGCCAAAGGTCAGA
SEQ. ID. NO. 46 ACCGAATGGAGGAAAGCAAGGCTCT
SEQ. ID. NO. 36 AGGAAAGCAAGGCTCTCTTAGAAC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GAGAAGAAATGGATACACTGCTTT
SEQ. ID. NO. 46 CTTTAGAACAATTATCACATACCCC
SEQ. ID. NO. 36 AATTATCACATACCCCTGGTTCCAG
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GAAAATGTCACCTCTATCATGTTTC
SEQ. ID. NO. 46 TGGTTCCAGAACTCCTCGGTTATTC
SEQ. ID. NO. 36 AACTCCTCGGTTATTCTGTTCTTAA
SEQ. ID. NO. 32
SEQ. ID. NO. 40 TAGTAGCGCTTAGTGAATATGATCA
SEQ. ID. NO. 46 TGTTCTTAAACAAGAAGATCTTCT
SEQ. ID. NO. 36 A C A A G A A G A T C T T C T A G A G G A G
SEQ. ID. NO. 32
SEQ. ID. NO. 40 AGTTCTCGTGGAGTCAGACAATGAG
SEQ. ID. NO. 46 AGAGGAGAAATCATGTATTCCCAT
SEQ. ID. NO. 36 AATCATGTATTCCCATCTAGTCGAC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 AACCGAATGGAGGAAAGCAAGGCTC
SEQ. ID. NO. 46 CTAGTCGACTACTTCCCAGAATATG
SEQ. ID. NO. 36 TACTTCCCAGAATATGATGGACCCC
SEQ. ID. NO. 32
```

ւ հարա<u>ն</u>յներ

```
SEQ. ID. NO. 40 TCTTTAGAACAATTATCACATACCC
SEQ. ID. NO. 46 ATGGACCCCAGAGAGATGCCCAGGC
SEQ. ID. NO. 36 AGAGAGACCCAGGCAGCCCGAGA
SEQ. ID. NO. 32
SEQ. ID. NO. 40 CTGGTTCCAGAACTCCTCGGTTATT
SEQ. ID. NO. 46 AGCCCGAGAATTCATTCTGAAGATG
SEQ. ID. NO. 36 ATTCATTCTGAAGATGTTCGTGGAC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 CTGTTCTTAAACAAGAAGATCTTC
SEQ. ID. NO. 46 TTCGTGGACCTGAACCCAGACAGTG
SEQ. ID. NO. 36 CTGAACCCAGACAGTGACAAATTA
SEQ. ID. NO. 32
SEQ. ID. NO. 40 TAGAGGAGAAAATCATGTATTCCCA
SEQ. ID. NO. 46 A C A A A A T T A T C T A C T C C C A C T T C A C
SEQ. ID. NO. 36 TCTACTCCCACTTCACGTGCGCCAC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 TCTAGTCGACTACTTCCCAGAATAT
SEQ. ID. NO. 46 GTGCGCCACAGACACCGAGAATATC
SEQ. ID. NO. 36 AGACACCGAGAATATCCGCTTTGTC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GATGGACCCCAGAGAGATGCCCAGG
SEQ. ID. NO. 46 CGCTTTGTCTTTGCTGCCGTCAAGG
SEQ. ID. NO. 36 TTTGCTGCCGTCAAGGACACCATCC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 CAGCCCGAGAATTCATTCTGAAGAT
SEQ. ID. NO. 46 A C A C C A T C C T C C A G T T G A A C C T G A A
SEQ. ID. NO. 36 TCCAGTTGAACCTGAAGGACTGCGG
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GTTCGTGGACCTGAACCCAGACAGT
SEQ. ID. NO. 46 GGACTGCGGTCTGTTCTAATTGTGC
SEQ. ID. NO. 36 TCTGTTCTAA
SEQ. ID. NO. 32
```

فيلابهان

SEQ. ID. NO. 40 GACAAAATTATCTACTCCCACTTCA SEQ. ID. NO. 46 CTCCTAGACACCCGCCCTGCCCTTC SEQ. ID. NO. 36 SEQ. ID. NO. 32

SEQ. ID. NO. 40 CGTGCGCCACAGACACCGAGAATAT SEQ. ID. NO. 46 CCTGGT SEQ. ID. NO. 36 SEQ. ID. NO. 32

SEQ. ID. NO. 40 CCGCTTTGTCTTTGCTGCCGTCAAG SEQ. ID. NO. 46 SEQ. ID. NO. 36 SEQ. ID. NO. 32

SEQ. ID. NO. 40 GACACCATCCTCCAGTTGAACCTGA SEQ. ID. NO. 46 SEQ. ID. NO. 36 SEQ. ID. NO. 32

SEQ. ID. NO. 40 AGGACTGCGGTCTGTTCTAA SEQ. ID. NO. 46 SEQ. ID. NO. 36 SEQ. ID. NO. 32 والمراوية

ClustalW Formatted Alignments

```
SEQ. ID. NO. 41 M V C E G K R S A S C P C F F L L T A K F Y W I L
SEQ. ID. NO. 47 MGSLLALPALLLLWGAVAEGPAKKV
SEQ. ID. NO. 37 MGSLLALPALLLLWGAVAEGPAKKV
SEQ. ID. NO. 33 MAFYSCCWVLLALTWHTSAYGPDQR
SEQ. ID. NO. 41 TMMQRTHSQEYAHSIRVDGDIILGG
SEQ. ID. NO. 47 LTLEGDLVLGGLFPVHQKGGPAEDC
SEQ. ID. NO. 37 LTLEGDLVLGGLFPVHQKGGPAEDC
SEQ. ID. NO. 33 AQKKGDIILGGLFPIHFGVAAKDQD
SEQ. ID. NO. 41 LFPVHAKGERGVPCGELKKEKGIHR
SEQ. ID. NO. 47 GPVNEHRGIQRLEAMLFALDRINRD
SEQ. ID. NO. 37 GPVNEHRGIQRLEAMLFALDRINRD
SEQ. ID. NO. 33 LKSRPESVECIRYNFRGFRWLQAMI
SEQ. ID. NO. 41 LEAMLYAIDQINKDPDLLSNITLGV
SEQ. ID. NO. 47 PHLLPGVRLGAHILDSCSKDTHALE
SEQ. ID. NO. 37 PHLLPGVRLGAHILDSCSKDTHALE
SEQ. ID. NO. 33 FAIEEINSSPALLPNLTLGYRIFDT
SEQ. ID. NO. 41 RILDTCSRDTYALEQSLTFVQALIE
SEQ. ID. NO. 47 QALDFVRASLSRGADGSRHICPDGS
SEQ. ID. NO. 37 QALDFVRASLSRGADGSRHICPDGS
SEQ. ID. NO. 33 CNTVSKALEATLSFVAQNKIDSLNL
SEQ. ID. NO. 41 KDASDVKCANGDPPIFTKPDKISGV
SEQ. ID. NO. 47 YATHGDAPTAITGVIGGSYSDVSIQ
SEQ. ID. NO. 37 YATHGDAPTAITGVIGGSYSDVSIQ
SEQ. ID. NO. 33 DEFCNCSEHIPSTIAVVGATGSGVS
SEQ. ID. NO. 41 IGAAASSVSIMVANILRLFKIPQIS
SEQ. ID. NO. 47 VANLLRLFQIPQISYASTSAKLSDK
SEQ. ID. NO. 37 VANLLRLFQIPQISYASTSAKLSDK
SEQ. ID. NO. 33 TAVANLLGLFYIPQVSYASSSRLLS
SEQ. ID. NO. 41 YASTAPELSDNTRYDFFSRVVPPDS
SEQ. ID. NO. 47 SRYDYFARTVPPDFFQAKAMAEILR
SEQ. ID. NO. 37 SRYDYFARTVPPDFFQAKAMAEILR
SEQ. ID. NO. 33 NKNQFKSFLRTIPNDEHQATAMADI
```

بالجنهيج

```
SEQ. ID. NO. 41 YQAQAMVDIVTALGWNYVSTLASEG
SEQ. ID. NO. 47 FFNWTYVSTVASEGDYGETGIEAFE
SEQ. ID. NO. 37 FFNWTYVSTVASEGDYGETGIEAFE
SEQ. ID. NO. 33 IEYFRWNWVGTIAADDDYGRPGIEK
SEQ. ID. NO. 41 NYGESGVEAFTQISREIGGVCIAQS
SEQ. ID. NO. 47 LEARARNIC VATSEK V G R A M S R A A F
SEQ. ID. NO. 37 LEARARNIC VATSEK V GRAMSRAAF
SEQ. ID. NO. 33 FREEAEERDICIDFSELISQYSDEE
SEQ. ID. NO. 41 QKIPREPRPGEFEKIIKRLLETPNA
SEQ. ID. NO. 47 EGVVRALLQKPSARVAVLFTRSEDA
SEQ. ID. NO. 37 EGVVRALLQKPSARVAVLFTRSEDA
SEQ. ID. NO. 33 EIQHVVEVIQNSTAKVIVVFSSGPD
SEQ. ID. NO. 41 RAVIMFANEDDIRRILEAAKKLNQS
SEQ. ID. NO. 47 RELLAAS QRLNAS FTWVAS DGWGAL
SEQ. ID. NO. 37 RELLAASQRLNASFTWVASDGWGAL
SEQ. ID. NO. 33 LEPLIKEIVRRNITGKIWLASEAWA
SEQ. ID. NO. 41 GHFLWIGSDSWGSKIAPVYQQEEIA
SEQ. ID. NO. 47 ESVVAGSEGAAEGAITIELASYPIS
SEQ. ID. NO. 37 ESVVAGSEGAAEGAITIELASYPIS
SEQ. ID. NO. 33 SSSLIAMPQYFHVVGGTIGFALKAG
SEQ. ID. NO. 41 EGAVTILPKRASIDGFDRYFRSRTL
SEQ. ID. NO. 47 DFASYFQSLDPWNNSRNPWFREFWE
SEQ. ID. NO. 37 DFASYFQSLDPWNNSRNPWFREFWE
SEQ. ID. NO. 33 QIPGFREFLKKVHPRKSVHNGFAKE
SEQ. ID. NO. 41 ANNRRNVWFAEFWEENFGCKLGSHG
SEQ. ID. NO. 47 QRFRCSFRQRDCAAHSLRAVPFEQE
SEQ. ID. NO. 37 QRFRCSFRQRDCAAHSLRAVPFEQE
SEQ. ID. NO. 33 FWEETFNCHLQEGAKGPLPVDTFLR
SEQ. ID. NO. 41 KRNSHIKKCTGLERIARDSSYEQEG
SEQ. ID. NO. 47 SKIMFVVNAVYAMAHALHNMHRALC
SEQ. ID. NO. 37 SKIMFVVNAVYAMAHALHNMHRALC
SEQ. ID. NO. 33 GHEESGDRFSNSSTAFRPLCTGDEN
```

```
SEQ. ID. NO. 41 KVQFVIDAVYSMAYALHNMHKDLCP
SEQ. ID. NO. 47 PNTTRLCDAMRPVNGRRLYKDFVLN
SEQ. ID. NO. 37 PNTTRLCDAMRPVNGRRLYKDFVLN
SEQ. ID. NO. 33 ISSVETPYIDYTHLRISYNVYLAVY
SEQ. ID. NO. 41 GYIGLCPRMSTIDGKELLGYIRAVN
SEQ. ID. NO. 47 VKFDAPFRPADTHNEVRFDRFGDGI
SEQ. ID. NO. 37 VKFDAPFRPADTHNEVRFDRFGDGI
SEQ. ID. NO. 33 SIAHALQDIYTCLPGRGLFTNGSCA
SEQ. ID. NO. 41 FNGSAGTPVTFNENGDAPGRYDIFQ
SEQ. ID. NO. 47 GRYNIFTYLRAGSGRYRYQKVGYWA
SEQ. ID. NO. 37 GRYNIFTYLRAGSGRYRYQKVGYWA
SEQ. ID. NO. 33 DIKKVEAWQVLKHLRHLNFTNNMGE
SEQ. ID. NO. 41 YQITNKSTEYKVIGHWTNQLHLKVE
SEQ. ID. NO. 47 EGLTLDTSLIPWASPSAGPLPASRC
SEQ. ID. NO. 37 EGLTLDTSLIPWASPSAGPLPASRC
SEQ. ID. NO. 33 QVTFDECGDLVGNYSIINWHLSPED
SEQ. ID. NO. 41 DMQWAHREHTHPASVCSLPCKPGER
SEQ. ID. NO. 47 SEPCLQNEVKSVQPGEVCCWLCIPC
SEQ. ID. NO. 37 SEPCLQNEVKSVQPGEVCCWLCIPC
SEQ. ID. NO. 33 GSIVFKEVGYYNVYAKKGERLFINE
SEQ. ID. NO. 41 KKTVKGVPCCWHCERCEGYNYQVDE
SEQ. ID. NO. 47 QPYEYRLDEFTCADCGLGYWPNASL
SEQ. ID. NO. 37 QPYEYRLDEFTCADCGLGYWPNASL
SEQ. ID. NO. 33 EKILWSGFSREVPFSNCSRDCLAGT
SEQ. ID. NO. 41 LSCELCPLDQRPNMNRTGCQLIPII
SEQ. ID. NO. 47 TGCFELPQEYIRWGDAWAVGPVTIA
SEQ. ID. NO. 37 TGCFELPQEYIRWGDAWAVGPVTIA
SEQ. ID. NO. 33 RKGIIEGEPTCCFECVECPDGEYSD
SEQ. ID. NO. 41 KLEWHSPWAVVPVFVAILGIIATTF
SEQ. ID. NO. 47 CLGALATLFVLGVFVRHNATPVVKA
SEQ. ID. NO. 37 CLGALATLFVLGVFVRHNATPVVKA
SEQ. ID. NO. 33 ETDASACNKCPDDFWSNENHTSCFE
```

150 A.

```
SEQ. ID. NO. 41 VIVTFVRYNDTPIVRASGRELSYVL
SEQ. ID. NO. 47 SGRELCYILLGGVFLCYCMTFIFIA
SEQ. ID. NO. 37 SGRELCYILLGGVFLCYCMTFIFIA
SEQ. ID. NO. 33 LPQEYIRWGDAWAVGPVTIACLGAL
SEQ. ID. NO. 41 LTGIFLCYSITFLMIAAPDTIICSF
SEQ. ID. NO. 47 · K P S T A V C T L R R L G L G T A F S V C Y S A L
SEQ. ID. NO. 37 KPSTAVCTLRRLGLGTAFSVCYSAL
SEQ. ID. NO. 33 ATLFVLGVFVRHNATPVVKASGREL
SEQ. ID. NO. 41 RRVFLGLGMCFSYAALLTKTNRIHR
SEQ. ID. NO. 47 LTKTNRIARIFGGAREGAQRPRFIS
SEQ. ID. NO. 37 LTKTNRIARIFGGAREGAQRPRFIS
SEQ. ID. NO. 33 CYILLGGVFLCYCMTFIFIAKPSTA
SEQ. ID. NO. 41 I FEQGKKSVTAPKFISPASQLVITF
SEQ. ID. NO. 47 PASQVAICLALISGQLLIVVAWLVV
SEQ. ID. NO. 37 PASQVAICLALISGQLLIVVAWLVV
SEQ. ID. NO. 33 VCTLRRLGLGTAFSVCYSALLTKTN
SEQ. ID. NO. 41 SLISVQLLGVFVWFVVDPPHIIIDY
SEQ. ID. NO. 47 EAPGTGKETAPERREVVTLRCNHRD
SEQ. ID. NO. 37 EAPGTGKETAPERREVVTLRCNHRD
SEQ. ID. NO. 33 RIARIFGGAREGAQRPRFISPASQV
SEQ. ID. NO. 41 GEQRTLDPEKARGVLKCDISDLSLI
SEQ. ID. NO. 47 ASMLGSLAYNVLLIALCTLYAFKTR
SEQ. ID. NO. 37 ASMLGSLAYNVLLIALCTLYAFKTR
SEQ. ID. NO. 33 AICLALISGQLLIVVAWLVVEAPGT
SEQ. ID. NO. 41 CSLGYSILLMVTCTVYAIKTRGVPE
SEQ. ID. NO. 47 KCPENFNEAKFIGFTMYTTCIIWLA
SEQ. ID. NO. 37 KCPENFNEAKFIGFTMYTTCIIWLA
SEQ. ID. NO. 33 GKETAPERREVVTLRCNHRDASMLG
SEQ. ID. NO. 41 TFNEAKPIGFTMYTTCIIWLAFIPI
SEQ. ID. NO. 47 FLPIFYVTSSDYRVQTTTMCVSVSL
SEQ. ID. NO. 37 FLPIFYVTSSDYRVQTTTMCVSVSL
SEQ. ID. NO. 33 SLAYNVLLIALCTLYAFNTRKCPEN
```

```
SEQ. ID. NO. 41 FFGTAQSAEKMYIQTTTLTVSMSLS
SEQ. ID. NO. 47 SGSVVLGCLFAPKLHIILFQPQKNT
SEQ. ID. NO. 37 SGSVVLGCLFAPKLHIILFQPQKNT
SEQ. ID. NO. 33 FNEAKFIGFTMYTTCIIWLALLPIF
SEQ. ID. NO. 41 ASVSLGMLYMPKVYIIIFHPEQNTI
SEQ. ID. NO. 47 I E E V R C S T A A H A F K V A A R A T L R R S N
SEQ. ID. NO. 37 I E E V R C S T A A H A F K V A A R A T L R R S N
SEQ. ID. NO. 33 YVTSSDYRVQTTTMCVSVSLSGSVV
SEQ. ID. NO. 41 EEVRCSTAAHAFKVAARATLRRSNV
SEQ. ID. NO. 47 V S R K R S S S L G G S T G S T P S S S I S S K S
SEQ. ID. NO. 37 V S R K R S S S L G G S T G S T P S S S I S S K S
SEQ. ID. NO. 33 LGCLFAPKLHIILFQPQKNVVSHRA
SEQ. ID. NO. 41 SRKRSSSLGGSTGSTPSSSISSKSN
SEQ. ID. NO. 47 N S E D P F P Q P E R Q K Q Q P L A L T Q Q E Q
SEQ. ID. NO. 37 NSEDPFPQPERQKQQQPLALTQQEQ
SEQ. ID. NO. 33 PTSRFGSAAARASSSLGQGSGSQFV
SEQ. ID. NO. 41 S E D P F P Q P E R Q K Q Q P L A L T Q Q E Q Q
SEQ. ID. NO. 47 QQQPLTLPQQQRSQQQPRCKQKVIF
SEQ. ID. NO. 37 QQQPLTLPQQQRSQQQPRCKQKVIF
SEQ. ID. NO. 33 PTVCNGREVVDSTTSSLMTLESIMA
SEQ. ID. NO. 41 QQPLTLPQQQRSQQQPRCKQKVIFG
SEQ. ID. NO. 47 G S G T V T F S L S F D E P Q K N A M A H G N S T
SEQ. ID. NO. 37 G S G T V T F S L S F D E P Q K N A M A H G N S T
SEQ. ID. NO. 33 CCLSEEAKEARRINDEIERQLRRDK
SEQ. ID. NO. 41 SGTVTFSLSFDEPQKNAMAHGNSTH
SEQ. ID. NO. 47 HQNSLEAQKSSDTLTRHQPLLPLQC
SEQ. ID. NO. 37 HQNSLEAQKSSDTLTRHQPLLPLQC
SEQ. ID. NO. 33 RDARRELKLLLLGTGESGKSTFIKQ
SEQ. ID. NO. 41 QNSLEAQKSSDTLTRHQPLLPLQCG
SEQ. ID. NO. 47 GETDLDLTVQETGLQGPVGGDQRPE
SEQ. ID. NO. 37 GETDLDLTVQETGLQGPVGGDQRPE
SEQ. ID. NO. 33 MRIIHGSGYSDEDKRGFTKLVYQNI
```

```
SEQ. ID. NO. 41 ETDLDLTVQETGLQGPVGGDQRPEV
SEQ. ID. NO. 47 VEDPEELSPALVVSSSQSFVISGGG
SEQ. ID. NO. 37 VEDPEELSPALVVSSSQSFVISGGG
SEQ. ID. NO. 33 FTAMQAMIRAMDTLKIPYKYEHNKA
SEQ. ID. NO. 41 EDPEELSPALVVSSSQSFVISGGGS
SEQ. ID. NO. 47 STVTENVVNSAAAMTLESIMACCLS
SEQ. ID. NO. 37 STVTENVVNSMTLESIMACCLSEEA
SEQ. ID. NO. 33 HAQLVREVDVEKVSAFENPYVDAIK
SEQ. ID. NO. 41 TVTENVVNSMTLESIMACCLSEEAK
SEQ. ID. NO. 47 EEAKEARRINDEIERQLRRDKRDAR
SEQ. ID. NO. 37 KEARRINDEIERQLRRDKRDARREL
SEQ. ID. NO. 33 SLWNDPGIQECYDRRREYQLSDSTK
SEQ. ID. NO. 41 EARRINDEIERQLRRDKRDARRELK
SEQ. ID. NO. 47 RELKLLLGTGESGKSTFIKQMRII
SEQ. ID. NO. 37 KLLLLGTGESGKSTFIKQMRIIHGS
SEQ. ID. NO. 33 YYLNDLDRVADPAYLPTQQDVLRVR
SEQ. ID. NO. 41 LLLGTGESGKSTFIKQMRIIHGSG
SEQ. ID. NO. 47 HGSGYSDEDKRGFTKLVYQNIFTAM
SEQ. ID. NO. 37 GYSDEDKRGFTKLVYQNIFTAMQAM
SEQ. ID. NO. 33 VPTTGIIEYPFDLQSVIFRMVDVGG
SEQ. ID. NO. 41 YSDEDKRGFTKLVYQNIFTAMQAMI
SEQ. ID. NO. 47 QAMIRAMDTLKIPYKYEHNKAHAQL
SEQ. ID. NO. 37 IRAMDTLKIPYKYEHNKAHAQLVRE
SEQ. ID. NO. 33 QRSERRKWIHCFENVTSIMFLVALS
SEQ. ID. NO. 41 RAMDTLKIPYKYEHNKAHAQLVREV
SEQ. ID. NO. 47 VREVDVEKVSAFENPYVDAIKSLWN
SEQ. ID. NO. 37 V D V E K V S A F E N P Y V D A I K S L W N D P G
SEQ. ID. NO. 33 EYDQVLVESDNENRMEESKALFRTI
SEQ. ID. NO. 41 DVEKVSAFENPYVDAIKSLWNDPGI
SEQ. ID. NO. 47 DPGIQECYDRRREYQLSDSTKYYLN
SEQ. ID. NO. 37 I Q E C Y D R R E Y Q L S D S T K Y Y L N D L D
SEQ. ID. NO. 33 ITYPWFQNSSVILFLNKKDLLEEKI
```

```
SEQ. ID. NO. 41 QECYDRRREYQLSDSTKYYLNDLDR
SEQ. ID. NO. 47 DLDRVADPAYLPTQQDVLRVRVPTT
SEQ. ID. NO. 37 RVADPAYLPTQQDVLRVRVPTTGII
SEQ. ID. NO. 33 MYSHLVDYFPEYDGPQRDAQAAREF
SEQ. ID. NO. 41 VADPAYLPTQQDVLRVRVPTTGIIE
SEQ. ID. NO. 47 GIIEYPFDLQSVIFRMVDVGGQRSE
SEQ. ID. NO. 37 EYPFDLQSVIFRMVDVGGQRSERRK
SEQ. ID. NO. 33 ILKMFVDLNPDSDKIIYSHFTCATD
SEQ. ID. NO. 41 YPFDLQSVIFRMVDVGGQRSERRKW
SEQ. ID. NO. 47 RRKWIHCFENVTSIMFLVALSEYDQ
SEQ. ID. NO. 37 WIHCFENVTSIMFLVALSEYDQVLV
SEQ. ID. NO. 33 TENIRFYFAAVKDTILQLNLKDCGL
SEQ. ID. NO. 41 IHCFENVTSIMFLVALSEYDQVLVE
SEQ. ID. NO. 47 VLVESDNENRMEESKALFRTIITYP
SEQ. ID. NO. 37 ESDNENRMEESKALFRTIITYPWFQ
SEQ. ID. NO. 33 F
SEQ. ID. NO. 41 S D N E N R M E E S K A L F R T I I T Y P W F Q N
SEQ. ID. NO. 47 WFQNSSVILFLNKKDLLEEKIMYSH
SEQ. ID. NO. 37 NSSVILFLNKKDLLEEKIMYSHLVD
SEQ. ID. NO. 33
SEQ. ID. NO. 41 SSVILFLNKKDLLEEKIMYSHLVDY
SEQ. ID. NO. 47 L V D Y F P E Y D G P Q R D A Q A A R E F I L K M
SEQ. ID. NO. 37 Y F P E Y D G P Q R D A Q A A R E F I L K M F V D
SEQ. ID. NO. 33
SEQ. ID. NO. 41 FPEYDGPQRDAQAAREFILKMFVDL
SEQ. ID. NO. 47 FVDLNPDSDKIIYSHFTCATDTENI
SEQ. ID. NO. 37 LNPDSDKIIYSHFTCATDTENIRFV
SEQ. ID. NO. 33
SEQ. ID. NO. 41 NPDSDKIIYSHFTCATDTENIRFVF
SEQ. ID. NO. 47 R F V F A A V K D T I L Q L N L K D C G L F
SEQ. ID. NO. 37 FAAVKDTILQLNLKDCGLF
SEQ. ID. NO. 33
```

SEQ. ID. NO. 41 AAVKDTILQLNLKDCGLF SEQ. ID. NO. 47 SEQ. ID. NO. 37 SEQ. ID. NO. 33

Figure 12h

ClustalW Formatted Alignments

SEQ. ID. NO. 44 ATGTTGCTGCTGCTGCTACTGGCGC SEQ. ID. NO. 42 ATGGCTTCCCCGCGGAGCTCCGGGC SEQ. ID. NO. 44 CACTCTTCCTCCGCCCCCGGGCGC SEQ. ID. NO. 42 AGCCCGGGCCGCCGCCGCCGCC SEQ. ID. NO. 44 GGGCGGGGGCGCAGACCCCCAACGCC SEQ. ID. NO. 42 ACCGCCGCCCCGCGCCCTGCTACTG SEQ. ID. NO. 44 ACCTCAGAAGGTTGCCAGATCATAC SEQ. ID. NO. 42 CTACTGCTGCTGCCGCTGCTGC SEQ. ID. NO. 44 ACCCGCCCTGGGAAGGGGGCATCAG SEQ. ID. NO. 42 CTCTGGCGCCCGGGGCCTGGGGCTG SEQ. ID. NO. 44 GTACCGGGGCCTGACTCGGGACCAG SEQ. ID. NO. 42 GGCGCGGGGGGCGCCCCCGGCCG SEQ. ID. NO. 44 GTGAAGGCTATCAACTTCCTGCCAG SEQ. ID. NO. 42 CCCAGCAGCCGGCGCTCTCCATCA SEQ. ID. NO. 44 TGGACTATGAGATTGAGTATGTG SEQ. ID. NO. 42 TGGGCCTCATGCCGCTCACCAAGGA SEQ. ID. NO. 42 GGTGGCCAAGGGCAGCATCGGGCGC SEQ. ID. NO. 44 CCCAAGGTCCGCAAGTGCCTGGCCA SEQ. ID. NO. 42 GGTGTGCTCCCCGCCGTGGAACTGG SEQ. ID. NO. 44 ACGGCTCCTGGACAGATATGGACAC SEQ. ID. NO. 42 CCATCGAGCAGATCCGCAACGAGTC SEQ. ID. NO. 44 ACCCAGCCGCTGTGTCCGAATCTGC SEQ. ID. NO. 42 ACTCCTGCGCCCTTACTTCCTCGAC

SEQ. ID. NO. 44 TCCAAGTCTTATTTGACCCTGGAAA SEQ. ID. NO. 42 CTGCGGCTCTATGACACGGAGTGCG SEQ. ID. NO. 44 ATGGGAAGGTTTTCCTGACGGGTGG SEQ. ID. NO. 42 ACAACGCAAAAGGGTTGAAAGCCTT SEQ. ID. NO. 44 GGACCTCCCAGCTCTGGACGGAGCC SEQ. ID. NO. 42 CTACGATGCAATAAAATACGGGCCG SEQ. ID. NO. 44 CGGGTGGATTTCCGGTTGACCCCG SEQ. ID. NO. 42 AACCACTTGATGGTGTTTGGAGGCG SEQ. ID. NO. 44 ACTTCCATCTGGTGGGCAGCTCCCG SEQ. ID. NO. 42 TCTGTCCATCGTCACATCAT SEQ. ID. NO. 44 GAGCATCTGTAGTCAGGGCCAGTGG SEQ. ID. NO. 42 TGCAGAGTCCCTCCAAGGCTGGAAT SEQ. ID. NO. 44 AGCACCCCCAAGCCCCACTGCCAGG SEQ. ID. NO. 42 CTGGTGCAGCTTTCTTTGCTGCAA SEQ. ID. NO. 44 TGAATCGAACGCCACACTCAGAACG SEQ. ID. NO. 42 CCACGCCTGTTCTAGCCGATAAGAA SEQ. ID. NO. 44 GCGCGCAGTGTACATCGGGGCACTG SEQ. ID. NO. 42 AAAATACCCTTATTCTTTCGGACC SEQ. ID. NO. 44 TTTCCCATGAGCGGGGGCTGGCCAG SEQ. ID. NO. 42 GTCCCATCAGACAATGCGGTGAATC SEQ. ID. NO. 44 GGGGCCAGGCCAGCCGGGT SEQ. ID. NO. 42 CAGCCATTCTGAAGTTGCTCAAGCA SEQ. ID. NO. 44 GGAGATGGCGCTGGAGGACGTGAAT SEQ. ID. NO. 42 CTACCAGTGGAAGCGCGTGGGCACG SEQ. ID. NO. 44 AGCCGCAGGGACATCCTGCCGGACT

SEQ. ID. NO. 42 CTGACGCAAGACGTTCAGAGGTTCT

SEQ. ID. NO. 44 ATGAGCTCAAGCTCATCCACCACGA SEQ. ID. NO. 42 CTGAGGTGCGGAATGACCTGACTGG SEQ. ID. NO. 44 CAGCAAGTGTGATCCAGGCCAAGCC SEQ. ID. NO. 42 AGTTCTGTATGGCGAGGACATTGAG SEQ. ID. NO. 44 ACCAAGTACCTATATGAGCTGCTCT SEQ. ID. NO. 42 ATTTCAGACACCGAGAGCTTCTCCA SEQ. ID. NO. 44 A C A A C G A C C C T A T C A A G A T C A T C C T SEQ. ID. NO. 42 ACGATCCCTGTACCAGTGTCAAAAA SEQ. ID. NO. 44 TATGCCTGGCTGCAGCTCTGTCTCC SEQ. ID. NO. 42 GCTGAAGGGGAATGATGTGCGGATC SEQ. ID. NO. 44 ACGCTGGTGGCTGAGGCTGCTAGGA SEQ. ID. NO. 42 A T C C T T G G C C A G T T T G A C C A G A A T A SEQ. ID. NO. 44 TGTGGAACCTCATTGTGCTTTCCTA SEQ. ID. NO. 42 TGGCAGCAAAAGTGTTCTGTTGC SEQ. ID. NO. 44 TGGCTCCAGCTCACCAGCCCTGTCA SEQ. ID. NO. 42 ATACGAGGAGAACATGTATGGTAGT SEQ. ID. NO. 44 AACCGGCAGCGTTTCCCCCACTTTCT SEQ. ID. NO. 42 AAATATCAGTGGATCATTCCGGGCT SEQ. ID. NO. 44 TCCGAACGCACCCATCAGCCACACT SEQ. ID. NO. 42 GGTACGAGCCTTCTTGGTGGGAGCA SEQ. ID. NO. 44 CCACAACCCTACCCGCGTGAAACTC SEQ. ID. NO. 42 GGTGCACACGGAAGCCAACTCATCC SEQ. ID. NO. 44 TTTGAAAAGTGGGGCTGGAAGAAGA SEQ. ID. NO. 42 CGCTGCCTCCGGAAGAATCTGCTTG

SEQ. ID. NO. 44 TTGCTACCATCCAGCAGACCACTGA SEQ. ID. NO. 42 CTGCCATGGAGGGCTACATTGGCGT

SEQ. ID. NO. 44 GGTCTTCACTTCGACTCTGGACGAC SEQ. ID. NO. 42 GGATTTCGAGCCCCTGAGCTCCAAG SEQ. ID. NO. 44 CTGGAGGAACGAGTGAAGGAGGCTG SEQ. ID. NO. 42 CAGATCAAGACCATCTCAGGAAAGA SEQ. ID. NO. 44 GAATTGAGATTACTTTCCGCCAGAG SEQ. ID. NO. 42 CTCCACAGCAGTATGAGAGAGAGTA SEQ. ID. NO. 44 TTTCTTCTCAGATCCAGCTGTGCCC SEQ. ID. NO. 42 CAACAACAGGGGTCAGGCGTGGGG SEQ. ID. NO. 44 GTCAAAACCTGAAGCGCCAGGATG SEQ. ID. NO. 42 CCCAGCAAGTTCCACGGGTACGCCT SEQ. ID. NO. 44 CCCGAATCATCGTGGGACTTTTCTA SEQ. ID. NO. 42 ACGATGGCATCTGGGTCATCGCCAA SEQ. ID. NO. 44 TGAGACTGAAGCCCGGAAAGTTTTT SEQ. ID. NO. 42 GACACTGCAGAGGCCATGGAGACA SEQ. ID. NO. 44 TGTGAGGTGTACAAGGAGCGTCTCT SEQ. ID. NO. 42 CTGCATGCCAGCAGCCGGCACCAGC SEQ. ID. NO. 44 TTGGGAAGAAGTACGTCTGGTTCCT SEQ. ID. NO. 42 GGATCCAGGACTTCAACTACACGGA SEQ. ID. NO. 44 CATTGGGTGGTATGCTGACAATTGG SEQ. ID. NO. 42 CCACACGCTGGGCAGGATCATCCTC SEQ. ID. NO. 44 TTCAAGATCTACGACCCTTCTATCA SEQ. ID. NO. 42 AATGCCATGAACGAGACCAACTTCT SEQ. ID. NO. 44 ACTGCACAGTGGATGAGATGACTGA SEQ. ID. NO. 42 TCGGGGTCACGGGTCAAGTTGTATT SEQ. ID. NO. 44 GGCGGTGGAGGGCCACATCACAACT SEQ. ID. NO. 42 CCGGAATGGGGAGAGAATGGGGACC

SEQ. ID. NO. 44 GAGATTGTCATGCTGAATCCTGCCA SEQ. ID. NO. 42 ATTAAATTTACTCAATTTCAAGACA SEQ. ID. NO. 44 A T A C C C G C A G C A T T T C C A A C A T G A C SEQ. ID. NO. 42 GCAGGGAGGTGAAGGTGGGAGAGTA SEQ. ID. NO. 44 A T C C C A G G A A T T T G T G G A G A A A C T A SEQ. ID. NO. 42 CAACGCTGTGGCCGACACACTGGAG SEQ. ID. NO. 44 ACCAAGCGACTGAAAAGACACCCTG SEQ. ID. NO. 42 A T C A T C A A T G A C A C C A T C A G G T T C C SEQ. ID. NO. 44 AGGAGACAGGAGGCTTCCAGGAGGC SEQ. ID. NO. 42 AAGGATCCGAACCACCAAAAGACAA SEQ. ID. NO. 44 ACCGCTGGCCTATGATGCCATCTGG SEQ. ID. NO. 42 GACCATCATCCTGGAGCAGCTGCGG SEQ. ID. NO. 44 GCCTTGGCACTGGCCCTGAACAAGA SEQ. ID. NO. 42 AAGATCTCCCTACCTCTCTACAGCA SEQ. ID. NO. 44 CATCTGGAGGAGGCGGCCGTTCTGG SEQ. ID. NO. 42 TCCTCTCTGCCCTCACCATCCTCGG SEQ. ID. NO. 44 TGTGCGCCTGGAGGACTTCAACTAC SEQ. ID. NO. 42 GATGATCATGGCCAGTGCTTTTCTC SEQ. ID. NO. 44 AACAACCAGACCATTACCGACCAAA SEQ. ID. NO. 42 TTCTTCAACATCAAGAACCGGAATC

SEQ. ID. NO. 44 GTGTTTGATGCCAGCGGCTCTCGGA SEQ. ID. NO. 42 GGAGGGATGCTCTCCTATGCTTCCA

SEQ. ID. NO. 44 TCTACCGGGCAATGAACTCTTCGTC SEQ. ID. NO. 42 AGAAGCTCATAAAGATGTCGAGTCC

SEQ. ID. NO. 44 CTTTGAGGGTGTCTCTGGCCATGTG SEQ. ID. NO. 42 ATACATGAACAACCTTATCATCCTT

SEQ. ID. NO. 44 TGGCATGGACGCTTATCGAGCAGCT SEQ. ID. NO. 42 TATTCTCTTTTGGCCTTGATGGATC SEQ. ID. NO. 44 TCAGGGTGGCAGCTACAAGAATT SEQ. ID. NO. 42 CTTTGTCTCTGAAAAGACCTTTGAA SEQ. ID. NO. 44 GGCTACTATGACAGCACCAAGGATG SEQ. ID. NO. 42 A C A C T T T G C A C C G T C A G G A C C T G G A SEQ. ID. NO. 44 A T C T T T C C T G G T C C A A A A C A G A T A A SEQ. ID. NO. 42 TTCTCACCGTGGGCTACACGACCGC SEQ. ID. NO. 44 ATGGATTGGAGGGTCCCCCCAGCT SEQ. ID. NO. 42 TTTTGGGGCCATGTTTGCAAAGACC SEQ. ID. NO. 44 GACCAGACCCTGGTCATCAAGACAT SEQ. ID. NO. 42 TGGAGAGTCCACGCCATCTTCAAAA SEQ. ID. NO. 44 TCCGCTTCCTGTCACAGAAACTCTT SEQ. ID. NO. 42 ATGTGAAAATGAAGAAGATCAT SEQ. ID. NO. 44 TATCTCCGTCTCAGTTCTCTCCAGC SEQ. ID. NO. 42 CAAGGACCAGAAACTGCTTGTGATC SEQ. ID. NO. 44 CTGGGCATTGTCCTAGCTGTTGTCT SEQ. ID. NO. 42 GTGGGGGGCATGCTGATCGACC SEQ. ID. NO. 44 GTCTGTCCTTTAACATCTACAACTC SEQ. ID. NO. 42 TGTGTATCCTGATCTGCTGGCAGGC SEQ. ID. NO. 44 ACATGTCCGTTATATCCAGAACTCA SEQ. ID. NO. 42 TGTGGACCCCCTGCGAAGGACAGTG SEQ. ID. NO. 44 CAGCCCAACCTGAACAACCTGACTG SEQ. ID. NO. 42 GAGAAGTACAGCATGGAGCCGGACC SEQ. ID. NO. 44 CTGTGGGCTGCTCACTGGCTTTAGC SEQ. ID. NO. 42 CAGCAGGACGGGATATCTCCATCCG

SEQ. ID. NO. 44 TGCTGTCTTCCCCCCTGGGGCTCGAT SEQ. ID. NO. 42 CCCTCTCCTGGAGCACTGTGAGAAC

SEQ. ID. NO. 44 GGTTACCACATTGGGAGGAACCAGT SEQ. ID. NO. 42 ACCCATATGACCATCTGGCTTGGCA

SEQ. ID. NO. 44 TTCCTTTCGTCTGCCAGGCCCGCCT SEQ. ID. NO. 42 TCGTCTATGCCTACAAGGGACTTCT

SEQ. ID. NO. 44 CTGGCTCCTGGGCCTTGGGCTTTAGT SEQ. ID. NO. 42 CATGTTGTTCGGTTGTTCTTAGCT

SEQ. ID. NO. 44 CTGGGCTACGGTTCCATGTTCACCA SEQ. ID. NO. 42 TGGGAGACCCGCAACGTCAGCATCC

SEQ. ID. NO. 44 AGATTTGGTGGGTCCACACGGTCTT SEQ. ID. NO. 42 CCGCACTCAACGACAGCAAGTACAT

SEQ. ID. NO. 44 CACAAAGAAGGAAGAAAGAAGGAGGAG SEQ. ID. NO. 42 CGGGATGAGTGTCTACAACGTGGGG

SEQ. ID. NO. 44 TGGAGGAAGACTCTGGAACCCTGGA SEQ. ID. NO. 42 ATCATGTGCATCATCGGGGCCGCTG

SEQ. ID. NO. 44 A G C T G T A T G C C A C A G T G G G C C T G C T SEQ. ID. NO. 42 T C T C C T T C C T G A C C C G G G A C C A G C C

SEQ. ID. NO. 44 GGTGGGCATGGATGTCCTCACTCTC SEQ. ID. NO. 42 CAATGTGCAGTTCTGCATCGTGGCT

SEQ. ID. NO. 44 GCCATCTGGCAGATCGTGGACCCTC SEQ. ID. NO. 42 CTGGTCATCATCTTCTGCAGCACCA

SEQ. ID. NO. 44 TGCACCGGACCATTGAGACATTTGC SEQ. ID. NO. 42 TCACCCTCTGCCTGGTATTCGTGCC

SEQ. ID. NO. 44 CAAGGAGGAACCTAAGGAAGATATT SEQ. ID. NO. 42 GAAGCTCATCACCCTGAGAACAAAC

SEQ. ID. NO. 44 GACGTCTCTATTCTGCCCCAGCTGG SEQ. ID. NO. 42 CCAGATGCAGCAACGCAGAACAGGC SEQ. ID. NO. 44 AGCATTGCAGCTCCAGGAAGATGAA SEQ. ID. NO. 42 GATTCCAGTTCACTCAGAATCAGAA SEQ. ID. NO. 44 TACATGGCTTGGCATTTCTATGGT SEQ. ID. NO. 42 GAAAGAAGATTCTAAAACGTCCACC SEQ. ID. NO. 44 TACAAGGGGCTGCTGCTGCTGG SEQ. ID. NO. 42 TCGGTCACCAGTGTGAACCAAGCCA SEQ. ID. NO. 44 GAATCTTCCTTGCTTATGAGACCAA SEQ. ID. NO. 42 GCACATCCCGCCTGGAGGGCCTACA SEQ. ID. NO. 44 GAGTGTGTCCACTGAGAAGATCAAT SEQ. ID. NO. 42 GTCAGAAACCATCGCCTGCGAATG SEQ. ID. NO. 44 GATCACCGGGCTGTGGGCATGGCTA SEQ. ID. NO. 42 AAGATCACAGAGCTGGATAAAGACT SEQ. ID. NO. 44 TCTACAATGTGGCAGTCCTGTGCCT SEQ. ID. NO. 42 TGGAAGAGGTCACCATGCAGCTGCA SEQ. ID. NO. 44 CATCACTGCTCCTGTCACCATGATT SEQ. ID. NO. 42 GGACACACCAGAAAAGACCACCTAC SEQ. ID. NO. 44 CTGTCCAGCCAGCAGGATGCAGCCT SEQ. ID. NO. 42 ATTAAACAGAACCACTACCAAGAGC SEQ. ID. NO. 44 TTGCCTTTGCCTTTGCCATAGT SEQ. ID. NO. 42 TCAATGACATCCTCAACCTGGGAAA SEQ. ID. NO. 44 TTTCTCCTCCTATATCACTCTTGTT SEQ. ID. NO. 42 CTTCACTGAGAGCACAGATGGAGGA SEQ. ID. NO. 44 GTGCTCTTTGTGCCCAAGATGCGCA SEQ. ID. NO. 42 AAGGCCATTTTAAAAAATCACCTCG

SEQ. ID. NO. 44 GGCTGATCACCCGAGGGAATGGCA SEQ. ID. NO. 42 A T C A A A A T C C C C A G C T A C A G T G G A A SEQ. ID. NO. 44 GTCGGAGGCGCAGGACACCATGAAG SEQ. ID. NO. 42 CACAACAGAGCCCTCTCGAACATGC SEQ. ID. NO. 44 ACAGGGTCATCGACCAACAACG SEQ. ID. NO. 42 AAAGATCCTATAGAAGATATAAACT SEQ. ID. NO. 44 AGGAGGAGAGTCCCGGCTGTTGGA SEQ. ID. NO. 42 CTCCAGAACACATCCAGCGTCGGCT SEQ. ID. NO. 44 GAAGGAGAACCGTGAACTGGAAAAG SEQ. ID. NO. 42 G T C C C T C C A G C T C C C A T C C T C C A C SEQ. ID. NO. 44 ATCATTGCTGAGAAAGAGGAGCGTG SEQ. ID. NO. 42 CACGCCTACCTCCCATCGGAG SEQ. ID. NO. 44 TCTCTGAACTGCGCCATCAACTCCA SEQ. ID. NO. 42 GCGTGGACGCCAGCTGTGTCAGCCC SEQ. ID. NO. 44 G T C T C G G C A G C A G C T C C G G SEQ. ID. NO. 42 CTGCGTCAGCCCCACCGCCAGCCC SEQ. ID. NO. 44 CGCCACCCACCGACACCCCAGAAC SEQ. ID. NO. 42 CGCCACAGACATGTGCCACCCTCCT SEQ. ID. NO. 44 CCTCTGGGGGCCTGCCCAGGGGACC SEQ. ID. NO. 42 TCCGAGTCATGGTCTCGGGCCTGGC SEQ. ID. NO. 44 CCCTGAGCCCCCGACCGGCTTAGC SEQ. ID. NO. 42 GGCCGCCATGACTCTGGAGTCCATC SEQ. ID. NO. 44 TGTGATGGGAGTCGAGTGCATTTGC SEQ. ID. NO. 42 A T G G C G T G C C T G A G C G A G G A SEQ. ID. NO. 44 TTTATAAGGCGGCCGCCATGACTCT SEQ. ID. NO. 42 CCAAGGAAGCCCGGCGGATCAACGA

SEQ. ID. NO. 44 GGAGTCCATCATGGCGTGCTG SEQ. ID. NO. 42 CGAGATCGAGCGGCAGCTCCGCAGG SEQ. ID. NO. 44 A G C G A G G A G G C C A A G G A A G C C C G G C SEQ. ID. NO. 42 GACAAGCGGGACGCCGCCGGGAGC SEQ. ID. NO. 44 GGATCAACGACGAGATCGAGCGGCA SEQ. ID. NO. 42 TCAAGCTGCTGCTGCTCGGGACAGG SEQ. ID. NO. 44 GCTCCGCAGGGACAAGCGGGACGCC SEQ. ID. NO. 42 AGAGAGTGGCAAGAGTACGTTTATC SEQ. ID. NO. 44 CGCCGGGAGCTCAAGCTGCTGC SEQ. ID. NO. 42 AAGCAGATGAGAATCATCCATGGGT SEQ. ID. NO. 44 TCGGGACAGGAGAGAGTGGCAAGAG SEQ. ID. NO. 42 CAGGATACTCTGATGAAGATAAAG SEQ. ID. NO. 44 TACGTTTATCAAGCAGATGAGAATC SEQ. ID. NO. 42 GGGCTTCACCAAGCTGGTGTATCAG SEQ. ID. NO. 44 A T C C A T G G G T C A G G A T A C T C T G A T G SEQ. ID. NO. 42 AACATCTTCACGGCCATGCAGGCCA SEQ. ID. NO. 44 AAGATAAAAGGGGCTTCACCAAGCT SEQ. ID. NO. 42 TGATCAGAGCCATGGACACTCAA SEQ. ID. NO. 44 GGTGTATCAGAACATCTTCACGGCC SEQ. ID. NO. 42 GATCCCATACAAGTATGAGCACAAT SEQ. ID. NO. 44 ATGCAGGCCATGATCAGAGCCATGG SEQ. ID. NO. 42 AAGGCTCATGCACAATTAGTTCGAG SEQ. ID. NO. 44 A C A C A C T C A A G A T C C C A T A C A A G T A SEQ. ID. NO. 42 AAGTTGATGTGGAGAAGGTGTCTGC SEQ. ID. NO. 44 TGAGCACAATAAGGCTCATGCACAA SEQ. ID. NO. 42 TTTGAGAATCCATATGTAGATGCA

SEQ. ID. NO. 44 TTAGTTCGAGAAGTTGATGTGGAGA SEQ. ID. NO. 42 A T A A A G A G T T T A T G G A A T G A T C C T G SEQ. ID. NO. 44 AGGTGTCTGCTTTTGAGAATCCATA SEQ. ID. NO. 42 GAATCCAGGAATGCTATGATAGACG SEQ. ID. NO. 44 TGTAGATGCAATAAAGAGTTTATGG SEQ. ID. NO. 42 ACGAGAATATCAATTATCTGACTCT SEQ. ID. NO. 44 AATGATCCTGGAATCCAGGAATGCT SEQ. ID. NO. 42 ACCAAATACTATCTTAATGACTTGG SEQ. ID. NO. 44 ATGATAGACGACGAGAATATCAATT SEQ. ID. NO. 42 ACCGCGTAGCTGACCT SEQ. ID. NO. 44 A T C T G A C T C T A C C A A A T A C T A T C T T SEQ. ID. NO. 42 GCCTACGCAACAAGATGTGCTTAGA SEQ. ID. NO. 44 AATGACTTGGACCGCGTAGCTGACC SEQ. ID. NO. 42 GTTCGAGTCCCCACCACAGGGATCA SEQ. ID. NO. 44 CTGCCTACCTGCCTACGCAACAAGA SEQ. ID. NO. 42 TCGAATACCCCTTTGACTTACAAG SEQ. ID. NO. 44 TGTGCTTAGAGTTCGAGTCCCCACC SEQ. ID. NO. 42 TGTCATTTCAGAATGGTCGATGTA SEQ. ID. NO. 44 ACAGGGATCATCGAATACCCCTTTG SEQ. ID. NO. 42 GGGGGCCAAAGGTCAGAGAAAA SEQ. ID. NO. 44 ACTTACAAAGTGTCATTTTCAGAAT SEQ. ID. NO. 42 AATGGATACACTGCTTTGAAAATGT SEQ. ID. NO. 44 GGTCGATGTAGGGGGCCAAAGGTCA SEQ. ID. NO. 42 CACCTCTATCATGTTTCTAGTAGCG SEQ. ID. NO. 44 GAGAGAAGAAATGGATACACTGCT

SEQ. ID. NO. 42 CTTAGTGAATATGATCAAGTTCTGG

SEQ. ID. NO. 44 TTGAAAATGTCACCTCTATCATGTT SEQ. ID. NO. 42 TGGAGTCAGACAATGAGAACCGAAT SEQ. ID. NO. 44 TCTAGTAGCGCTTAGTGAATATGAT SEQ. ID. NO. 42 GGAGGAAAGCAAGGCTCTCTTAGA SEQ. ID. NO. 44 CAAGTTCTCGTGGAGTCAGACAATG SEQ. ID. NO. 42 A C A A T T A T C A C A T A C C C C T G G T T C C SEQ. ID. NO. 44 A G A A C C G A A T G G A G G A A A G C A A G G C SEQ. ID. NO. 42 A G A A C T C C T C G G T T A T T C T G T T C T T SEQ. ID. NO. 44 TCTCTTTAGAACAATTATCACATAC SEQ. ID. NO. 42 AAACAAGAAAGATCTTCTAGAGGAG SEQ. ID. NO. 44 CCCTGGTTCCAGAACTCCTCGGTTA SEQ. ID. NO. 42 A A A A T C A T G T A T T C C C A T C T A G T C G SEQ. ID. NO. 44 TTCTGTTCTTAAACAAGAACTCT SEQ. ID. NO. 42 ACTACTTCCCAGAATATGATGGACC SEQ. ID. NO. 44 TCTAGAGGAGAAAATCATGTATTCC SEQ. ID. NO. 42 CCAGAGAGATGCCCAGGCAGCCCGA SEQ. ID. NO. 44 CATCTAGTCGACTACTTCCCAGAAT SEQ. ID. NO. 42 GAATTCATTCTGAAGATGTTCGTGG SEQ. ID. NO. 44 ATGATGGACCCCAGAGAGATGCCCA SEQ. ID. NO. 42 ACCTGAACCCAGACAGTGACAAAT SEQ. ID. NO. 44 GGCAGCCGAGAATTCATTCTGAAG SEQ. ID. NO. 42 TAACTACTCCCACTTCACGTGCGCC SEQ. ID. NO. 44 ATGTTCGTGGACCTGAACECAGACA SEQ. ID. NO. 42 A C A G A C A C C G A G A A T A T C C G C T T T G SEQ. ID. NO. 44 GTGACAAAATTATCTACTCCCACTT

SEQ. ID. NO. 42 TCTTGCTGCCGTCAAGGACACCAT

SEQ. ID. NO. 44 CACGTGCGCCACAGACACCGAGAAT SEQ. ID. NO. 42 CCTCCAGTTGAACCTGAAGGGCTGC

SEQ. ID. NO. 44 A T C C G C T T T G T C T T T G C T G C C G T C A SEQ. ID. NO. 42 G G T C T G T A C

SEQ. ID. NO. 44 AGGACACCATCCTCCAGTTGAACCT SEQ. ID. NO. 42

SEQ. ID. NO. 44 GAAGGGCTGCGGTCTGTAC SEQ. ID. NO. 42

ClustalW Formatted Alignments

SEQ. ID. NO. 45 M L L L L L L A P L F L R P P G A G G A Q T P N A SEQ. ID. NO. 43 MASPRSSGQPGPPPPPPPPPARLLL SEQ. ID. NO. 45 TSEGCQIIHPPWEGGIRYRGLTRDQ SEQ. ID. NO. 43 LLLLPLLPLAPGAWGWARGAPRPP SEQ. ID. NO. 45 VKAINFLPVDYEIEYVCRGEREVVG SEQ. ID. NO. 43 PSSPPLSIMGLMPLTKEVAKGSIGR SEQ. ID. NO. 45 PKVRKCLANGSWTDMDTPSRCVRIC SEQ. ID. NO. 43 GVLPAVELAIEQIRNESLLRPYFLD SEQ. ID. NO. 45 SKSYLTLENGKVFLTGGDLPALDGA SEQ. ID. NO. 43 LRLYDTECDNAKGLKAFYDAIKYGP SEQ. ID. NO. 45 R V D F R C D P D F H L V G S S R S I C S Q G Q W SEQ. ID. NO. 43 NHLMVFGGVCPSVTSIIAESLQGWN SEQ. ID. NO. 45 STPKPHCQVNRTPHSERRAVYIGAL SEQ. ID. NO. 43 LVQLSFAATTPVLADKKKYPYFFRT SEQ. ID. NO. 45 FPMSGGWPGGQACQPAVEMALEDVN SEQ. ID. NO. 43 VPSDNAVNPAILKLLKHYQWKRVGT SEQ. ID. NO. 45 SRRDILPDYELKLIHHDSKCDPGQA SEQ. ID. NO. 43 LTQDVQRFSEVRNDLTGVLYGEDIE SEQ. ID. NO. 45 TKYLYELLYNDPIKIILMPGCSSVS SEQ. ID. NO. 43 I S D T E S F S N D P C T S V K K L K G N D V R I SEQ. ID. NO. 45 TLVAEAARMWNLIVLSYGSSSPALS SEQ. ID. NO. 43 ILGQFDQNMAAKVFCCAYEENMYGS SEQ. ID. NO. 45 NRQRFPTFFRTHPSATLHNPTRVKL SEQ. ID. NO. 43 KYQWIIPGWYEPSWWEQVHTEANSS

SEQ. ID. NO. 45 FEKWGWKKIATIQQTTEVFTSTLDD SEQ. ID. NO. 43 RCLRKNLLAAMEGYIGVDFEPLSSK SEQ. ID. NO. 45 LEERVKEAGIEITFRQSFFSDPAVP SEQ. ID. NO. 43 QIKTISGKTPQQYEREYNNKRSGVG SEQ. ID. NO. 45 VKNLKRQDARIIVGLFYETEARKVF SEQ. ID. NO. 43 PSKFHGYAYDGIWVIAKTLQRAMET SEQ. ID. NO. 45 CEVYKERLFGKKYVWFLIGWYADNW SEQ. ID. NO. 43 LHASSRHQRIQDFNYTDHTLGRIIL SEQ. ID. NO. 45 FKIYDPSINCTVDEMTEAVEGHITT SEQ. ID. NO. 43 NAMNETNFFGVTGQVVFRNGERMGT SEQ. ID. NO. 45 EIVMLNPANTRSISNMTSQEFVEKL SEQ. ID. NO. 43 IKFTQFQDSREVKVGEYNAVADTLE SEQ. ID. NO. 45 TKRLKRHPEETGG-FQEAPLAYDAI SEQ. ID. NO. 43 IINDTIRFQGSEPPKDKTIILEQLR SEQ. ID. NO. 45 WALALAKTSGGGGRSGVRLEDFN SEQ. ID. NO. 43 KISLPLYSILSALTILGMIMASAFL SEQ. ID. NO. 45 YNNQTITDQIYRAMNSSSFEGVSGH SEQ. ID. NO. 43 FFNIKNRNQKLIKMSSPYMNNLIIL SEQ. ID. NO. 45 VVFDASGSRMAWTLIEQLQGGSYKK SEQ. ID. NO. 43 GGMLSYASIFLFGLDGSFVSEKTFE SEQ. ID. NO. 45 I GYYDSTKDDLSWSKTDKWIGGSPP SEQ. ID. NO. 43 TLCTVRTWILTVGYTTAFGAMFAKT SEQ. ID. NO. 45 ADQTLVIKTFRFLSQKLFISVSVLS SEQ. ID. NO. 43 WRVHAIFKNVKMKKKIIKDQKLLVI SEQ. ID. NO. 45 SLGIVLAVVCLSFNIYNSHVRYIQN

SEQ. ID. NO. 43 VGGMLLIDLCILICWQAVDPLRRTV

SEQ. ID. NO. 45 SQPNLNNLTAVGCSLALAAVFPLGL SEQ. ID. NO. 43 EKYSMEPDPAGRDISIRPLLEHCEN

SEQ. ID. NO. 45 DGYHIGRNQFPFVCQARLWLLGLGF SEQ. ID. NO. 43 THMTIWLGIVYAYKGLLMLFGCFLA

SEQ. ID. NO. 45 SLGYGSMFTKIWWVHTVFTKKEEKK SEQ. ID. NO. 43 WETRNVSIPALNDSKYIGMSVYNVG

SEQ. ID. NO. 45 EWRKTLEPWKLYATVGLLVGMDVLT SEQ. ID. NO. 43 IMCIIGAAVSFLTRDQPNVQFCIVA

SEQ. ID. NO. 45 LAIWQIVDPLHRTIETFAKEEPKED SEQ. ID. NO. 43 LVIIFCSTITLCLVFVPKLITLRTN

SEQ. ID. NO. 45 I D V S I L P Q L E H C S S R K M N T W L G I F Y SEQ. ID. NO. 43 P D A A T Q N R R F Q F T Q N Q K K E D S K T S T

SEQ. ID. NO. 45 GYKGLLLLLGIFLAYETKSVSTEKI SEQ. ID. NO. 43 SVTSVNQASTSRLEGLQSENHRLRM

SEQ. ID. NO. 45 NDHRAVGMAIYNVAVLCLITAPVTM SEQ. ID. NO. 43 KITELDKDLEEVTMQLQDTPEKTTY

SEQ. ID. NO. 45 ILSSQQDAAFAFASLAIVFSSYITL SEQ. ID. NO. 43 IKQNHYQELNDILNLGNFTESTDGG

SEQ. ID. NO. 45 VVLFVPKMRRLITRGEWQSEAQDTM SEQ. ID. NO. 43 KAILKNHLDQNPQLQWNTTEPSRTC

SEQ. ID. NO. 45 KTGSSTNNNEEEKSRLLEKENRELE SEQ. ID. NO. 43 KDPIEDINSPEHIQRRLSLQLPILH

SEQ. ID. NO. 45 KIIAEKEERVSELRHQLQSRQQLRS SEQ. ID. NO. 43 HAYLPSIGGVDASCVSPCVSPTASP

SEQ. ID. NO. 45 RRHPPTPPEPSGGLPRGPPEPPDRL SEQ. ID. NO. 43 RHRHVPPSFRVMVSGLAAAMTLESI SEQ. ID. NO. 45 SCDGSRVHLLYKAAAMTLESIMACC SEQ. ID. NO. 43 MACCLSEEAKEARRINDEIERQLRR SEQ. ID. NO. 45 LSEEAKEARRINDEIERQLRRDKRD SEQ. ID. NO. 43 DKRDARRELKLLLGTGESGKSTFI SEQ. ID. NO. 45 ARRELKLLLLGTGESGKSTFIKQMR SEQ. ID. NO. 43 KQMRIIHGSGYSDEDKRGFTKLVYQ SEQ. ID. NO. 45 I I H G S G Y S D E D K R G F T K L V Y Q N I F T SEQ. ID. NO. 43 NIFTAMQAMIRAMDTLKIPYKYEHN SEQ. ID. NO. 45 AMQAMIRAMDTLKIPYKYEHNKAHA SEQ. ID. NO. 43 KAHAQLVREVDVEKVSAFENPYVDA SEQ. ID. NO. 45 QLVREVDVEKVSAFENPYVDAIKSL SEQ. ID. NO. 43 IKSLWNDPGIQECYDRRREYQLSDS SEQ. ID. NO. 45 WNDPGIQECYDRRREYQLSDSTKYY SEQ. ID. NO. 43 TKYYLNDLDRVADPAYLPTQQDVLR SEQ. ID. NO. 45 LNDLDRVADPAYLPTQQDVLRVRVP SEQ. ID. NO. 43 VRVPTTGIIEYPFDLQSVIFRMVDV SEQ. ID. NO. 45 TTGIIEYPFDLQSVIFRMVDVGGQR SEQ. ID. NO. 43 GGQRSERRKWIHCFENVTSIMFLVA SEQ. ID. NO. 45 SERRKWIHCFENVTSIMFLVALSEY SEQ. ID. NO. 43 LSEYDQVLVESDNENRMEESKALFR SEQ. ID. NO. 45 DQVLVESDNENRMEESKALFRTIIT SEQ. ID. NO. 43 TIITYPWFQNSSVILFLNKKDLLEE SEQ. ID. NO. 45 YPWFQNSSVILFLNKKDLLEEKIMY SEQ. ID. NO. 43 KIMYSHLVDYFPEYDGPQRDAQAAR SEQ. ID. NO. 45 SHLVDYFPEYDGPQRDAQAAREFIL SEQ. ID. NO. 43 EFILKMFVDLNPDSDKINYSHFTCA

SEQ. ID. NO. 45 KM F V D L N P D S D K I I Y S H F T C A T D T E SEQ. ID. NO. 43 T D T E N I R F V F A A V K D T I L Q L N L K G C

SEQ. ID. NO. 45 NIR F V F A A V K D T I L Q L N L K G C G L Y SEQ. ID. NO. 43 G L Y

Figure 15

```
\texttt{M} \ \texttt{V} \ \texttt{C} \ \texttt{E} \ \texttt{G} \ \texttt{K} \ \texttt{R} \ \texttt{S} \ \texttt{A} \ \texttt{S} \ \texttt{C} \ \texttt{P} \ \texttt{C} \ \texttt{F} \ \texttt{F} \ \texttt{L} \ \texttt{L} \ \texttt{T} \ \texttt{A} \ \texttt{K} \ \texttt{F} \ \texttt{Y} \ \texttt{W} \ \texttt{I} \ \texttt{L} \ \texttt{T} \ \texttt{M} \ \texttt{M} \ \texttt{Q} \ \texttt{R}
SEQ. ID. NO. 48
SEQ. ID. NO. 49
             MVCEGKRSASCPCFFLLTAKFYWILTMMQR
             MVCEGKRSASCPCFFLLTAKFYWILTMMQR
SEQ. ID. NO. 50
             THSQEYAHSIRIDGDITLGGLFPVHGRGSE
SEQ. ID. NO. 48
             THSQEYAHSIRIDGDITLGGLFPVHGRGSE
SEQ. ID. NO. 49
             THSQEYAHSIRVDGDIILGGLFPVHAKGER
SEQ. ID. NO. 50
SEQ. ID. NO. 48 GKPCGELKKEKGIHRLEAMLFALDRINNDP
SEQ. ID. NO. 49 GKPCGELKKEKGIHRLEAMLFALDRINNDP
SEQ. ID. NO. 50 G V P C G E L K K E K G I H R L E A M L Y A I D Q I N K D P
SEQ. ID. NO. 48 DLLPNITLGARILDTCSRDTHALEQSLTFV
SEQ. ID. NO. 49 DLLPNITLGARILDTCSRDTHALEQSLTFV
             DLLSNITLGVRILDTCSRDTYALEQSLTFV
SEQ. ID. NO. 50
SEQ. ID. NO. 48
             Q A L I E K D G T E V R C G S G G P P I I T K P E R V V G V
             Q A L I E K D G T E V R C G S G G P P I I T K P E R V V G V
SEQ. ID. NO. 49
SEQ. ID. NO. 50
             Q A L I E K D A S D V K C A N G D P P I F T K P D K I S G V
  SEQ. ID. NO. 48
             IGASGSSVSIMVANILRLFKIPQISYASTA
SEQ. ID. NO. 49
              I G A S G S S V S I M V A N I L R L F K I P Q I S Y A S T A
SEQ. ID. NO. 50
             IGAAASSVSIMVANILRLFKIPQISYASTA
             P D L S D N S R Y D F F S R V V P S D T Y Q A Q A M V D I V
SEQ. ID. NO. 48
             P D L S D N S R Y D F F S R V V P S D T Y Q A Q A M V D I V
SEQ. ID. NO. 49
             P E L S D N T R Y D F F S R V V P P D S Y Q A Q A M V D I V
SEQ. ID. NO. 50
SEQ. ID. NO. 48
             RALKWNYVSTVASEGSYGESGVEAFIQKSR
             RALKWNYVSTVASEGSYGESGVEAFIQKSR
SEQ. ID. NO. 49
             TALGWNYVSTLASEGNYGESGVEAFTQISR
SEQ. ID. NO. 50
             EDGGVCIAQSVKIPREPKAGEFDKIIRRLL
SEQ. ID. NO. 48
             EDGGVCIAQSVKIPREPKAGEFDKIIRRLL
SEQ. ID. NO. 49
              EIGGVCIAQSQKIPREPRPGEFEKIIKRLL
SEQ. ID. NO. 50
```

FIGURE 16B

- SEQ. ID. NO. 48 E T S N A R A V I I F A N E D D I R R V L E A A R R A N Q T SEQ. ID. NO. 49 E T S N A R A V I I F A N E D D I R R V L E A A R R A N Q T SEQ. ID. NO. 50 E T P N A R A V I M F A N E D D I R R I L E A A K K L N Q S SEQ. ID. NO. 48 G H F F W M G S D S W G S K I A P V L H L E E V A E G A V T SEQ. ID. NO. 49 G H F F W M G S D S W G S K I A P V L H L E E V A E G A V T SEQ. ID. NO. 50 G H F L W I G S D S W G S K I A P V Y Q Q E E I A E G A V T
- SEQ. ID. NO. 48
 SEQ. ID. NO. 49
 SEQ. ID. NO. 50

 I L P K R M S V R G F D R Y F S S R T L D N N R R N I W F A S I D G F D R Y F R S R T L D N N R R N I W F A S I D G F D R Y F R S R T L A N N R R N V W F A
- SEQ. ID. NO. 48 E F W E D N F H C K L S R H A L K K G S H V K K C T N R E R SEQ. ID. NO. 49 E F W E D N F H C K L S R H A L K K G S H V K K C T N R E R SEQ. ID. NO. 50 E F W E E N F G C K L G S H G K R N S H I K K C T G L E R
- SEQ. ID. NO. 48
 SEQ. ID. NO. 49
 SEQ. ID. NO. 50

 I G Q D S A Y E Q E G K V Q F V I D A V Y A M G H A L H A M I G Q D S A Y E Q E G K V Q F V I D A V Y A M G H A L H A M I A R D S S Y E Q E G K V Q F V I D A V Y S M A Y A L H N M
- SEQ. ID. NO. 48

 HRDLCPGRVGLCPRMDPVDGTQLLKYIRNV
 SEQ. ID. NO. 49
 HRDLCPGRVGLCPRMDPVDGTQLLKYIRNV
 SEQ. ID. NO. 50
 HKDLCPGYIGLCPRMSTIDGKELLGYIRAV
 - SEQ. ID. NO. 48 N F S G I A G N P V T F N E N G D A P G R Y D I Y Q Y Q L R SEQ. ID. NO. 49 N F S G I A G N P V T F N E N G D A P G R Y D I Y Q Y Q L R SEQ. ID. NO. 50 N F N G S A G T P V T F N E N G D A P G R Y D I F Q Y Q I T
 - SEQ. ID. NO. 48 N D S A E Y K V I G S W T D H L H L R I E R M H W P G S G Q SEQ. ID. NO. 49 N D S A E Y K V I G S W T D H L H L R I E R M H W P G S G Q SEQ. ID. NO. 50 N K S T E Y K V I G H W T N Q L H L K V E D M Q W A H R E H
- SEQ. ID. NO. 48

 Q L P R S I C S L P C Q P G E R K K T V K G M P C C W H C E SEQ. ID. NO. 49

 Q L P R S I C S L P C Q P G E R K K T V K G M P C C W H C E SEQ. ID. NO. 50

 T H P A S V C S L P C K P G E R K K T V K G V P C C W H C E
 - SEQ. ID. NO. 48
 PCTGYQYQVDRYTCKTCPYDMRPTENRTGC
 SEQ. ID. NO. 49
 RCEGYNYQVDELSCELCPLDQRPNMNRTGC

FIGURE 16C

SEQ. ID. NO. 48 RPIPIIKLEWGSPWAVLPLFLAVVGIAATL SEQ. ID. NO. 49 RPIPIIKLEWGSPWAVLPLFLAVVGIAATL SEQ. ID. NO. 50 QLIPIIKLEWHSPWAVVPVFVAILGIIATT SEQ. ID. NO. 48 FVVITFVRYNDTPIVKASGRELSYVLLAGI SEQ. ID. NO. 49 FVVITFVRYNDTPIVKASGRELSYVLLAGI SEQ. ID. NO. 50 FVIVTFVRYNDTPIVRASGRELSYVLLTGI F L C Y A T T F L M I A E P D L G T C S L R R I F L G L G M SEQ. ID. NO. 48 F L C Y A T T F L M I A E P D L G T C S L R R I F L G L G M SEQ. ID. NO. 49 F L C Y S I T F L M I A A P D T I I C S F R R V F L G L G M SEQ. ID. NO. 50 SISYAALLTKTNRIYRIFEQGKRSVSAPRF SEQ. ID. NO. 48 S I S Y A A L L T K T N R I Y R I F E Q G K R S V S A P R F SEQ. ID. NO. 49 C F S Y A A L L T K T N R I H R I F E Q G K K S V T A P K F SEQ. ID. NO. 50 ISPASQLAITFSLISLQLLGICVWFVVDPS SEO. ID. NO. 48 ISPASQLAITFSLISLQLLGICVWFVVDPS SEQ. ID. NO. 49 ISPASQLVITFSLISVQLLGVFVWFVVDPP SEQ. ID. NO. 50 H S V V D F Q D Q R T L D P R F A R G V L K C D I S D L S L SEQ. ID. NO. 48 H S V V D F Q D Q R T L D P R F A R G V L K C D I S D L S L SEQ. ID. NO. 49 HIIIDYGEQRTLDPEKARGVLKCDISDLSL SEQ. ID. NO. 50 ICLLGYSMLLMVTCTVYAIKTRGVPETFNE SEQ. ID. NO. 48 ICLLGYSMLLMVTCTVYAIKTRGVPETFNE SEQ. ID. NO. 49 ICSLGYSILLMVTCTVYAIKTRGVPETFNE SEQ. ID. NO. 50 AKPIGFTMYTTCIVWLAFIPIFFGTSQSAD SEQ. ID. NO. 48 AKPIGFTMYTTCIVWLAFIPIFFGTSQSAD SEQ. ID. NO. 49 AKPIGFTMYTTCIIWLAFIPIFFGTAQSAE SEQ. ID. NO. 50 K L Y I Q T T T L T V S V S L S A S V S L G M L Y M P K V Y SEQ. ID. NO. 48 K L Y I Q T T T L T V S V S L S A S V S L G M L Y M P K V Y SEQ. ID. NO. 49 K M Y I Q T T T L T V S M S L S A S V S L G M L Y M P K V Y SEQ. ID. NO. 50 SEQ. ID. NO. 48 IILFHPEQNVPKRKRSLKAVVTAATMSNKF SEQ. ID. NO. 49 IILFHPEQNTIEEVRCSTAAHAFKVAARAT SEQ. ID. NO. 50 I I I F H P E Q N T I E E V R C S T A A H A F K V A A R A T

FIGURE 16D

SEQ. ID. NO. 48 TQKGNFRPNGEAKSELCENLEAPALATKQT SEQ. ID. NO. 49 LRRSNVSRKRSSSLGGSTGSTPSSSISSKS SEQ. ID. NO. 50 LRRSNVSRKRSSSLGGSTGSTPSSSISSKS SEQ. ID. NO. 48 Y V T Y T N H A I NSEDPFPQPERQKQQQPLALTQQEQQQPL SEQ. ID. NO. 49 N S E D P F P Q P E R Q K Q Q P L A L T Q Q E Q Q Q P L SEQ. ID. NO. 50 SEQ. ID. NO. 48 SEQ. ID. NO. 49 TLPQQQRSQQPRCKQKVIFGSGTVTFSLS SEQ. ID. NO. 50 TLPQQQRSQQQPRCKQKVIFGSGTVTFSLS SEQ. ID. NO. 48 SEQ. ID. NO. 49 FDEPQKNAMAHGNSTHQNSLEAQKSSDTLT SEQ. ID. NO. 50 FDEPQKNAMAHGNSTHQNSLEAQKSSDTLT SEQ. ID. NO. 48 SEQ. ID. NO. 49 RHQPLLPLQCGETDLDLTVQETGLQGPVGG SEQ. ID. NO. 50 RHQPLLPLQCGETDLDLTVQETGLQGPVGG ş ! **F** SEQ. ID. NO. 48 SEQ. ID. NO. 49 DQRPEVEDPEELSPALVVSSSQSFVISGGG SEQ. ID. NO. 50 DQRPEVEDPEELSPALVVSSSQSFVISGGG SEQ. ID. NO. 48 SEQ. ID. NO. 49 S T V T E N V V N S A A A M T L E S I M A C C L S E E A K E SEQ. ID. NO. 50 S T V T E N V V N S A A A M T L E S I M A C C L S E E A K E SEQ. ID. NO. 48 ARRINDEIERQLRRDKRDARRELKLLLLGT SEQ. ID. NO. 49 ARRINDEIERQLRRDKRDARRELKLLLGT SEQ. ID. NO. 50 SEQ. ID. NO. 48 SEQ. ID. NO. 49 GESGKSTFIKQMRIIHGSGYSDEDKRGFTK SEQ. ID. NO. 50 GESGKSTFIKQMRIIHGSGYSDEDKRGFTK SEQ. ID. NO. 48 SEQ. ID. NO. 49 LVYQNIFTAMQAMIRAMDTLKIPYKYEHNK SEQ. ID. NO. 50 L V Y Q N I F T A M Q A M I R A M D T L K I P Y K Y E H N K

FIGURE 16E

```
SEQ. ID. NO. 48
SEQ. ID. NO. 49
           AHAQLVREVDVEKVSAFENPYVDAIKSLWN
SEQ. ID. NO. 50
           AHAQLVREVDVEKVSAFENPYVDAIKSLWN
SEQ. ID. NO. 48
           D P G I Q E C Y D R R R E Y Q L S D S T K Y Y L N D L D R V
SEQ. ID. NO. 49
           D P G I Q E C Y D R R R E Y Q L S D S T K Y Y L N D L D R V
SEQ. ID. NO. 50
SEQ. ID. NO. 48
SEQ. ID. NO. 49
            ADPAYLPTQQDVLRVRVPTTGIIEYPFDLQ
           ADPAYLPTQQDVLRVRVPTTGIIEYPFDLQ
SEQ. ID. NO. 50
SEQ. ID. NO. 48
SEQ. ID. NO. 49
            SVIFRMVDVGGQRSERRKWIHCFENVTSIM
            SVIFRMVDVGGQRSERRKWIHCFENVTSIM
SEQ. ID. NO. 50
  SEQ. ID. NO. 48
SEO. ID. NO. 49
            F L V A L S E Y D Q V L V E S D N E N R M E E S K A L F R T
SEQ. ID. NO. 50
            F L V A L S E Y D Q V L V E S D N E N R M E E S K A L F R T
  Harry Co.
SEQ. ID. NO. 48
SEQ. ID. NO. 49
            IITYPWFQNSSVILFLNKKDLLEEKIMYSH
SEO. ID. NO. 50
            IITYPWFQNSSVILFLNKKDLLEEKIMYSH
  SEQ. ID. NO. 48
SEQ. ID. NO. 49 LVDYFPEYDGPQRDAQAAREFILKMFVDLN
SEQ. ID. NO. 50
            LVDYFPEYDGPQRDAQAAREFILKMFVDLN
SEQ. ID. NO. 48
SEQ. ID. NO. 49
            PDSDKIIYSHFTCATDTENIRFVFAAVKDT
SEQ. ID. NO. 50
            P D S D K I I Y S H F T C A T D T E N I R F V F A A V K D T
SEQ. ID. NO. 48
SEQ. ID. NO. 49 ILQLNLKDCGLF
            ILQLNLKDCGLF
SEQ. ID. NO. 50
```

SEQUENCE LISTING

<110> NPS PHARMACEUTICALS, INC.

<120> G-PROTEIN FUSION RECEPTORS AND CHIMERIC GABAB RECEPTORS

<130> 241/086-CIP

<140> TO BE ASSIGNED

<141> HEREWITH

<150> US 60/080,671

<151> 1998-04-03

<150> PCT/US99/07333

<151> 1999-04-02

<160> 50

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 612

<212> PRT

<213> Human

<400> 1

Met Ala Phe Tyr Ser Cys Cys Trp Val Leu Leu Ala Leu Thr Trp His
1 5 10 15

Thr Ser Ala Tyr Gly Pro Asp Gln Arg Ala Gln Lys Lys Gly Asp Ile 20 25 30

Ile Leu Gly Gly Leu Phe Pro Ile His Phe Gly Val Ala Ala Lys Asp 35 40 45

Gln Asp Leu Lys Ser Arg Pro Glu Ser Val Glu Cys Ile Arg Tyr Asn 50 55 60

Phe Arg Gly Phe Arg Trp Leu Gln Ala Met Ile Phe Ala Ile Glu Glu 65 70 75 80

Ile Asn Ser Ser Pro Ala Leu Leu Pro Asn Leu Thr Leu Gly Tyr Arg 85 90 95

Ile Phe Asp Thr Cys Asn Thr Val Ser Lys Ala Leu Glu Ala Thr Leu 100 105 110

Ser Phe Val Ala Gln Asn Lys Ile Asp Ser Leu Asn Leu Asp Glu Phe Cys Asn Cys Ser Glu His Ile Pro Ser Thr Ile Ala Val Val Gly Ala Thr Gly Ser Gly Val Ser Thr Ala Val Ala Asn Leu Leu Gly Leu Phe Tyr Ile Pro Gln Val Ser Tyr Ala Ser Ser Ser Arg Leu Leu Ser Asn Lys Asn Gln Phe Lys Ser Phe Leu Arg Thr Ile Pro Asn Asp Glu His Gln Ala Thr Ala Met Ala Asp Ile Ile Glu Tyr Phe Arg Trp Asn Trp Val Gly Thr Ile Ala Ala Asp Asp Tyr Gly Arg Pro Gly Ile Glu Lys Phe Arg Glu Glu Ala Glu Glu Arg Asp Ile Cys Ile Asp Phe Ser est. Glu Leu Ile Ser Gln Tyr Ser Asp Glu Glu Glu Ile Gln His Val Val Glu Val Ile Gln Asn Ser Thr Ala Lys Val Ile Val Val Phe Ser Ser Gly Pro Asp Leu Glu Pro Leu Ile Lys Glu Ile Val Arg Arg Asn Ile Thr Gly Lys Ile Trp Leu Ala Ser Glu Ala Trp Ala Ser Ser Leu 2 H Ile Ala Met Pro Gln Tyr Phe His Val Val Gly Gly Thr Ile Gly Phe 置305 Ala Leu Lys Ala Gly Gln Ile Pro Gly Phe Arg Glu Phe Leu Lys Lys Val His Pro Arg Lys Ser Val His Asn Gly Phe Ala Lys Glu Phe Trp Glu Glu Thr Phe Asn Cys His Leu Gln Glu Gly Ala Lys Gly Pro Leu Pro Val Asp Thr Phe Leu Arg Gly His Glu Glu Ser Gly Asp Arg Phe Ser Asn Ser Ser Thr Ala Phe Arg Pro Leu Cys Thr Gly Asp Glu Asn

Ile Ser Ser Val Glu Thr Pro Tyr Ile Asp Tyr Thr His Leu Arg Ile

405 410 415

Ser Tyr Asn Val Tyr Leu Ala Val Tyr Ser Ile Ala His Ala Leu Gln 420 425 430

Asp Ile Tyr Thr Cys Leu Pro Gly Arg Gly Leu Phe Thr Asn Gly Ser 435 440 445

Cys Ala Asp Ile Lys Lys Val Glu Ala Trp Gln Val Leu Lys His Leu 450 460

Arg His Leu Asn Phe Thr Asn Asn Met Gly Glu Gln Val Thr Phe Asp 465 470 475 480

Glu Cys Gly Asp Leu Val Gly Asn Tyr Ser Ile Ile Asn Trp His Leu 485 490 495

Ser Pro Glu Asp Gly Ser Ile Val Phe Lys Glu Val Gly Tyr Tyr Asn 500 505 510

Val Tyr Ala Lys Lys Gly Glu Arg Leu Phe Ile Asn Glu Glu Lys Ile 515 520 525

Leu Trp Ser Gly Phe Ser Arg Glu Val Pro Phe Ser Asn Cys Ser Arg 530 540

Asp Cys Leu Ala Gly Thr Arg Lys Gly Ile Ile Glu Gly Glu Pro Thr 545 550 555 560

Cys Cys Phe Glu Cys Val Glu Cys Pro Asp Gly Glu Tyr Ser Asp Glu 565 570 575

Thr Asp Ala Ser Ala Cys Asn Lys Cys Pro Asp Asp Phe Trp Ser Asn 580 585 590

Glu Asn His Thr Ser Cys Ile Ala Lys Glu Ile Glu Phe Leu Ser Trp 595 600 605

Thr Glu Pro Phe 610

<210> 2

<211> 590

<212> PRT

<213> Human

<400> 2

Met Leu Leu Leu Leu Leu Ala Pro Leu Phe Leu Arg Pro Pro Gly
1 5 10 15

Ala Gly Gly Ala Gln Thr Pro Asn Ala Thr Ser Glu Gly Cys Gln Ile 20 25 30

- Ile His Pro Pro Trp Glu Gly Gly Ile Arg Tyr Arg Gly Leu Thr Arg 35 40 45
- Asp Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu 50 55 60
- Tyr Val Cys Arg Gly Glu Arg Glu Val Val Gly Pro Lys Val Arg Lys 70 75 80
- Cys Leu Ala Asn Gly Ser Trp Thr Asp Met Asp Thr Pro Ser Arg Cys 85 90 95
- Val Arg Ile Cys Ser Lys Ser Tyr Leu Thr Leu Glu Asn Gly Lys Val 100 105 110
- Phe Leu Thr Gly Gly Asp Leu Pro Ala Leu Asp Gly Ala Arg Val Asp 115 120 125
- Phe Arg Cys Asp Pro Asp Phe His Leu Val Gly Ser Ser Arg Ser Ile 130 135 140
- Cys Ser Gln Gly Gln Trp Ser Thr Pro Lys Pro His Cys Gln Val Asn 145 150 155 160
- Arg Thr Pro His Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe 165 170 175
- Pro Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val 180 185 190
- Glu Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp 195 200 205
- Tyr Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln 210 220
- Ala Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile 225 230 235 240
- Ile Leu Met Pro Gly Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala 245 250 255
- Ala Arg Met Trp Asn Leu Ile Val Leu Ser Tyr Gly Ser Ser Pro 260 265 270
- Ala Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro 275 280 285
- Ser Ala Thr Leu His Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp 290 295 300
- Gly Trp Lys Lys Ile Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr 305 310 315 320
- Ser Thr Leu Asp Asp Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu 325 330 335

- Ile Thr Phe Arg Gln Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys 340 345 350
- Asn Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu 355 360 365
- Thr Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe 370 380
- Gly Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp 385 390 395 400
- Phe Lys Ile Tyr Asp Pro Ser Ile Asn Cys Thr Val Asp Glu Met Thr 405 410 415
- Glu Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro 420 425 430
- Ala Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu 435 440 445
- Lys Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe 450 455 460
- Gln Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala 465 470 475 480
- Leu Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu 485 490 495
- Asp Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala 500 510
- Met Asn Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp 515 520 525
- Ala Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly 530 540
- Gly Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu 545 550 555
- Ser Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp 565 570 575
- Gln Thr Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys 580 585 590

<210> 3

<211> 473

<212> PRT

<213> Human

<400> 3

Met Gly Pro Gly Ala Pro Phe Ala Arg Val Gly Trp Pro Leu Pro Leu 1 5 10 15

Leu Val Val Met Ala Ala Gly Val Ala Pro Val Trp Ala Ser His Ser 20 25 30

Pro His Leu Pro Arg Pro His Ser Arg Val Pro Pro His Pro Ser Ser 35 40 45

Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly 50 60

Trp Pro Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu 65 70 75 80

Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu 85 90 95

Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu 100 105 110

Tyr Glu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly
115 120 125

Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala Arg Met Trp Asn 130 135 140

Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala Leu Ser Asn Arg 145 150 155 160

Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser Ala Thr Leu His 165 170 175

Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly Trp Lys Lys Ile 180 185 190

Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser Thr Leu Asp Asp 195 200 205

Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu Ile Thr Phe Arg Gln 210 220

Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys Asn Leu Lys Arg Gln 235 240

Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu Thr Glu Ala Arg Lys
245 250 255

Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe Gly Lys Lys Tyr Val 260 265 270

Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp Phe Lys Ile Tyr Asp 275 280 285

Pro Ser Ile Asn Cys Thr Val Asp Glu Met Thr Glu Ala Val Glu Gly 290 295 300

His Ile Thr Thr Glu Ile Val Met Leu Asn Pro Ala Asn Thr Arg Ser 305 310 315 320

Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu Lys Leu Thr Lys Arg

Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe Gln Glu Ala Pro Leu 340 345 350

Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala Leu Asn Lys Thr Ser 355 360 365

Gly Gly Gly Arg Ser Gly Val Arg Leu Glu Asp Phe Asn Tyr Asn 370 380

Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala Met Asn Ser Ser Ser 385 390 395 400

Phe Glu Gly Val Ser Gly His Val Val Phe Asp Ala Ser Gly Ser Arg
405 410 415

Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly Gly Ser Tyr Lys Lys 420 425 430

Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu Ser Trp Ser Lys Thr 435 440 445

Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp Gln Thr Leu Val Ile 450 455 460

Lys Thr Phe Arg Phe Leu Ser Gln Lys 465

<210> 4

<211> 480

<212> PRT

<213> Human

<400> 4

Met Ala Ser Pro Arg Ser Ser Gly Gln Pro Gly Pro Xaa Pro Pro 1 5 10 15

Pro Pro Pro Pro Ala Arg Leu Leu Leu Leu Leu Leu Leu Pro Leu Leu Leu 20 25 30

Leu Pro Leu Ala Pro Gly Ala Trp Gly Trp Ala Arg Gly Ala Pro Arg

35 40 45 Pro Pro Pro Ser Ser Pro Pro Leu Ser Ile Met Gly Leu Met Pro Leu 55 Thr Lys Glu Val Ala Lys Gly Ser Ile Gly Arg Gly Val Leu Pro Ala 70 75 Val Glu Leu Ala Ile Glu Gln Ile Arg Asn Glu Ser Leu Leu Arg Pro 85 90 Tyr Phe Leu Asp Leu Arg Leu Tyr Asp Thr Glu Cys Asp Asn Ala Lys 100 105 110 Gly Leu Lys Ala Phe Tyr Asp Ala Ile Lys Tyr Gly Pro Asn His Leu 115 120 125 Met Val Phe Gly Gly Val Cys Pro Ser Val Thr Ser Ile Ile Ala Glu 135 140 Ser Leu Gln Gly Trp Asn Leu Val Gln Leu Ser Phe Ala Ala Thr Thr 150 155 Pro Val Leu Ala Asp Lys Lys Lys Tyr Pro Tyr Phe Phe Arg Thr Val 165 170 Pro Ser Asp Asn Ala Val Asn Pro Ala Ile Leu Lys Leu Lys His 180 185 190

Tyr Gln Trp Lys Arg Val Gly Thr Leu Thr Gln Asp Val Gln Arg Phe Ser Glu Val Arg Asp Leu 215

Ser Glu Val Arg Asn Asp Leu Thr Gly Val Leu Tyr Gly Glu Asp Ile 215

Glu Ile Ser Asp Thr Glu Ser Phe Ser Asn Asp Pro Cys Thr Ser Val 225

Lys Lys Leu Lys Gly Asn Asp Val Arg Ile Ile Leu Gly Gln Phe Asp 245 250 255

Gln Asn Met Ala Ala Lys Val Phe Cys Cys Ala Tyr Glu Glu Asn Met 260 265 270

Tyr Gly Ser Lys Tyr Gln Trp Ile Ile Pro Gly Trp Tyr Glu Pro Ser 275 280 285

Trp Trp Glu Gln Val His Thr Glu Ala Asn Ser Ser Arg Cys Leu Arg 290 295 300

Lys Asn Leu Leu Ala Ala Met Glu Gly Tyr Ile Gly Val Asp Phe Glu 305 310 315 320

Pro Leu Ser Ser Lys Gln Ile Lys Thr Ile Ser Gly Lys Thr Pro Gln 325 330 335

Gln Tyr Glu Arg Glu Tyr Asn Asn Lys Arg Ser Gly Val Gly Pro Ser 340 350

Lys Phe His Gly Tyr Ala Tyr Asp Gly Ile Trp Val Ile Ala Lys Thr 355 360 365

Leu Gln Arg Ala Met Glu Thr Leu His Ala Ser Ser Arg His Gln Arg 370 380

Ile Gln Asp Phe Asn Tyr Thr Asp His Thr Leu Gly Arg Ile Ile Leu 385 390 395 400

Asn Ala Met Asn Glu Thr Asn Phe Phe Gly Val Thr Gly Gln Val Val 405 410 415

Phe Arg Asn Gly Glu Arg Met Gly Thr Ile Lys Phe Thr Gln Phe Gln 420 425 430

Asp Ser Arg Glu Val Lys Val Gly Glu Tyr Asn Ala Val Ala Asp Thr 435 440 445

Leu Glu Ile Ile Asn Asp Thr Ile Arg Phe Gln Gly Ser Glu Pro Pro 450 455 460

Lys Asp Lys Thr Ile Ile Leu Glu Gln Leu Arg Lys Ile Ser Leu Pro 465 470 475 480

<210> 5

<211> 583

<212> PRT

<213> Human

<400> 5

Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu 1 5 10 15

Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His 20 25 30

Ser Gln Glu Tyr Ala His Ser Ile Arg Val Asp Gly Asp Ile Ile Leu 35 40 45

Gly Gly Leu Phe Pro Val His Ala Lys Gly Glu Arg Gly Val Pro Cys 50 60

Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu 70 75 80

Tyr Ala Ile Asp Gln Ile Asn Lys Asp Pro Asp Leu Leu Ser Asn Ile 85 90, 95

Thr Leu Gly Val Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr Tyr Ala 100 105 110

- Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Ala 115 120 125
- Ser Asp Val Lys Cys Ala Asn Gly Asp Pro Pro Ile Phe Thr Lys Pro 130 135 140
- Asp Lys Ile Ser Gly Val Ile Gly Ala Ala Ala Ser Ser Val Ser Ile 145 150 155 160
- Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr 165 170 175
- Ala Ser Thr Ala Pro Glu Leu Ser Asp Asn Thr Arg Tyr Asp Phe Phe 180 185 190
- Ser Arg Val Val Pro Pro Asp Ser Tyr Gln Ala Gln Ala Met Val Asp 195 200 205
- Ile Val Thr Ala Leu Gly Trp Asn Tyr Val Ser Thr Leu Ala Ser Glu 210 220
- Gly Asn Tyr Gly Glu Ser Gly Val Glu Ala Phe Thr Gln Ile Ser Arg 225 230 235 240
- Glu Ile Gly Gly Val Cys Ile Ala Gln Ser Gln Lys Ile Pro Arg Glu 245 250 255
- Pro Arg Pro Gly Glu Phe Glu Lys Ile Ile Lys Arg Leu Leu Glu Thr 260 270
- Pro Asn Ala Arg Ala Val Ile Met Phe Ala Asn Glu Asp Asp Ile Arg 275 280 285
- Arg Ile Leu Glu Ala Ala Lys Lys Leu Asn Gln Ser Gly His Phe Leu 290 295 300
- Trp Ile Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Tyr Gln 305 310 315 320
- Gln Glu Glu Ile Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Ala 325 330 335
- Ser Ile Asp Gly Phe Asp Arg Tyr Phe Arg Ser Arg Thr Leu Ala Asn 340 345 350
- Asn Arg Arg Asn Val Trp Phe Ala Glu Phe Trp Glu Glu Asn Phe Gly 355 360 365
- Cys Lys Leu Gly Ser His Gly Lys Arg Asn Ser His Ile Lys Lys Cys 370 380
- Thr Gly Leu Glu Arg Ile Ala Arg Asp Ser Ser Tyr Glu Gln Glu Gly 385 390 395 400
- Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ser Met Ala Tyr Ala Leu 405 410 415

His Asn Met His Lys Asp Leu Cys Pro Gly Tyr Ile Gly Leu Cys Pro 420 425 430

Arg Met Ser Thr Ile Asp Gly Lys Glu Leu Leu Gly Tyr Ile Arg Ala 435 440 445

Val Asn Phe Asn Gly Ser Ala Gly Thr Pro Val Thr Phe Asn Glu Asn 450 455 460

Gly Asp Ala Pro Gly Arg Tyr Asp Ile Phe Gln Tyr Gln Ile Thr Asn 465 470 475 480

Lys Ser Thr Glu Tyr Lys Val Ile Gly His Trp Thr Asn Gln Leu His
485 490 495

Leu Lys Val Glu Asp Met Gln Trp Ala His Arg Glu His Thr His Pro 500 505 510

Ala Ser Val Cys Ser Leu Pro Cys Lys Pro Gly Glu Arg Lys Lys Thr 515 520 525

Val Lys Gly Val Pro Cys Cys Trp His Cys Glu Arg Cys Glu Gly Tyr 530 535 540

Asn Tyr Gln Val Asp Glu Leu Ser Cys Glu Leu Cys Pro Leu Asp Gln 545 550 560

Arg Pro Asn Met Asn Arg Thr Gly Cys Gln Leu Ile Pro Ile Ile Lys 565 570 575

Leu Glu Trp His Ser Pro Trp 580

<210> 6

<211> 250

<212> PRT

<213> Human

<400> 6

Gly Ile Ala Leu Thr Leu Phe Ala Val Leu Gly Ile Phe Leu Thr Ala 1 5 10 15

Phe Val Leu Gly Val Phe Ile Lys Phe Arg Asn Thr Pro Ile Val Lys 20 25 30

Ala Thr Asn Arg Glu Leu Ser Tyr Leu Leu Leu Phe Ser Leu Leu Cys 35 40 45

Cys Phe Ser Ser Leu Phe Phe Ile Gly Glu Pro Gln Asp Trp Thr
50 55 60

Cys Arg Leu Arg Gln Pro Ala Phe Gly Ile Ser Phe Val Leu Cys Ile

Ser Cys Ile Leu Val Lys Thr Asn Arg Val Leu Leu Val Phe Glu Ala

Gln Asn Ser Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser

Leu Ala Leu Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile

Gly Arg Asn Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu 65 70 75 80

Gly Leu Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp 85 90 95

Trp Val His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg 100 105 110

Lys Thr Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val
115 120 125

Gly Met Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu 130 135 140

His Arg Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile 145 150 155 160

Asp Val Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Arg Lys Met 165 170 175

Asn Thr Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu 180 185 190

Leu Gly Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys
195 200 205

Ile Asn Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val 210 220

Leu Cys Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln 225 230 235 240

Asp Ala Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr 245 250 255

Ile Thr Leu Val Val Leu Phe Val Pro Lys Met 260 265

<210> 8

<211> 267

<212> PRT

<213> Human

<400> 8

Leu Phe Ile Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala 1 5 10 15

Val Val Cys Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile

Gln Asn Ser Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser 35 40 45 Leu Ala Leu Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile 50 60

Gly Arg Asn Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu 65 70 75 80

Gly Leu Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp 85 90 95

Trp Val His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg
100 105 110

Lys Thr Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val 115 120 125

Gly Met Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu 130 135 140

His Arg Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile 145 150 155 160

Asp Val Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Arg Lys Met 165 170 175

Asn Thr Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu 180 185 190

Leu Gly Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys 195 200 205

Ile Asn Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val 210 215 220

Leu Cys Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln 225 230 235 240

Asp Ala Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr 245 250 255

Ile Thr Leu Val Val Leu Phe Val Pro Lys Met 260 265

<210> 9

<211> 264

<212> PRT

<213> Human

<400> 9

Leu Tyr Ser Ile Leu Ser Ala Leu Thr Ile Leu Gly Met Ile Met Ala 1 5 10 15 Ser Ala Phe Leu Phe Phe Asn Ile Lys Asn Arg Asn Gln Lys Leu Ile 20 25 30

Lys Met Ser Ser Pro Tyr Met Asn Asn Leu Ile Ile Leu Gly Gly Met 35 40 45

Leu Ser Tyr Ala Ser Ile Phe Leu Phe Gly Leu Asp Gly Ser Phe Val 50 55 60

Ser Glu Lys Thr Phe Glu Thr Leu Cys Thr Val Arg Thr Trp Ile Leu 65 70 75 80

Thr Val Gly Tyr Thr Thr Ala Phe Gly Ala Met Phe Ala Lys Thr Trp
85 90 95

Arg Val His Ala Ile Phe Lys Asn Val Lys Met Lys Lys Ile Ile 100 105 110

Lys Asp Gln Lys Leu Leu Val Ile Val Gly Gly Met Leu Leu Ile Asp 115 120 125

Leu Cys Ile Leu Ile Cys Trp Gln Ala Val Asp Pro Leu Arg Arg Thr 130 135 140

Val Glu Lys Tyr Ser Met Glu Pro Asp Pro Ala Gly Arg Asp Ile Ser 145 150 155 160

Ile Arg Pro Leu Leu Glu His Cys Glu Asn Thr His Met Thr Ile Trp
165 170 175

Leu Gly Ile Val Tyr Ala Tyr Lys Gly Leu Leu Met Leu Phe Gly Cys 180 185 190

Phe Leu Ala Trp Glu Thr Arg Asn Val Ser Ile Pro Ala Leu Asn Asp 195 200 205

Ser Lys Tyr Ile Gly Met Ser Val Tyr Asn Val Gly Ile Met Cys Ile 210 220

Ile Gly Ala Ala Val Ser Phe Leu Thr Arg Asp Gln Pro Asn Val Gln 225 230 235 240

Phe Cys Ile Val Ala Leu Val Ile Ile Phe Cys Ser Thr Ile Thr Leu 245 250 255

Cys Leu Val Phe Val Pro Lys Leu 260

<210> 10

<211> 260

<212> PRT

<213> Human

<400> 10

Ala Val Val Pro Val Phe Val Ala Ile Leu Gly Ile Ile Ala Thr Thr
1 5 10 15

Phe Val Ile Val Thr Phe Val Arg Tyr Asn Asp Thr Pro Ile Val Arg 20 25 30

Ala Ser Gly Arg Glu Leu Ser Tyr Val Leu Leu Thr Gly Ile Phe Leu 35 40 45

Cys Tyr Ser Ile Thr Phe Leu Met Ile Ala Ala Pro Asp Thr Ile Ile 50 55 60

Cys Ser Phe Arg Arg Val Phe Leu Gly Leu Gly Met Cys Phe Ser Tyr 70 75 80

Ala Ala Leu Leu Thr Lys Thr Asn Arg Ile His Arg Ile Phe Glu Gln 85 90 95

Gly Lys Lys Ser Val Thr Ala Pro Lys Phe Ile Ser Pro Ala Ser Gln 100 105 110

Leu Val Ile Thr Phe Ser Leu Ile Ser Val Gln Leu Leu Gly Val Phe 115 120 125

Val Trp Phe Val Val Asp Pro Pro His Ile Ile Ile Asp Tyr Gly Glu 130 135 140

Gln Arg Thr Leu Asp Pro Glu Lys Ala Arg Gly Val Leu Lys Cys Asp 145 150 155 160

Ile Ser Asp Leu Ser Leu Ile Cys Ser Leu Gly Tyr Ser Ile Leu Leu 165 170 175

Met Val Thr Cys Thr Val Tyr Ala Ile Lys Thr Arg Gly Val Pro Glu 180 185 190

Thr Phe Asn Glu Ala Lys Pro Ile Gly Phe Thr Met Tyr Thr Thr Cys 195 200 205

Ile Ile Trp Leu Ala Phe Ile Pro Ile Phe Phe Gly Thr Ala Gln Ser 210 220

Ala Glu Lys Met Tyr Ile Gln Thr Thr Thr Leu Thr Val Ser Met Ser 225 230 235 240

Leu Ser Ala Ser Val Ser Leu Gly Met Leu Tyr Met Pro Lys Val Tyr
245 250 255

Ile Ile Ile Phe

260

```
<210> 11
```

<211> 216

<212> PRT

<213> Human

<400> 11

Lys Pro Ser Arg Asn Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala 1 5 10 15

His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg Ser Asn Val 20 25 30

Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly Ser Thr Pro 35 40 45

Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro Phe Pro Gln 50 60

Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala Leu Thr Gln Glu 65 70 75 80

Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln
85 90 95

Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr 100 105 110

Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly 115 120 125

Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr 130 140

Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly Glu Thr Asp 145 150 155 160

Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro Val Gly Gly 165 170 175

Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu 180 185 190

Val Val Ser Ser Gln Ser Phe Val Ile Ser Gly Gly Ser Thr 195 200 205

Val Thr Glu Asn Val Val Asn Ser 210 215

```
<210> 12
```

<211> 104

<212> PRT

<213> Human

<400> 12

Arg Arg Leu Ile Thr Arg Gly Glu Trp Gln Ser Glu Ala Gln Asp Thr
1 5 10 15

Met Lys Thr Gly Ser Ser Thr Asn Asn Glu Glu Glu Lys Ser Arg 20 25 30

Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile Ile Ala Glu Lys 35 40 45

Glu Glu Arg Val Ser Glu Leu Arg His Gln Leu Gln Ser Arg Gln Gln 50 55 60

Leu Arg Ser Arg Arg His Pro Pro Thr Pro Pro Glu Pro Ser Gly Gly 65 70 75 80

Leu Pro Arg Gly Pro Pro Glu Pro Pro Asp Arg Leu Ser Cys Asp Gly 85 90 95

Ser Arg Val His Leu Leu Tyr Lys 100

<210> 13

<211> 104

<212> PRT

<213> Human

<400> 13

Arg Arg Leu Ile Thr Arg Gly Glu Trp Gln Ser Glu Ala Gln Asp Thr 1 5 10 15

Met Lys Thr Gly Ser Ser Thr Asn Asn Asn Glu Glu Glu Lys Ser Arg 20 25 30

Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile Ile Ala Glu Lys
35 40 45

Glu Glu Arg Val Ser Glu Leu Arg His Gln Leu Gln Ser Arg Gln Gln 50 55 60

Leu Arg Ser Arg Arg His Pro Pro Thr Pro Pro Glu Pro Ser Gly Gly 65 70 75 80

Leu Pro Arg Gly Pro Pro Glu Pro Pro Asp Arg Leu Ser Cys Asp Gly 85 90 95

Ser Arg Val His Leu Leu Tyr Lys 100 <210> 14

<211> 197

<212> PRT

<213> Human

<400> 14

Ile Thr Leu Arg Thr Asn Pro Asp Ala Ala Thr Gln Asn Arg Arg Phe
1 5 10 15

Gln Phe Thr Gln Asn Gln Lys Lys Glu Asp Ser Lys Thr Ser Thr Ser 20 25 30

Val Thr Ser Val Asn Gln Ala Ser Thr Ser Arg Leu Glu Gly Leu Gln 35 40 45

Ser Glu Asn His Arg Leu Arg Met Lys Ile Thr Glu Leu Asp Lys Asp 50 60

Leu Glu Glu Val Thr Met Gln Leu Gln Asp Thr Pro Glu Lys Thr Thr 75 75 80

Tyr Ile Lys Gln Asn His Tyr Gln Glu Leu Asn Asp Ile Leu Asn Leu 85 90 95

Gly Asn Phe Thr Glu Ser Thr Asp Gly Gly Lys Ala Ile Leu Lys Asn 100 105 110

His Leu Asp Gln Asn Pro Gln Leu Gln Trp Asn Thr Thr Glu Pro Ser 115 120 125

Arg Thr Cys Lys Asp Pro Ile Glu Asp Ile Asn Ser Pro Glu His Ile 130 135 140

Gln Arg Arg Leu Ser Leu Gln Leu Pro Ile Leu His His Ala Tyr Leu 145 150 155 160

Pro Ser Ile Gly Gly Val Asp Ala Ser Cys Val Ser Pro Cys Val Ser 165 170 175

Pro Thr Ala Ser Pro Arg His Arg His Val Pro Pro Ser Phe Arg Val 180 185 190

Met Val Ser Gly Leu 195

```
<210> 15
```

<211> 65

<212> PRT

<213> Human

<400> 15

His Pro Glu Gln Asn Val Gln Lys Arg Lys Arg Ser Phe Lys Ala Val
1 5 10 15

Val Thr Ala Ala Thr Met Gln Ser Lys Leu Ile Gln Lys Gly Asn Asp 20 25 30

Arg Pro Asn Gly Glu Val Lys Ser Glu Leu Cys Glu Ser Leu Glu Thr 35 40 45

Asn Ser Lys Ser Ser Val Glu Phe Pro Met Val Lys Ser Gly Ser Thr 50 60

Ser 65

<210> 16

<211> 374

<212> PRT

<213> Human

<400> 16

Met Ala Arg Ser Leu Thr Trp Gly Cys Cys Pro Trp Cys Leu Thr Glu
1 5 10 15

Glu Glu Lys Thr Ala Ala Arg Ile Asp Gln Glu Ile Asn Arg Ile Leu 20 25 30

Leu Glu Gln Lys Lys Gln Glu Arg Glu Glu Leu Lys Leu Leu Leu 45

Gly Pro Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile 50 60

Ile His Gly Val Gly Tyr Ser Glu Glu Asp Arg Arg Ala Phe Arg Leu 70 75 80

Leu Ile Tyr Gln Asn Ile Phe Val Ser Met Gln Ala Met Ile Asp Ala 85 90 95

Met Asp Arg Leu Gln Ile Pro Phe Ser Arg Pro Asp Ser Lys Gln His
100 105 110

Ala Ser Leu Val Met Thr Gln Asp Pro Tyr Lys Val Ser Thr Phe Glu 115 120 125

Lys Pro Tyr Ala Val Ala Met Gln Tyr Leu Trp Arg Asp Ala Gly Ile 130 135 140

- Arg Ala Cys Tyr Glu Arg Arg Glu Phe His Leu Leu Asp Ser Ala
 145 150 155 160
- Val Tyr Tyr Leu Ser His Leu Glu Arg Ile Ser Glu Asp Ser Tyr Ile 165 170 175
- Pro Thr Ala Gln Asp Val Leu Arg Ser Arg Met Pro Thr Thr Gly Ile 180 185 190
- Asn Glu Tyr Cys Phe Ser Val Lys Lys Thr Lys Leu Arg Ile Val Asp 195 200 205
- Val Gly Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu 210 215 220
- Asn Val Ile Ala Leu Ile Tyr Leu Ala Ser Leu Ser Glu Tyr Asp Gln 225 230 235 240
- Cys Leu Glu Glu Asn Asp Gln Glu Asn Arg Met Glu Glu Ser Leu Ala 245 250 255
- Leu Phe Ser Thr Ile Leu Glu Leu Pro Trp Phe Lys Ser Thr Ser Val 260 265 270
- Ile Leu Phe Leu Asn Lys Thr Asp Ile Leu Glu Asp Lys Ile His Thr 275 280 285
- Ser His Leu Ala Thr Tyr Phe Pro Ser Phe Gln Gly Pro Arg Arg Asp 290 295 300
- Ala Glu Ala Ala Lys Ser Phe Ile Leu Asp Met Tyr Ala Arg Val Tyr 305 310 315 320
- Ala Ser Cys Ala Glu Pro Gln Asp Gly Gly Arg Lys Gly Ser Arg Ala 325 330 335
- Arg Arg Phe Phe Ala His Phe Thr Cys Ala Thr Asp Thr Gln Ser Val 340 345 350
- Arg Ser Val Phe Lys Asp Val Arg Asp Ser Val Leu Ala Arg Tyr Leu 355 360 365

Asp Glu Ile Asn Leu Leu 370 <210> 17

<211> 374

<212> PRT

<213> Human

<400> 17

Met Ala Arg Ser Leu Thr Trp Arg Cys Cys Pro Trp Cys Leu Thr Glu
1 5 10 15

Asp Glu Lys Ala Ala Arg Val Asp Gln Glu Ile Asn Arg Ile Leu 20 25 30

Leu Glu Gln Lys Lys Gln Asp Arg Gly Glu Leu Lys Leu Leu Leu 45

Gly Pro Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile 50 60

Ile His Gly Ala Gly Tyr Ser Glu Glu Glu Arg Lys Gly Phe Arg Pro 70 75 80

Leu Val Tyr Gln Asn Ile Phe Val Ser Met Arg Ala Met Ile Glu Ala 85 90 95

Met Glu Arg Leu Gln Ile Pro Phe Ser Arg Pro Glu Ser Lys His His 100 105 110

Ala Ser Leu Val Met Ser Gln Asp Pro Tyr Lys Val Thr Thr Phe Glu 115 120 125

Lys Arg Tyr Ala Ala Met Gln Trp Leu Trp Arg Asp Ala Gly Ile 130 135 140

Arg Ala Cys Tyr Glu Arg Arg Glu Phe His Leu Leu Asp Ser Ala 145 150 155 160

Val Tyr Tyr Leu Ser His Leu Glu Arg Ile Thr Glu Glu Gly Tyr Val 165 170 175

Pro Thr Ala Gln Asp Val Leu Arg Ser Arg Met Pro Thr Thr Gly Ile 180 185 190

Asn Glu Tyr Cys Phe Ser Val Gln Lys Thr Asn Leu Arg Ile Val Asp 195 200 205

Val Gly Gln Lys Ser Glu Arg Lys Lys Trp Ile His Cys Phe Glu 210 215 220

Asn Val Ile Ala Leu Ile Tyr Leu Ala Ser Leu Ser Glu Tyr Asp Gln 225 230 235 240

Cys Leu Glu Glu Asn Asn Gln Glu Asn Arg Met Lys Glu Ser Leu Ala 245 250 255

Leu Phe Gly Thr Ile Leu Glu Leu Pro Trp Phe Lys Ser Thr Ser Val 260 265 270

```
Ile Leu Phe Leu Asn Lys Thr Asp Ile Leu Glu Glu Lys Ile Pro Thr
                             280
Ser His Leu Ala Thr Tyr Phe Pro Ser Phe Gln Gly Pro Lys Gln Asp
                        295
Ala Glu Ala Ala Lys Arg Phe Ile Leu Asp Met Tyr Thr Arg Met Tyr
                    310
                                         315
                                                              320
Thr Gly Cys Val Asp Gly Pro Glu Gly Ser Lys Lys Gly Ala Arg Ser
                325
                                     330
                                                          335
Arg Arg Leu Phe Ser His Tyr Thr Cys Ala Thr Asp Thr Gln Asn Ile
            340
                                 345
                                                     350
Arg Lys Val Phe Lys Asp Val Arg Asp Ser Val Leu Ala Arg Tyr Leu
        355
                             360
Asp Glu Ile Asn Leu Leu
    370
```

<210> 18 <211> 3234 <212> DNA <213> Human

<400> 18

```
atggcatttt atagctgctg ctgggtcctc ttggcactca cctggcacac ctctgcctac
                                                                        60
                                                                       120
gggccagacc agcgagccca aaagaagggg gacattatcc ttggggggct ctttcctatt
cattttggag tagcagctaa agatcaagat ctcaaatcaa ggccggagtc tgtggaatgt
                                                                       180
atcaggtata atttccgtgg gtttcgctgg ttacaggcta tgatatttgc catagaggag
                                                                       240
ataaacagca gcccagccct tcttcccaac ttgacgctgg gatacaggat atttgacact
                                                                       300
tgcaacaccg tttctaaggc cttggaagcc accctgagtt ttgttgctca aaacaaaatt
                                                                       360
gattetttga acettgatga gttetgeaac tgeteagage acatteecte taegattget
                                                                       420
gtggtgggag caactggctc aggcgtctcc acggcagtgg caaatctgct ggggctcttc
                                                                       480
tacattcccc aggtcagtta tgcctcctcc agcagactcc tcagcaacaa gaatcaattc
                                                                       540
aagtetttee teegaaceat eeceaatgat gageaceagg eeactgeeat ggeagacate
                                                                       600
atcgagtatt tccgctggaa ctgggtgggc acaattgcag ctgatgacga ctatgggcgg
                                                                       660
ccggggattg agaaattccg agaggaagct gaggaaaggg atatctgcat cgacttcagt
                                                                       720
gaactcatct cccagtactc tgatgaggaa gagatccagc atgtggtaga ggtgattcaa
                                                                       780
aattccacgg ccaaagtcat cgtggttttc tccagtggcc cagatcttga gcccctcatc
                                                                       840
                                                                       900
aaggagattg teeggegeaa tateaeggge aagatetgge tggeeagega ggeetgggee
agetectece tgategeeat geeteagtac ttecaegtgg ttggeggeac cattggatte
                                                                       960
gctctgaagg ctgggcagat cccaggcttc cgggaattcc tgaagaaggt ccatcccagg
                                                                      1020
aagtctgtcc acaatggttt tgccaaggag ttttgggaag aaacatttaa ctgccacctc
                                                                      1080
caagaaggtg caaaaggacc tttacctgtg gacacctttc tgagaggtca cgaagaaagt
                                                                      1140
ggcgacaggt ttagcaacag ctcgacagcc ttccgacccc tctgtacagg ggatgagaac
                                                                      1200
atcagcagtg tegagacece ttacatagat tacacgcatt tacggatate ctacaatgtg
                                                                      1260
tacttagcag tctactccat tgcccacgcc ttgcaagata tatatacctg cttacctggg
                                                                      1320
                                                                      1380
agagggctct tcaccaatgg ctcctgtgca gacatcaaga aagttgaggc gtggcaggtc
ctgaagcacc tacggcatct aaactttaca aacaatatgg gggagcaggt gacctttgat
                                                                      1440
                                                                      1500
gagtgtggtg acctggtggg gaactattcc atcatcaact ggcacctctc cccagaggat
```

aactccatca	tgtttaagga	agtcgggtat	tacaacgtct	atgccaagaa	gggagaaaga	1560
ctcttcatca	acgaggagaa	aatcctqtqq	agtgggttct	ccagggaggt	gcccttctcc	1620
aactgcagcc	gagactgcct	gacaggacc	aqqaaaqqqa	tcattgaggg	ggagcccacc	1680
tactacttta	agtgtgtgga	gtgtcctgat	gggagtata	gtgatgagac	agatgccagt	1740
acctataaca	agtgcccaga	tgacttctgg	tccaatqaqa	accacacctc	ctgcattgcc	1800
aaccacatco	agtttctgtc	atagacagaa	ccctttqqqa	tcqcactcac	cctctttgcc	1860
atactaaaca	ttttcctgac	ageetttata	ctagatatat	ttatcaaqtt	ccgcaacaca	1920
gegeegggea	aggccaccaa	ccaagaactc	tcctacctcc	tcctcttctc	cctgctctgc	1980
tagttataga	gctccctgtt	cttcatcada	gagcccagg	actggacgtg	ccqcctgcgc	2040
aggaggagt	ttggcatcag	cttcatactc	tgcatctcat	gcatcctqqt	qaaaaccaac	2100
cageeggeee	tggtgtttga	ggcgaggtc	cccaccagct	tccaccqcaa	gtggtgggg	2160
etanagtag	agttcctgct	ggttttcctc	tgcaccttca	tacagattat	catctgtgtg	2220
etetagetet	acaccgcgcc	ccctcaacc	taccocaacc	aggagetgga	ggatgagatc	2280
atetggetet	cgtgccacga	agactacata	ataaccctaa	acttectgat	cggctacacc	2340
accitcatca	ctgccatctg	cttcttctt	accttcaagt	cccggaagct	accadadaac	2400
tgeetgetgg	ccaagttcat	caccttcacc	atactcatct	tetteatest	ctggatctcc	2460
ttcaatgaag	cctatgccag	cacctetage	aagtttatct	ctaccataga	ggtgattgcc	2520
ttcattccag	cctatgccag	attactaca	tagetegeet	tcaacaagat	ctacatcatt	2580
atcctggcag	ccagctttgg	and an tage	geatecett	deadeacede	ageteacget	2640
ctcttcaagc	catcccgcaa	caccatcgag	gaggegegee	tetececaa	acaatccaac	2700
ttcaaggtgg	ctgcccgggc	caegergege	tactactace	taaacaacaa	geggeeege	2760
agccttggag	gctccacggg	acecacece	coccccca	aggageag	cctaacccad	2820
gaagacccat	tcccacagcc	cgagaggcag	aagcagcagc	agecycryge	acsacsacca	2880
caagagcagc	agcagcagcc	cctgaccctc	ccacagcagc	actycect	gaactttaat	2940
agatgcaagc	agaaggtcat	ctttggcagc	ggeaeggeea	aggagagete	cctacaaaac	3000
gagcctcaga	agaacgccat	ggcccacggg	aattetaege	tagagataga	atacaaaaa	3060
cagaaaagca	gcgatacgct	gacccgacac	cagecattae	gagatataga	gtgcggggaa	3120
acggacttag	atctgaccgt	ccaggaaaca	ggtctgcaag	gaccigiggg	tggagaccag	3180
cggccagagg	tggaggaccc	tgaagagttg	tececageae	Ligiagigic	cagttcacag	3234
agctttgtca	. tcagtggtgg	aggcagcact	gttacagaaa	acgtagtgaa	LLUA	JAJI

<210> 19 <211> 3464 <212> DNA <213> Human

<400> 19

60 cagaccccca acgccacctc agaaggttgc cagatcatac acccgccctg ggaaggggc 120 atcaggtacc ggggcctgac tcgggaccag gtgaaggcta tcaacttcct gccagtggac 180 tatgagattg agtatgtgtg ccggggggag cgcgaggtgg tggggcccaa ggtccgcaag 240 tgcctggcca acggctcctg gacagatatg gacacaccca gccgctgtgt ccgaatctgc 300 tccaagtctt atttgaccct ggaaaatggg aaggttttcc tgacgggtgg ggacctccca 360 gctctggacg gagcccgggt ggatttccgg tgtgaccccg acttccatct ggtgggcagc 420 tcccggagca tctgtagtca gggccagtgg agcaccccca agccccactg ccaggtgaat 480 cgaacgccac actcagaacg gcgcgcagtg tacatcgggg cactgtttcc catgagcggg 540 ggctggccag ggggccaggc ctgccagccc gcggtggaga tggcgctgga ggacgtgaat 600 agccgcaggg acatcctgcc ggactatgag ctcaagctca tccaccacga cagcaagtgt 660 gatccaggcc aagccaccaa gtacctatat gagctgctct acaacgaccc tatcaagatc 720 atccttatgc ctggctgcag ctctgtctcc acgctggtgg ctgaggctgc taggatgtgg 780 aacctcattg tgctttccta tggctccagc tcaccagccc tgtcaaaccg gcagcgtttc 840 cccactttct tccgaacgca cccatcagcc acactccaca accctacccg cgtgaaactc 900 tttgaaaagt ggggctggaa gaagattgct accatccagc agaccactga ggtcttcact 960 tcgactctgg acgacctgga ggaacgagtg aaggaggctg gaattgagat tactttccgc 1020

cagagtttct	tctcagatcc	agctgtgccc	gtcaaaaacc	tgaagcgcca	ggatgcccga	1080
atcatcgtgg	gacttttcta	tgagactgaa	gcccggaaag	ttttttgtga	ggtgtacaag	1140
gagcgtctct	ttgggaagaa	gtacgtctgg	ttcctcattg	ggtggtatgc	tgacaattgg	1200
ttcaagatct	acgacccttc	tatcaactgc	acagtggatg	agatgactga	ggcggtggag	1260
ggccacatca	caactgagat	tgtcatgctg	aatcctgcca	atacccgcag	catttccaac	1320
atgacatccc	aggaatttgt	ggagaaacta	accaagcgac	tgaaaagaca	ccctgaggag	1380
acaggaggct	tccaggaggc	accgctggcc	tatgatgcca	tctgggcctt	ggcactggcc	1440
ctgaacaaga	catctggagg	aggcggccgt	tctggtgtgc	gcctggagga	cttcaactac	1500
aacaaccaga	ccattaccga	ccaaatctac	cgggcaatga	actcttcgtc	ctttgagggt	1560
gtctctggcc	atgtggtgtt	tgatgccagc	ggctctcgga	tggcatggac	gcttatcgag	1620
cagcttcagg	gtggcagcta	caagaagatt	ggctactatg	acagcaccaa	ggatgatctt	1680
tcctggtcca	aaacagataa	atggattgga	gggtccccc	cagctgacca	gaccctggtc	1740
atcaagacat	tccgcttcct	gtcacagaaa	ctctttatct	ccgtctcagt	tctctccagc	1800
ctgggcattg	tcctagctgt	tgtctgtctg	tcctttaaca	tctacaactc	acatgtccgt	1860
tatatccaga	actcacagcc	caacctgaac	aacctgactg	ctgtgggctg	ctcactggct	1920
ttagctgctg	tcttccccct	ggggctcgat	ggttaccaca	ttgggaggaa	ccagtttcct	1980
ttcgtctgcc	aggcccgcct	ctggctcctg	ggcctgggct	ttagtctggg	ctacggttcc	2040
atgttcacca	agatttggtg	ggtccacacg	gtcttcacaa	agaaggaaga	aaagaaggag	2100
tggaggaaga	ctctggaacc	ctggaagctg	tatgccacag	tgggcctgct	ggtgggcatg	2160
gatgtcctca	ctctcgccat	ctggcagatc	gtggaccctc	tgcaccggac	cattgagaca	2220
tttgccaagg	aggaacctaa	ggaagatatt	gacgtctcta	ttctgcccca	gctggagcat	2280
tgcagctcca	ggaagatgaa	tacatggctt	ggcattttct	atggttacaa	ggggctgctg	2340
ctgctgctgg	gaatcttcct	tgcttatgag	accaagagtg	tgtccactga	gaagatcaat	2400
gatcaccggg	ctgtgggcat	ggctatctac	aatgtggcag	tcctgtgcct	catcactgct	2460
cctgtcacca	tgattctgtc	cagccagcag	gatgcagcct	ttgcctttgc	ctctcttgcc	2520
atagttttct	cctcctatat	cactcttgtt	gtgctctttg	tgcccaagat	gcgcaggctg	2580
atcacccgag	gggaatggca	gtcggaggcg	caggacacca	tgaagacagg	gtcatcgacc	2640
aacaacaacg	aggaggagaa	gtcccggctg	ttggagaagg	agaaccgtga	actggaaaag	2700
atcattgctg	agaaagagga	gcgtgtctct	gaactgcgcc	atcagctcca	gtctcggcag	2760
cagctccgct	cccggcgcca	cccaccgaca	ccccagaac	cctctggggg	cctgcccagg	2820
ggaccccctg	agccccccga	ccggcttagc	tgtgatggga	gtcgagtgca	tttgctttat	2880
aagtgagggt	agggtgaggg	aggacaggcc	agtaggggga	gggaaaggga	gaggggaagg	2940
gcaggggact	caggaagcag	ggggtcccca	tccccagctg	ggaagaacat	gctatccaat	3000
ctcatctctt	gtaaatacat	gtccccctgt	gagttctggg	ctgatttggg	tctctcatac	3060
ctctgggaaa	cagacctttt	tctctcttac	tgcttcatgt	aattttgtat	cacctcttca	3120
caatttagtt	cgtacctggc	ttgaagctgc	tcactgctca	cacgctgcct	cctcagcagc	3180
ctcactgcat	ctttctcttc	ccatgcaaca	ccctcttcta	gttaccacgg	caacccctgc	3240
agctcctctg	cctttgtgct	ctgttcctgt	ccagcagggg	tctcccaaca	agtgctcttt	3300
ccaccccaaa	ggggcctctc	cttttctcca	ctgtcataat	ctctttccat	cttacttgcc	3360
cttctatact	ttctcacatg	tggctccccc	tgaattttgc	ttcctttggg	gagctcattc	3420
ntttcgccaa	ggntcacatg	ctcccttgcc	tctggctccg	tgca		3464

<210> 20 <211> 2887

<212> DNA

<213> Human

<400> 20

```
atggggcccg gggccccttt tgcccgggtg gggtggccac tgccgcttct ggttgtgatg 60 gcggcagggg tggctccgt gtgggcctcc cactccccc atctcccgcg gcctcactcg 120 cgggtccccc cgcacccctc ctcagaacgg cgcgcagtgt acatcggggc actgtttccc 180 atgagcgggg gctggccagg gggccaggcc tgccagcccg cggtggagat ggcgctggag 240 gacgtgaata gccgcaggga catcctgccg gactatgagc tcaagctcat ccaccacgac 300 agcaagtgt atccaggcca agccaccaag tacctatatg agctgctcta caacgaccct 360
```

```
atcaagatca teettatgee tggetgeage tetgteteea egetggtgge tgaggetget
                                                                       420
aggatgtgga acctcattgt gctttcctat ggctccagct caccagccct gtcaaaccgg
                                                                       480
cagcgtttcc ccactttctt ccgaacgcac ccatcagcca cactccacaa ccctacccgc
                                                                       540
gtgaaactct ttgaaaagtg gggctggaag aagattgcta ccatccagca gaccactgag
                                                                       600
gtcttcactt cgactctgga cgacctggag gaacgagtga aggaggctgg aattgagatt
                                                                       660
actttccgcc agagtttctt ctcagatcca gctgtgcccg tcaaaaacct gaagcgccag
                                                                       720
gatgcccgaa tcatcgtggg acttttctat gagactgaag cccggaaagt tttttgtgag
                                                                       780
gtgtacaagg agcgtctctt tgggaagaag tacgtctggt tcctcattgg gtggtatgct
                                                                       840
gacaattggt tcaagatcta cgacccttct atcaactgca cagtggatga gatgactgag
                                                                       900
gcggtggagg gccacatcac aactgagatt gtcatgctga atcctgccaa tacccgcagc
                                                                       960
atttccaaca tgacatccca ggaatttgtg gagaaactaa ccaagcgact gaaaagacac
                                                                      1020
cctgaggaga caggaggctt ccaggaggca ccgctggcct atgatgccat ctgggccttg
                                                                      1080
gcactggccc tgaacaagac atctggagga ggcggccgtt ctggtgtgcg cctggaggac
                                                                      1140
ttcaactaca acaaccagac cattaccgac caaatctacc gggcaatgaa ctcttcgtcc
                                                                      1200
tttgagggtg tctctggcca tgtggtgttt gatgccagcg gctctcggat ggcatggacg
                                                                      1260
cttatcgagc agcttcaggg tggcagctac aagaagattg gctactatga cagcaccaag
                                                                      1320
gatgatettt eetggteeaa aacagataaa tggattggag ggteeecece agetgaceag
                                                                      1380
accetggtea teaagacatt eegetteetg teacagaaac tetttatete egteteagtt
                                                                      1440
ctctccagcc tgggcattgt cctagctgtt gtctgtctgt cctttaacat ctacaactca
                                                                      1500
catgtccgtt atatccagaa ctcacagccc aacctgaaca acctgactgc tgtgggctgc
                                                                      1560
tcactggctt tagctgctgt cttccccctg gggctcgatg gttaccacat tgggaggaac
                                                                      1620
cagtttcctt tcgtctgcca ggcccgcctc tggctcctgg gcctgggctt tagtctgggc
                                                                      1680
tacggttcca tgttcaccaa gatttggtgg gtccacacgg tcttcacaaa gaaggaagaa
                                                                      1740
aagaaggagt ggaggaagac tctggaaccc tggaagctgt atgccacagt gggcctgctg
                                                                      1800
gtgggcatgg atgtcctcac tctcgccatc tggcagatcg tggaccctct gcaccggacc
                                                                      1860
attgagacat ttgccaagga ggaacctaag gaagatattg acgtctctat tctgcccag
                                                                      1920
ctggagcatt gcagctccag gaagatgaat acatggcttg gcattttcta tggttacaag
                                                                      1980
gggctgctgc tgctgctggg aatcttcctt gcttatgaga ccaagagtgt gtccactgag
                                                                      2040
aagatcaatg atcaccgggc tgtgggcatg gctatctaca atgtggcagt cctgtgcctc
                                                                      2100
atcactgctc ctgtcaccat gattctgtcc agccagcagg atgcagcctt tgcctttgcc
                                                                      2160
totottgcca tagttttctc ctcctatatc actcttgttg tgctctttgt gcccaagatg
                                                                      2220
cgcaggctga tcacccgagg ggaatggcag tcggaggcgc aggacaccat gaagacaggg
                                                                      2280
tcatcgacca acaacaacga ggaggagaag tcccggctgt tggagaagga gaaccgtgaa
                                                                      2340
ctggaaaaga tcattgctga gaaagaggag cgtgtctctg aactgcgcca tcaactccag
                                                                      2400
teteggeage ageteegete eeggegeeae ceacegaeae eeceagaaee etetggggge
                                                                      2460
ctgcccaggg gaccccctga gccccccgac cggcttagct gtgatgggag tcgagtgcat
                                                                      2520
ttgctttata agtgagggta gggtgaggga ggacaggcca gtagggggag ggaaagggag
                                                                      2580
aggggaaggg caggggactc aggaagcagg gggtccccat ccccagctgg gaagaacatg
                                                                      2640
ctatccaatc tcatctcttg taaatacatg tccccctgtg agttctgggc tgatttgggt
                                                                      2700
ctctcatacc tctgggaaac agaccttttt ctctcttact gcttcatgta attttgtatc
                                                                      2760
acctcttcac aatttagttc gtacctggct tgaagctgct cactgctcac acgctgcctc
                                                                      2820
ctcagcagcc tcactgcatc tttctcttcc catgcaacac cctcttctag ttaccacggc
                                                                      2880
                                                                      2887
aacccct
```

<210> 21 <211> 3144 <212> DNA <213> Human

<400> 21

atggcttccccgcggagctccgggcagcccgggccgcngccgccgccgccaccgccgcc60gcgcgcctgctactgctactgctgctgcgctctggcgcctctggcgccggggcctggggctgggcgcggggcgcccccggccgcgccagcagcccgccgctctccatcatgggctcatgccgctcaccaaggaggtggccaagggcagcatcggcgcggtgtgctccccgcc

300 gtggaactgg ccatcgagca gatccgcaac gagtcactcc tgcgccccta cttcctcgac 360 ctgcggctct atgacacgga gtgcgacaac gcaaaagggt tgaaagcctt ctacgatgca ataaaatacg ggccgaacca cttgatggtg tttggaggcg tctgtccatc cgtcacatcc 420 atcattgcag agtccctcca aggctggaat ctggtgcagc tttcttttgc tgcaaccacg 480 cctgttctag ccgataagaa aaaataccct tatttctttc ggaccgtccc atcagacaat 540 600 geggtgaate cagecattet gaagttgete aageactace agtggaageg egtgggcaeg ctgacgcaag acgttcagag gttctctgag gtgcggaatg acctgactgg agttctgtat 660 720 ggcgaggaca ttgagatttc agacaccgag agcttctcca acgatccctg taccagtgtc aaaaagctga aggggaatga tgtgcggatc atccttggcc agtttgacca gaatatggca 780 840 gcaaaagtgt tctgttgtgc atacgaggag aacatgtatg gtagtaaata tcagtggatc 900 attccgggct ggtacgagcc ttcttggtgg gagcaggtgc acacggaagc caactcatcc 960 cgctgcctcc ggaagaatct gcttgctgcc atggagggct acattggcgt ggatttcgag cccctgagct ccaagcagat caagaccatc tcaggaaaga ctccacagca gtatgagaga 1020 1080 gagtacaaca acaagcggtc aggcgtgggg cccagcaagt tccacgggta cgcctacgat ggcatctggg tcatcgccaa gacactgcag agggccatgg agacactgca tgccagcagc 1140 1200 cggcaccagc ggatccagga cttcaactac acggaccaca cgctgggcag gatcatcctc 1260 aatgccatga acgagaccaa cttcttcggg gtcacgggtc aagttgtatt ccggaatggg 1320 gagagaatgg ggaccattaa atttactcaa tttcaagaca gcagggaggt gaaggtggga 1380 gagtacaacg ctgtggccga cacactggag atcatcaatg acaccatcag gttccaagga 1440 tccgaaccac caaaagacaa gaccatcatc ctggagcagc tgcggaagat ctccctacct 1500 ctctacagca tcctctctgc cctcaccatc ctcgggatga tcatggccag tgcttttctc 1560 ttcttcaaca tcaagaaccg gaatcagaag ctcataaaga tgtcgagtcc atacatgaac 1620 aaccttatca tccttggagg gatgctctcc tatgcttcca tatttctctt tggccttgat 1680 ggatectttg tetetgaaaa gacetttgaa acaetttgea eegteaggae etggattete 1740 accgtgggct acacgaccgc ttttggggcc atgtttgcaa agacctggag agtccacgcc 1800 atcttcaaaa atgtgaaaat gaagaagaag atcatcaagg accagaaact gcttgtgatc 1860 gtggggggca tgctgctgat cgacctgtgt atcctgatct gctggcaggc tgtggacccc 1920 ctgcgaagga cagtggagaa gtacagcatg gagccggacc cagcaggacg ggatatctcc 1980 atccgccctc tcctggagca ctgtgagaac acccatatga ccatctggct tggcatcgtc 2040 tatgcctaca agggacttct catgttgttc ggttgtttct tagcttggga gacccgcaac 2100 gtcagcatcc ccgcactcaa cgacagcaag tacatcggga tgagtgtcta caacgtgggg 2160 atcatgtgca tcatcggggc cgctgtctcc ttcctgaccc gggaccagcc caatgtgcag 2220 ttctgcatcg tggctctggt catcatcttc tgcagcacca tcaccctctg cctggtattc 2280 gtgccgaagc tcatcaccct gagaacaaac ccagatgcag caacgcagaa caggcgattc 2340 cagttcactc agaatcagaa gaaagaagat tctaaaaacgt ccacctcggt caccagtgtg 2400 aaccaagcca gcacatcccg cctggagggc ctacagtcag aaaaccatcg cctgcgaatg 2460 aagatcacag agctggataa agacttggaa gaggtcacca tgcagctgca ggacacacca 2520 gaaaagacca cctacattaa acagaaccac taccaagagc tcaatgacat cctcaacctg 2580 ggaaacttca ctgagagcac agatggagga aaggccattt taaaaaatca cctcgatcaa 2640 aatccccagc tacagtggaa cacaacagag ccctctcgaa catgcaaaga tcctatagaa 2700 gatataaact ctccagaaca catccagcgt cggctgtccc tccagctccc catcctccac 2760 cacgectace teccatecat eggaggegtg gacgecaget gtgtcagee etgegtcage 2820 cccaccgcca gccccgcca cagacatgtg ccaccctcct tccgagtcat ggtctcgggc 2880 ctgtaagggt gggaggcctg ggcccggggc ctcccccgtg acagaaccac actgggcaga ggggtctgct gcagaaacac tgtcggctct ggctgcggag aagctgggca ccatggctgg 2940 3000 cctctcagga ccactcggat ggcactcagg tggacaggac ggggcagggg gagacttggc acctgacctc gagccttatt tgtgaagtcc ttatttcttc acaaagaaga ggaacggaaa 3060 tgggacgtct tccttaacat ctgcaaacaa ggaggcgctg ggatatcaaa cttgcaaaaa 3120 3144 aaaaaaaaa aaaaaaaaaa aaaa

<210> 22 <211> 2880 <212> DNA <213> Rat

<400> 22

atgctgctgc tgctgctggt gcctctcttc ctccgccccc tgggcgctgg cggggcgcag 60 acccccaacg ccacctcgga aggttgccag attatacatc cgccctggga aggtggcatc 120 aggtaccgtg gcttgactcg cgaccaggtg aaggccatca acttcctgcc tgtggactat 180 gagatcgaat atgtgtgccg aggggagcgc gaggtggtgg ggcccaaggt gcgcaaatgc 240 ctggccaacg gctcctggac ggatatggac acacccagcc gctgtgtccg aatctgctcc 300 aagtettatt tgaccetgga aaatgggaag gtttteetga egggtgggga eeteecaget 360 ctggatggag cccgggtgga gttccgatgt gaccccgact tccatctggt gggcagctcc 420 cggagcgtct gtagtcaggg ccagtggagc acccccaagc cccactgcca ggtgaatcga 480 acgccacact cagaacggcg tgcagtatac atcggggcgc tgtttcccat gagcgggggc 540 tggccggggg gccaggcctg ccagcccgcg gtggagatgg cgctggagga cgttaacagc 600 cgcagagaca tcctgccgga ctacgagctc aagcttatcc accacgacag caagtgtgac 660 ccagggcaag ccaccaagta cttgtacgaa ctactctaca atgaccccat caagatcatt 720 ctcatgcctg gctgtagttc tgtctccaca cttgtagctg aggctgcccg gatgtggaac 780 cttattgtgc tctcatatgg ctccagttca ccagccttgt caaaccgaca gcggtttccc 840 acgttcttcc ggacgcatcc atccgccaca ctccacaatc ccacccgggt gaaactcttc 900 gaaaagtggg gctggaagaa gatcgctacc atccaacaga ccaccgaggt cttcacctca 960 acgctggatg acctggagga gcgagtgaaa gaggctggga tcgagatcac tttccgacag 1020 agtttcttct cggatccagc tgtgcctgtt aaaaacctga agcgtcaaga tgctcgaatc 1080 atcgtgggac ttttctatga gacggaagcc cggaaagttt tttgtgaggt ctataaggaa 1140 aggetetttg ggaagaagta egtetggtte eteategggt ggtatgetga eaactggtte 1200 1260 aagacctatg acccgtcaat caattgtaca gtggaagaaa tgaccgaggc ggtggagggc cacatcacca cggagattgt catgctgaac cctgccaaca cccgaagcat ttccaacatg 1320 acgtcacagg aatttgtgga gaaactaacc aagcggctga aaagacaccc cgaggagact 1380 ggaggcttcc aggaggcacc actggcctat gatgctatct gggccttggc tttggccttg 1440 aacaagacgt ctggaggagg tggtcgttcc ggcgtgcgcc tggaggactt taactacaac 1500 aaccagacca ttacagacca gatctaccgg gccatgaact cctcctctt tgagggcgtt 1560 tctggccatg tggtctttga tgccagcggc tcccggatgg catggacact tatcgagcag 1620 ctacagggcg gcagctacaa gaagatcggc tactacgaca gcaccaagga tgatctttcc 1680 tggtccaaaa cggacaagtg gattggaggg tctcccccag ctgaccagac cttggtcatc 1740 aagacattcc gtttcctgtc tcagaaactc tttatctccg tctcagttct ctccagcctg 1800 ggcattgttc ttgctgttgt ctgtctgtcc tttaacatct acaactccca cgttcgttat 1860 atccagaact cccagcccaa cctgaacaat ctgactgctg tgggctgctc actggcactg 1920 gctgctgtct tccctctcgg gctggatggt taccacatag ggagaagcca gttcccgttt 1980 gtctgccagg cccgcctttg gctcttgggc ttgggcttta gtctgggcta tggctctatg 2040 ttcaccaaga tctggtgggt ccacacagtc ttcacgaaga aggaggagaa gaaggagtgg 2100 aggaagaccc tagagccctg gaaactctat gccactgtgg gcctgctggt gggcatggat 2160 gtcctgactc ttgccatctg gcagattgtg gaccccttgc accgaaccat tgagactttt 2220 gccaaggagg aaccaaagga agacatcgat gtctccattc tgccccagtt ggagcactgc 2280 agctccaaga agatgaatac gtggcttggc attttctatg gttacaaggg gctgctgctg 2340 2400 ctgctgggaa tctttcttgc ttacgaaacc aagagcgtgt ccactgaaaa gatcaatgac cacagggccg tgggcatggc tatctacaat gtcgcggtcc tgtgtctcat cactgctcct 2460 gtgaccatga tcctttccag tcagcaggac gcagcctttg cctttgcctc tctggccatc 2520 2580 gtgttctctt cctacatcac tctggttgtg ctctttgtgc ccaagatgcg caggctgatc 2640 acccgagggg aatggcagtc tgaaacgcag gacaccatga aaacaggatc atccaccaac aacaacgagg aagagaagtc ccgactgttg gagaaggaaa accgagaact ggaaaagatc 2700 2760 ategetgaga aagaggageg egtetetgaa etgegeeate ageteeagte teggeageaa ctccgctcac ggcgccaccc cccaacaccc ccagatccct ctgggggcct tcccagggga 2820 ccctctgagc cccctgaccg gcttagctgt gatgggagtc gagtacattt gctttacaag

<210> 23 <211> 2532 <212> DNA <213> Rat

<400> 23

60 atgggcccgg ggggaccctg taccccagtg gggtggccgc tgcctcttct gctggtgatg 120 geggetgggg tggeteeggt gtgggeetet caeteeeete ateteeegeg geeteaeeeg agggtccccc cgcacccctc ctcagaacgg cgtgcagtat acatcggggc gctgtttccc 180 240 atgagcgggg gctggccggg gggccaggcc tgccagcccg cggtggagat ggcgctggag 300 gacgttaaca gccgcagaga catcctgccg gactacgagc tcaagcttat ccaccacgac 360 agcaagtgtg acccagggca agccaccaag tacttgtacg aactactcta caatgacccc 420 atcaagatca ttctcatgcc tggctgtagt tctgtctcca cacttgtagc tgaggctgcc 480 cggatgtgga accttattgt gctctcatat ggctccagtt caccagcctt gtcaaaccga cagoggtttc ccacgttctt coggacgcat ccatcogcca cactocacaa tcccaccogg 540 600 gtgaaactct tcgaaaagtg gggctggaag aagatcgcta ccatccaaca gaccaccgag 660 gtcttcacct caacgctgga tgacctggag gagcgagtga aagaggctgg gatcgagatc 720 actticcgac agagtitcti cicggatcca gctgtgcctg ttaaaaacct gaagcgtcaa 780 gatgctcgaa tcatcgtggg acttttctat gagacggaag cccggaaagt tttttgtgag 840 gtctataagg aaaggctctt tgggaagaag tacgtctggt tcctcatcgg gtggtatgct 900 gacaactggt tcaagaccta tgacccgtca atcaattgta cagtggaaga aatgaccgag geggtggagg gecacateae caeggagatt gteatgetga accetgeeaa caecegaage 960 1020 atttccaaca tgacgtcaca ggaatttgtg gagaaactaa ccaagcggct gaaaagacac 1080 cccgaggaga ctggaggctt ccaggaggca ccactggcct atgatgctat ctgggccttg gctttggcct tgaacaagac gtctggagga ggtggtcgtt ccggcgtgcg cctggaggac 1140 1200 tttaactaca acaaccagac cattacagac cagatctacc gggccatgaa ctcctcctcc 1260 tttgagggcg tttctggcca tgtggtcttt gatgccagcg gctcccggat ggcatggaca 1320 cttatcgagc agctacaggg cggcagctac aagaagatcg gctactacga cagcaccaag 1380 gatgatcttt cctggtccaa aacggacaag tggattggag ggtctccccc agctgaccag 1440 accttggtca tcaagacatt ccgtttcctg tctcagaaac tctttatctc cgtctcagtt 1500 ctctccagcc tgggcattgt tcttgctgtt gtctgtctgt cctttaacat ctacaactcc 1560 cacgttcgtt atatccagaa ctcccagccc aacctgaaca atctgactgc tgtgggctgc 1620 tcactggcac tggctgctgt cttccctctc gggctggatg gttaccacat agggagaagc 1680 cagttcccgt ttgtctgcca ggcccgcctt tggctcttgg gcttgggctt tagtctgggc 1740 tatggctcta tgttcaccaa gatctggtgg gtccacacag tcttcacgaa gaaggaggag 1800 aagaaggagt ggaggaagac cctagagccc tggaaactct atgccactgt gggcctgctg 1860 gtgggcatgg atgtcctgac tcttgccatc tggcagattg tggacccctt gcaccgaacc 1920 attgagactt ttgccaagga ggaaccaaag gaagacatcg atgtctccat tctgccccag 1980 ttggagcact gcagctccaa gaagatgaat acgtggcttg gcattttcta tggttacaag 2040 gggctgctgc tgctgctggg aatctttctt gcttacgaaa ccaagagcgt gtccactgaa 2100 aagatcaatg accacagggc cgtgggcatg gctatctaca atgtcgcggt cctgtgtctc 2160 atcactgctc ctgtgaccat gatcctttcc agtcagcagg acgcagcctt tgcctttgcc 2220 tetetggeea tegtgttete tteetacate actetggttg tgetetttgt geecaagatg 2280 cgcaggctga tcacccgagg ggaatggcag tctgaaacgc aggacaccat gaaaacagga 2340 tcatccacca acaacaacga ggaagagaag tcccgactgt tggagaagga aaaccgagaa 2400 ctggaaaaga tcatcgctga gaaagaggag cgcgtctctg aactgcgcca tcagctccag 2460 tctcggcagc aactccgctc acggcgccac cccccaacac ccccagatcc ctctgggggc 2520 cttcccaggg gaccctctga gccccctgac cggcttagct gtgatgggag tcgagtacat 2532 ttgctttaca ag

<210> 24

<211> 960

<212> PRT

<213> Rat

<400> 24

Met Leu Leu Leu Leu Val Pro Leu Phe Leu Arg Pro Leu Gly Ala
1 5 10 15

Gly Gly Ala Gln Thr Pro Asn Ala Thr Ser Glu Gly Cys Gln Ile Ile 20 25 30

His Pro Pro Trp Glu Gly Gly Ile Arg Tyr Arg Gly Leu Thr Arg Asp
35 40 45

Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu Tyr 50 55 60

Val Cys Arg Gly Glu Arg Glu Val Val Gly Pro Lys Val Arg Lys Cys 65 70 75 80

Leu Ala Asn Gly Ser Trp Thr Asp Met Asp Thr Pro Ser Arg Cys Val 85 90 95

Arg Ile Cys Ser Lys Ser Tyr Leu Thr Leu Glu Asn Gly Lys Val Phe
100 105 110

Leu Thr Gly Gly Asp Leu Pro Ala Leu Asp Gly Ala Arg Val Glu Phe
115 120 125

Arg Cys Asp Pro Asp Phe His Leu Val Gly Ser Ser Arg Ser Val Cys 130 135 140

Ser Gln Gly Gln Trp Ser Thr Pro Lys Pro His Cys Gln Val Asn Arg 145 150 155 160

Thr Pro His Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro 165 170 175

Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu 180 185 190

Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr 195 200 205

Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala 210 215 220

Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile 225 230 235 240

Leu Met Pro Gly Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala 245 250 255

Arg Met Trp Asn Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala 260 265 270 Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser 275 280 285

Ala Thr Leu His Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly 290 295 300

Trp Lys Lys Ile Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser 305 310 315 320

Thr Leu Asp Asp Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu Ile 325 330 335

Thr Phe Arg Gln Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys Asn 340 345

Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu Thr 355 360 365

Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe Gly 370 380

Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp Phe 385 390 395 400

Lys Thr Tyr Asp Pro Ser Ile Asn Cys Thr Val Glu Glu Met Thr Glu 405 410 415

Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro Ala 420 425 430

Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu Lys 435 440 445

Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe Gln 450 455 460

Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu 465 470 475 480

Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu Asp 485 490 495

Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala Met 500 505 510

Asn Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp Ala 515 520 525

Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly Gly 530 540

Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu Ser 545 550 560

Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp Gln 565 570 575

Ile Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe Ile 580 585 590

Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Cys 595 600 605

Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn Ser 610 620

Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala Leu 625 630 635

Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg Ser 645 650 655

Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu Gly 660 665 670

Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val His 675 680 685

Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr Leu 690 695 700

Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp
705 710 715 720

Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg Thr
725 730 735

Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val Ser
740 745 750

Ile Leu Pro Gln Leu Glu His Cys Ser Ser Lys Lys Met Asn Thr Trp
755 760 765

Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly Ile 770 780

Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn Asp 785 790 795 800

His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys Leu 805 810 815

Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala Ala 820 825 830

Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr Leu 835 840 845

Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly Glu 850 855 860

Trp Gln Ser Glu Thr Gln Asp Thr Met Lys Thr Gly Ser Ser Thr Asn

Asn Asn Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu Arg His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro Pro Thr Pro Pro Asp Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys <210> 25 <211> 844 <212> PRT <213> Rat <400> 25 Met Gly Pro Gly Pro Cys Thr Pro Val Gly Trp Pro Leu Pro Leu Leu Leu Val Met Ala Ala Gly Val Ala Pro Val Trp Ala Ser His Ser Pro His Leu Pro Arg Pro His Pro Arg Val Pro Pro His Pro Ser Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly Trp Pro Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala Arg Met Trp Asn Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser Ala Thr Leu His

Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly Trp Lys Lys Ile

11.00

12.1

::: (III)

Harris Market

din.

Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp Gln Ile Leu Val Ile

Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe Ile Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val Cys Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn Ser Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala Leu Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg Ser Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Lys Lys Met Asn Thr Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr Leu Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly Glu Trp Gln Ser Glu

Thr Gln Asp Thr Met Lys Thr Gly Ser Ser Thr Asn Asn Asn Glu Glu

Nik ro Nik

```
765
        755
                             760
Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile
    770
                         775
Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu Arg His Gln Leu Gln
785
                     790
                                         795
Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro Pro Thr Pro Pro Asp
                805
                                     810
Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro Pro Asp Arg Leu
            820
                                 825
                                                      830
Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys
        835
                             840
      <210> 26
      <211> 2616
      <212> DNA
      <213> Human
      <400> 26
```

atgggatcgc tgcttgcgct cctggcactg ctgccgctqt ggggtgctgt ggctgagggc 60 ccaqccaaga aggtgctgac cctggaggga gacttggtgc tgggtgggct gttcccagtg 120 caccagaagg gcggcccagc agaggactgt ggtcctgtca atgagcaccg tggcatccag 180 cgcctggagg ccatgctttt tgcactggac cgcatcaacc gtgacccgca cctgctgcct 240 ggcgtgcgcc tgggtgcaca catcctcgac agttgctcca aggacacaca tgcgctggag 300 cagginacting actititizing the transfer acceptance activities and the cagginal control of the canal cannot be activities and the cagginal canal cannot be activities and the cagginal canal cannot be activities and the cagginal cannot be activities and the cannot be activities 360 tgccccgacg gctcttatgc gacccatggt gatgctccca ctgccatcac tggtgttatt 420 480 ggcggttcct acagtgatgt ctccatccag gtggccaacc tcttgaggct atttcagatc 540 ccacagatta gctacgcctc taccagtgcc aagctgagtg acaagtcccg ctatgactac tttgcccgca cagtgcctcc tgacttcttc caagccaagg ccatggctga gattctccgc 600 ttcttcaact ggacctatgt gtccactgag gcctctgagg gcgactatgg cgagacaggc 660 attgaggeet ttgagetaga ggetegtgee egeaacatet gtgtggeeac eteggagaaa 720 gtgggccgtg ccatgagccg cgcggccttt gagggtgtgg tgcgagccct gctgcagaag 780 cccagtgccc gcgtggctgt cctgttcacc cgttctgagg atgcccggga gctgcttgct 840 900 gccagccagc gcctcaatgc cagcttcacc tgggtggcca gtgatggttg gggggccctg gagagtgtgg tggcaggcag tgagggggct gctgagggtg ctatcaccat cgagctggcc 960 tectacecca teagtgactt tgeetectae ttecagagee tggaceettg gaacaacage 1020 cggaacccct ggttccgtga attctgggag cagaggttcc gctgcagctt ccggcagcga 1080 gactgcgcag cccactctct ccgggctgtg ccctttgaac aggagtccaa gatcatgttt 1140 gtggtcaatg cagtgtacgc catggcccat gcgctccaca acatgcaccg tgccctctgc 1200 cecaacacca eceggetetg tgacgegatg eggecagtta acgggegeeg cetetacaag 1260 gactttgtgc tcaacgtcaa gtttgatgcc ccctttcgcc cagctgacac ccacaatgag 1320 gtccgctttg accgctttgg tgatggtatt ggccqctaca acatcttcac ctatctgcgt 1380 gcaggcagtg ggcgctatcg ctaccagaag gtgggctact gggcagaagg cttgactctg 1440 gacaccagec teateceatg ggeeteaceg teageeggee eeetggeege etetegetge 1500 1560 agtgagccct gcctccagaa tgaggtgaag agtgtgcagc cgggcgaagt ctgctgctgg 1620 ctctgcattc cgtgccagcc ctatgagtac cgattggacg aattcacttg cgctgattgt ggcctgggct actggcccaa tgccagcctg actggctgct tcgaactgcc ccaggagtac 1680 atccgctggg gcgatgcctg ggctgtggga cctgtcacca tcgcctgcct cggtgccctg 1740 gccaccctgt ttgtgctggg tgtctttgtg cggcacaatg ccacaccagt ggtcaaggcc 1800 1860 tcaggtcggg agctctgcta catcctgctg ggtggtgtct tcctctgcta ctgcatgacc 1920 ttcatcttca ttgccaagcc atccacggca gtgtgtacct tacggcgtct tggtttgggc

1980 actgeettet etgtetgeta etcagecetg etcaccaaga ecaacegeat tgcacgeate ttcggtgggg cccgggaggg tgcccagcgg ccacgcttca tcagtcctgc ctcacaggtg 2040 qccatctqcc tggcacttat ctcgggccag ctgctcatcg tggtcgcctg gctggtggtg 2100 gaggcaccgg gcacaggcaa ggagacagcc cccgaacggc gggaggtggt gacactgcgc 2160 tgcaaccacc gcgatgcaag tatgttgggc tcgctggcct acaatgtgct cctcatcgcg 2220 ctctgcacgc tttatgcctt caatactcgc aagtgccccg aaaacttcaa cgaggccaag 2280 ttcattggct tcaccatgta caccacctgc atcatctggc tggcattgtt gcccatcttc 2340 tatgtcacct ccagtgacta ccgggtacag accaccacca tgtgcgtgtc agtcagcctc 2400 ageggeteeg tggtgettgg etgeetettt gegeecaage tgeacateat cetetteeag 2460 ccgcagaaga acgtggttag ccaccgggca cccaccagcc gctttggcag tgctgctgcc 2520 agggccagct ccagccttgg ccaagggtct ggctcccagt ttgtccccac tgtttgcaat 2580 ggccgtgagg tggtggactc gacaacgtca tcgctt 2616

<210> 27

<211> 824

<212> PRT

<213> Human

<400> 27

Met Gly Ser Leu Leu Ala Leu Leu Ala Leu Leu Pro Leu Trp Gly Ala 1 5 10

Val Ala Glu Gly Pro Ala Lys Lys Val Leu Thr Leu Glu Gly Asp Leu 20 25 30

Val Leu Gly Gly Leu Phe Pro Val His Gln Lys Gly Gly Pro Ala Glu 35 40 45

Asp Cys Gly Pro Val Asn Glu His Arg Gly Ile Gln Arg Leu Glu Ala 50 55 60

Met Leu Phe Ala Leu Asp Arg Ile Asn Arg Asp Pro His Leu Leu Pro 65 70 75 80

Gly Val Arg Leu Gly Ala His Ile Leu Asp Ser Cys Ser Lys Asp Thr 85 90 95

His Ala Leu Glu Gln Ala Leu Asp Phe Val Arg Ala Ser Leu Ser Arg 100 105 110

Gly Ala Asp Gly Ser Arg His Ile Cys Pro Asp Gly Ser Tyr Ala Thr 115 120 125

His Gly Asp Ala Pro Thr Ala Ile Thr Gly Val Ile Gly Gly Ser Tyr 130 135 140

Ser Asp Val Ser Ile Gln Val Ala Asn Leu Leu Arg Leu Phe Gln Ile 145 150 155 160

Pro Gln Ile Ser Tyr Ala Ser Thr Ser Ala Lys Leu Ser Asp Lys Ser 165 170 175

Arg Tyr Asp Tyr Phe Ala Arg Thr Val Pro Pro Asp Phe Phe Gln Ala

190 185 180 Lys Ala Met Ala Glu Ile Leu Arg Phe Phe Asn Trp Thr Tyr Val Ser 200 195 Thr Glu Ala Ser Glu Gly Asp Tyr Gly Glu Thr Gly Ile Glu Ala Phe 220 215 210 Glu Leu Glu Ala Arg Ala Arg Asn Ile Cys Val Ala Thr Ser Glu Lys 235 230 225 Val Gly Arg Ala Met Ser Arg Ala Ala Phe Glu Gly Val Val Arg Ala 250 245 Leu Leu Gln Lys Pro Ser Ala Arg Val Ala Val Leu Phe Thr Arg Ser 265 260 Glu Asp Ala Arg Glu Leu Leu Ala Ala Ser Gln Arg Leu Asn Ala Ser 280 275 Phe Thr Trp Val Ala Ser Asp Gly Trp Gly Ala Leu Glu Ser Val Val 300 295 Ala Gly Ser Glu Gly Ala Ala Glu Gly Ala Ile Thr Ile Glu Leu Ala 320 315 310 Ser Tyr Pro Ile Ser Asp Phe Ala Ser Tyr Phe Gln Ser Leu Asp Pro 335 330 325 Trp Asn Asn Ser Arg Asn Pro Trp Phe Arg Glu Phe Trp Glu Gln Arg 350 345 340

Phe Arg Cys Ser Phe Arg Gln Arg Asp Cys Ala Ala His Ser Leu Arg 355

Ala Val Pro Phe Glu Gln Glu Ser Lys Ile Met Phe Val Val Asn Ala 370

Val Tyr Ala Met Ala His Ala Leu His Asn Met His Arg Ala Leu Cys 385 390 395 400

Pro Asn Thr Thr Arg Leu Cys Asp Ala Met Arg Pro Val Asn Gly Arg 405 410 415

Arg Leu Tyr Lys Asp Phe Val Leu Asn Val Lys Phe Asp Ala Pro Phe 420 425 430

Arg Pro Ala Asp Thr His Asn Glu Val Arg Phe Asp Arg Phe Gly Asp 435 440 445

Gly Ile Gly Arg Tyr Asn Ile Phe Thr Tyr Leu Arg Ala Gly Ser Gly 450 455 460

Arg Tyr Arg Tyr Gln Lys Val Gly Tyr Trp Ala Glu Gly Leu Thr Leu 465 470 475 480

Asp Thr Ser Leu Ile Pro Trp Ala Ser Pro Ser Ala Gly Pro Leu Ala

Ala Ser Arg Cys Ser Glu Pro Cys Leu Gln Asn Glu Val Lys Ser Val Gln Pro Gly Glu Val Cys Cys Trp Leu Cys Ile Pro Cys Gln Pro Tyr Glu Tyr Arg Leu Asp Glu Phe Thr Cys Ala Asp Cys Gly Leu Gly Tyr Trp Pro Asn Ala Ser Leu Thr Gly Cys Phe Glu Leu Pro Gln Glu Tyr Ile Arg Trp Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys Leu Gly Ala Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His Asn Ala Thr Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile Ala Lys Pro Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser Gly Gln Leu Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly Thr Gly Lys Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg Cys Asn His Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val Leu Leu Ile Ala Leu Cys Thr Leu Tyr Ala Phe Asn Thr Arg Lys Cys Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Leu Leu Pro Ile Phe Tyr Val Thr Ser

Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu 790 795 785 Ser Gly Ser Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile 805 810 Ile Leu Phe Gln Pro Gln Lys Asn 820 <210> 28 <211> 1077 <212> DNA <213> Artificial Sequence <220> <223> Chimeric Gqi5 <400> 28 60 atgactetgg agtecateat ggcgtgctge etgagegagg aggeeaagga ageeeggegg atcaacgacg agatcgagcg gcagctccgc agggacaagc gggacgcccg ccgggagctc 120 aagctgctgc tgctcgggac aggagagagt ggcaagagta cgtttatcaa gcagatgaga 180 240 atcatccatg ggtcaggata ctctgatgaa gataaaaggg gcttcaccaa gctggtgtat 300 cagaacatct tcacggccat gcaggccatg atcagagcca tggacacact caagatccca 360 tacaagtatg agcacaataa ggctcatgca caattagttc gagaagttga tgtggagaag 420 qtqtctqctt ttqaqaatcc atatgtagat gcaataaaga gtttatggaa tgatcctgga 480 atccaggaat gctatgatag acgacgagaa tatcaattat ctgactctac caaatactat 540 cttaatgact tggaccgcgt agctgaccct gcctacctgc ctacgcaaca agatgtgctt agagttcgag tccccaccac agggatcatc gaatacccct ttgacttaca aagtgtcatt 600 ttcagaatgg tcgatgtagg gggccaaagg tcagagagaa gaaaatggat acactgcttt 660 gaaaatgtca cctctatcat gtttctagta gcgcttagtg aatatgatca agttctcgtg 720 780 gagtcagaca atgagaaccg aatggaggaa agcaaggctc tctttagaac aattatcaca tacccctggt tccagaactc ctcggttatt ctgttcttaa acaagaaaga tcttctagag 840 gagaaaatca tgtattccca tctagtcgac tacttcccag aatatgatgg accccagaga 900 gatgcccagg cagcccgaga attcattctg aagatgttcg tggacctgaa cccagacagt 960 gacaaaatta totactooca ottoacgtgo gocacagaca cogagaatat cogotttgto 1020 1077 tttgctgccg tcaaggacac catcctccag ttgaacctga aggactgcgg tctgttc <210> 29 <211> 359 <212> PRT <213> Artificial Sequence <220> <223> Chimeric Gqi5 <400> 29 Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys 5 10 15 1 Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Arg Asp 30

Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly

Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gly Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr Ser Ile Met Phe Leu Val Ala Leu Ser Glu Tyr Asp Gln Val Leu Val Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser

Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala Thr Asp Thr Glu Asn

Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu Gln Leu Asn

```
340 345 350
```

Leu Lys Asp Cys Gly Leu Phe 355

<210> 30 <211> 2751 <212> DNA <213> Artificial Sequence <220> <223> Chimeric hCAR/hmGluR2

<400> 30

60 atggcatttt atagctgctg ctgggtcctc ttggcactca cctggcacac ctctgcctac 120 gggccagacc agcgagccca aaagaagggg gacattatcc ttggggggct ctttcctatt 180 cattttggag tagcagctaa agatcaagat ctcaaatcaa ggccggagtc tgtggaatgt 240 atcaggtata atttccgtgg gtttcgctgg ttacaggcta tgatatttgc catagaggag 300 ataaacagca gcccagccct tcttcccaac ttgacgctgg gatacaggat atttgacact 360 tgcaacaccg tttctaaggc cttggaagcc accctgagtt ttgttgctca aaacaaaatt 420 gattetttga acettgatga gttetgeaac tgeteagage acatteeete taegattget 480 gtggtgggag caactggctc aggcgtctcc acggcagtgg caaatctgct ggggctcttc 540 tacattcccc aggtcagtta tgcctcctcc agcagactcc tcagcaacaa gaatcaattc 600 aagtetttee teegaaceat eeccaatgat gageaceagg eeactgeeat ggeagaeate 660 atcgagtatt tccgctggaa ctgggtgggc acaattgcag ctgatgacga ctatgggcgg 720 ccggggattg agaaattccg agaggaagct gaggaaaggg atatctgcat cgacttcagt 780 gaactcatct cccagtactc tgatgaggaa gagatccagc atgtggtaga ggtgattcaa 840 aattccacgg ccaaagtcat cgtggttttc tccagtggcc cagatcttga gcccctcatc 900 aaggagattg teeggegeaa tateaeggge aagatetgge tggeeagega ggeetgggee 960 agetectece tgategeeat geeteagtae ttecaegtgg ttggeggeac cattggatte 1020 getetgaagg etgggeagat eccaggette egggaattee tgaagaaggt ecateceagg 1080 aagtctgtcc acaatggttt tgccaaggag ttttgggaag aaacatttaa ctgccacctc 1140 caagaaggtg caaaaggacc tttacctgtg gacacctttc tgagaggtca cgaagaaagt 1200 ggcgacaggt ttagcaacag ctcgacagcc ttccgacccc tctgtacagg ggatgagaac 1260 atcagcagtg tcgagacccc ttacatagat tacacgcatt tacggatatc ctacaatgtg 1320 tacttagcag tetactecat tgeccaegee ttgcaagata tatatacetg ettacetggg 1380 agagggctct tcaccaatgg ctcctgtgca gacatcaaga aagttgaggc gtggcaggtc 1440 ctgaagcacc tacggcatct aaactttaca aacaatatgg gggagcaggt gacctttgat 1500 gagtgtggtg acctggtggg gaactattcc atcatcaact ggcacctctc cccagaggat 1560 ggctccatcg tgtttaagga agtcgggtat tacaacgtct atgccaagaa gggagaaaga 1620 ctcttcatca acgaggagaa aatcctgtgg agtgggttct ccagggaggt gcccttctcc 1680 aactgcagcc gagactgcct ggcagggacc aggaaaggga tcattgaggg ggagcccacc 1740 tgctgctttg agtgtgtgga gtgtcctgat ggggagtata gtgatgagac agatgccagt 1800 gcctgtaaca agtgcccaga tgacttctgg tccaatgaga accacacctc ctgcttcgaa 1860 ctgccccagg agtacatccg ctggggcgat gcctgggctg tgggacctgt caccatcgcc 1920 tgcctcggtg ccctggccac cctgtttgtg ctgggtgtct ttgtgcggca caatgccaca 1980 ccagtggtca aggcctcagg tcgggagctc tgctacatcc tgctgggtgg tgtcttcctc 2040 tgctactgca tgaccttcat cttcattgcc aagccatcca cggcagtgtg taccttacgg 2100 cgtcttggtt tgggcactgc cttctctgtc tgctactcag ccctgctcac caagaccaac 2160 egeattgeae geatettegg tggggeeegg gagggtgeee ageggeeaeg etteateagt 2220 cctgcctcac aggtggccat ctgcctggca cttatctcgg gccagctgct catcgtggtc gcctggctgg tggtggaggc accgggcaca ggcaaggaga cagcccccga acggcgggag 2280 gtggtgacac tgcgctgcaa ccaccgcgat gcaagtatgt tgggctcgct ggcctacaat 2340 gtgctcctca tcgcgctctg cacgctttat gccttcaata ctcgcaagtg ccccgaaaac 2400 2460 ttcaacgagg ccaagttcat tggcttcacc atgtacacca cctgcatcat ctggctggca

ttgttgccca tcttctatgt cacctccagt gactaccggg tacagaccac caccatgtgc 2520 gtgtcagtca gcctcagcgg ctccgtggtg cttggctgcc tctttgcgcc caagctgcac 2580 atcatcctct tccagccgca gaagaacgtg gttagccacc gggcacccac cagccgcttt 2640 ggcagtgctg ctgccagggc cagctccagc cttggccaag ggtctggctc ccagtttgtc 2700 cccactgttt gcaatggccg tgaggtggtg gactcgacaa cgtcatcgct t 2751

<210> 31

<211> 917

<212> PRT

<213> Artificial Sequence

<220>

<223> Chimeric hCAR/hmGluR2

<400> 31

Met Ala Phe Tyr Ser Cys Cys Trp Val Leu Leu Ala Leu Thr Trp His
1 5 10 15

Thr Ser Ala Tyr Gly Pro Asp Gln Arg Ala Gln Lys Lys Gly Asp Ile 20 25 30

Ile Leu Gly Gly Leu Phe Pro Ile His Phe Gly Val Ala Ala Lys Asp 35 40 45

Gln Asp Leu Lys Ser Arg Pro Glu Ser Val Glu Cys Ile Arg Tyr Asn 50 55 60

Phe Arg Gly Phe Arg Trp Leu Gln Ala Met Ile Phe Ala Ile Glu Glu 65 70 75 80

Ile Asn Ser Ser Pro Ala Leu Leu Pro Asn Leu Thr Leu Gly Tyr Arg
85 90 95

Ile Phe Asp Thr Cys Asn Thr Val Ser Lys Ala Leu Glu Ala Thr Leu 100 105 110

Ser Phe Val Ala Gln Asn Lys Ile Asp Ser Leu Asn Leu Asp Glu Phe 115 120 125

Cys Asn Cys Ser Glu His Ile Pro Ser Thr Ile Ala Val Val Gly Ala 130 135 140

Thr Gly Ser Gly Val Ser Thr Ala Val Ala Asn Leu Leu Gly Leu Phe 145 150 155 160

Tyr Ile Pro Gln Val Ser Tyr Ala Ser Ser Ser Arg Leu Leu Ser Asn 165 170 175

Lys Asn Gln Phe Lys Ser Phe Leu Arg Thr Ile Pro Asn Asp Glu His
180 185 190

Gln Ala Thr Ala Met Ala Asp Ile Ile Glu Tyr Phe Arg Trp Asn Trp 195 200 205 Val Gly Thr Ile Ala Ala Asp Asp Asp Tyr Gly Arg Pro Gly Ile Glu 210 215 220

Lys Phe Arg Glu Glu Ala Glu Glu Arg Asp Ile Cys Ile Asp Phe Ser 225 230 235 240

Glu Leu Ile Ser Gln Tyr Ser Asp Glu Glu Glu Ile Gln His Val Val
245 250 255

Glu Val Ile Gln Asn Ser Thr Ala Lys Val Ile Val Val Phe Ser Ser 260 265 270

Gly Pro Asp Leu Glu Pro Leu Ile Lys Glu Ile Val Arg Arg Asn Ile 275 280 285

Thr Gly Lys Ile Trp Leu Ala Ser Glu Ala Trp Ala Ser Ser Leu 290 295 300

Ile Ala Met Pro Gln Tyr Phe His Val Val Gly Gly Thr Ile Gly Phe 305 310 315 320

Ala Leu Lys Ala Gly Gln Ile Pro Gly Phe Arg Glu Phe Leu Lys Lys 325 330 335

Val His Pro Arg Lys Ser Val His Asn Gly Phe Ala Lys Glu Phe Trp
340 345 350

Glu Glu Thr Phe Asn Cys His Leu Gln Glu Gly Ala Lys Gly Pro Leu 355 360 365

Pro Val Asp Thr Phe Leu Arg Gly His Glu Glu Ser Gly Asp Arg Phe 370 375 380

Ser Asn Ser Ser Thr Ala Phe Arg Pro Leu Cys Thr Gly Asp Glu Asn 385 390 395

Ile Ser Ser Val Glu Thr Pro Tyr Ile Asp Tyr Thr His Leu Arg Ile 405 410 415

Ser Tyr Asn Val Tyr Leu Ala Val Tyr Ser Ile Ala His Ala Leu Gln
420 425 430

Asp Ile Tyr Thr Cys Leu Pro Gly Arg Gly Leu Phe Thr Asn Gly Ser 435 440 445

Cys Ala Asp Ile Lys Lys Val Glu Ala Trp Gln Val Leu Lys His Leu 450 455 460

Arg His Leu Asn Phe Thr Asn Asn Met Gly Glu Gln Val Thr Phe Asp 465 470 475 480

Glu Cys Gly Asp Leu Val Gly Asn Tyr Ser Ile Ile Asn Trp His Leu 485 490 495 Ser Pro Glu Asp Gly Ser Ile Val Phe Lys Glu Val Gly Tyr Tyr Asn 500 505 510

Val Tyr Ala Lys Lys Gly Glu Arg Leu Phe Ile Asn Glu Glu Lys Ile 515 520 525

Leu Trp Ser Gly Phe Ser Arg Glu Val Pro Phe Ser Asn Cys Ser Arg 530 540

Asp Cys Leu Ala Gly Thr Arg Lys Gly Ile Ile Glu Gly Glu Pro Thr 545 550 555 560

Cys Cys Phe Glu Cys Val Glu Cys Pro Asp Gly Glu Tyr Ser Asp Glu 565 570 575

Thr Asp Ala Ser Ala Cys Asn Lys Cys Pro Asp Asp Phe Trp Ser Asn 580 590

Glu Asn His Thr Ser Cys Phe Glu Leu Pro Gln Glu Tyr Ile Arg Trp 595 600 605

Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys Leu Gly Ala 610 620

Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His Asn Ala Thr 625 630 635 640

Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile Leu Leu Gly 645 650 655

Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile Ala Lys Pro 660 665 670

Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly Thr Ala Phe 675 680 685

Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg Ile Ala Arg 690 695 700

Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg Phe Ile Ser
705 710 715 720

Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser Gly Gln Leu
725 730 735

Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly Thr Gly Lys
740 745 750

Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg Cys Asn His
755 760 765

Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val Leu Leu Ile 770 780

Ala Leu Cys Thr Leu Tyr Ala Phe Asn Thr Arg Lys Cys Pro Glu Asn 785 790 795 800

810

Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile

805

```
Ile Trp Leu Ala Leu Leu Pro Ile Phe Tyr Val Thr Ser Ser Asp Tyr
            820
                                825
Arq Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu Ser Gly Ser
                            840
        835
                                                 845
Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile Ile Leu Phe
    850
                        855
                                             860
Gln Pro Gln Lys Asn Val Val Ser His Arg Ala Pro Thr Ser Arg Phe
865
                    870
                                         875
                                                             880
Gly Ser Ala Ala Ala Arg Ala Ser Ser Leu Gly Gln Gly Ser Gly
                                     890
                885
                                                         895
Ser Gln Phe Val Pro Thr Val Cys Asn Gly Arg Glu Val Val Asp Ser
                                 905
            900
                                                     910
Thr Thr Ser Ser Leu
        915
      <210> 32
      <211> 3831
      <212> DNA
      <213> Artificial Sequence
      <220>
      <223> Chimeric phCaR/hmGluR2*Gqi5
      <400> 32
                                                                        60
atggcatttt atagctgctg ctgggtcctc ttggcactca cctggcacac ctctgcctac
gggccagacc agcgagccca aaagaagggg gacattatcc ttgggggggct ctttcctatt
                                                                       120
cattttggag tagcagctaa agatcaagat ctcaaatcaa ggccggagtc tgtggaatgt
                                                                       180
atcaggtata atttccgtgg gtttcgctgg ttacaggcta tgatatttgc catagaggag
                                                                       240
ataaacagca gcccagccct tcttcccaac ttgacgctgg gatacaggat atttgacact
                                                                       300
tgcaacaccg tttctaaggc cttggaagcc accctgagtt ttgttgctca aaacaaaatt
                                                                       360
gattetttga accttgatga gttetgcaac tgetcagage acatteecte tacgattget
                                                                       420
                                                                       480
gtggtgggag caactggctc aggcgtctcc acggcagtgg caaatctgct ggggctcttc
tacattcccc aggtcagtta tgcctcctcc agcagactcc tcagcaacaa gaatcaattc
                                                                       540
aagtetttee teegaaceat eeceaatgat gageaceagg eeactgeeat ggeagaeate
                                                                       600
atcgagtatt tccgctggaa ctgggtgggc acaattgcag ctgatgacga ctatgggcgg
                                                                       660
ccggggattg agaaattccg agaggaagct gaggaaaggg atatctgcat cgacttcagt
                                                                       720
                                                                       780
gaactcatct cccagtactc tgatgaggaa gagatccagc atgtggtaga ggtgattcaa
aattecaegg ccaaagteat egtggtttte tecagtggee cagatettga geceeteate
                                                                       840
aaggagattg teeggegeaa tateaeggge aagatetgge tggeeagega ggeetgggee
                                                                       900
agetectece tgategeeat geeteagtae ttecaegtgg ttggeggeae cattggatte
                                                                        960
gctctgaagg ctgggcagat cccaggcttc cgggaattcc tgaagaaggt ccatcccagg
                                                                      1020
aagtctgtcc acaatggttt tgccaaggag ttttgggaag aaacatttaa ctgccacctc
                                                                      1080
caagaaggtg caaaaggacc tttacctgtg gacacctttc tgagaggtca cgaagaaagt
                                                                      1140
```

Шз

1200 ggcgacaggt ttagcaacag ctcgacagcc ttccgacccc tctgtacagg ggatgagaac atcagcagtg tcgagacccc ttacatagat tacacgcatt tacggatatc ctacaatgtg 1260 1320 tacttagcag totactccat tgcccacgcc ttgcaagata tatatacctg cttacctggg 1380 agagggctct tcaccaatgg ctcctgtgca gacatcaaga aagttgaggc gtggcaggtc 1440 ctgaagcacc tacggcatct aaactttaca aacaatatgg gggagcaggt gacctttgat 1500 gagtgtggtg acctggtggg gaactattcc atcatcaact ggcacctctc cccagaggat 1560 ggctccatcg tgtttaagga agtcgggtat tacaacgtct atgccaagaa gggagaaaga 1620 ctcttcatca acgaggagaa aatcctgtgg agtgggttct ccagggaggt gcccttctcc 1680 aactgcagec gagactgcct ggcagggacc aggaaaggga tcattgaggg ggagccacc 1740 tgctgctttg agtgtgtgga gtgtcctgat ggggagtata gtgatgagac agatgccagt 1800 gcctgtaaca agtgcccaga tgacttctgg tccaatgaga accacacctc ctgcttcgaa 1860 ctgccccagg agtacatccg ctggggcgat gcctgggctg tgggacctgt caccatcgcc tgcctcggtg ccctggccac cctgtttgtg ctgggtgtct ttgtgcggca caatgccaca 1920 1980 ccagtggtca aggcctcagg tcgggagctc tgctacatcc tgctgggtgg tgtcttcctc 2040 tgctactgca tgaccttcat cttcattgcc aagccatcca cggcagtgtg taccttacgg 2100 cgtcttggtt tgggcactgc cttctctgtc tgctactcag ccctgctcac caagaccaac cgcattgcac gcatcttcgg tggggcccgg gagggtgccc agcggccacg cttcatcagt 2160 2220 cctgcctcac aggtggccat ctgcctggca cttatctcgg gccagctgct catcgtggtc 2280 geetggetgg tggtggagge accgggcaca ggcaaggaga cageeceega acggegggag 2340 gtggtgacac tgcgctgcaa ccaccgcgat gcaagtatgt tgggctcgct ggcctacaat 2400 gtgctcctca tcgcgctctg cacgctttat gccttcaata ctcgcaagtg ccccgaaaac 2460 ttcaacgagg ccaagttcat tggcttcacc atgtacacca cctgcatcat ctggctggca 2520 ttgttgccca tcttctatgt cacctccagt gactaccggg tacagaccac caccatgtgc 2580 gtgtcagtca gcctcagcgg ctccgtggtg cttggctgcc tctttgcgcc caagctgcac 2640 atcatectet tecageegea gaagaaegtg gttageeace gggeaeceae eageegettt 2700 ggcagtgctg ctgccagggc cagctccagc cttggccaag ggtctggctc ccagtttgtc 2760 cccactgttt gcaatggccg tgaggtggtg gactcgacaa cgtcatcgct tatgactctg 2820 gagtccatca tggcgtgctg cctgagcgag gaggccaagg aagcccggcg gatcaacgac 2880 gagatcgagc ggcagctccg cagggacaag cgggacgccc gccgggagct caagctgctg 2940 ctgctcggga caggagagag tggcaagagt acgtttatca agcagatgag aatcatccat 3000 gggtcaggat actctgatga agataaaagg ggcttcacca agctggtgta tcagaacatc 3060 ttcacggcca tgcaggccat gatcagagcc atggacacac tcaagatccc atacaagtat 3120 gagcacaata aggctcatgc acaattagtt cgagaagttg atgtggagaa ggtgtctgct 3180 tttgagaatc catatgtaga tgcaataaag agtttatgga atgatcctgg aatccaggaa 3240 tgctatgata gacgacgaga atatcaatta tctgactcta ccaaatacta tcttaatgac 3300 ttggaccgcg tagctgaccc tgcctacctg cctacgcaac aagatgtgct tagagttcga 3360 gtccccacca cagggatcat cgaatacccc tttgacttac aaagtgtcat tttcagaatg 3420 gtcgatgtag ggggccaaag gtcagagaga agaaaatgga tacactgctt tgaaaatgtc 3480 acctctatca tgtttctagt agcgcttagt gaatatgatc aagttctcgt ggagtcagac 3540 aatgagaacc gaatggagga aagcaaggct ctctttagaa caattatcac atacccctgg 3600 ttccagaact cctcggttat tctgttctta aacaagaaag atcttctaga ggagaaaatc 3660 atgtattccc atctagtcga ctacttccca gaatatgatg gaccccagag agatgcccag 3720 gcagcccgag aattcattct gaagatgttc gtggacctga acccagacag tgacaaaatt 3780 atctactccc acttcacgtg cgccacagac accgagaata tccgctttgt ctttgctgcc 3831 gtcaaggaca ccatcctcca gttgaacctg aaggactgcg gtctgttcta a

```
<210> 33
```

<211> 1276

<212> PRT

<213> Artificial Sequence

<220>

<223> Chimeric phCaR/hmGluR2*Gqi5

<400> 33

Met Ala Phe Tyr Ser Cys Cys Trp Val Leu Leu Ala Leu Thr Trp His
1 10 15

Thr Ser Ala Tyr Gly Pro Asp Gln Arg Ala Gln Lys Lys Gly Asp Ile 20 25 30

Ile Leu Gly Gly Leu Phe Pro Ile His Phe Gly Val Ala Ala Lys Asp 35 40 45

Gln Asp Leu Lys Ser Arg Pro Glu Ser Val Glu Cys Ile Arg Tyr Asn 50 55 60

Phe Arg Gly Phe Arg Trp Leu Gln Ala Met Ile Phe Ala Ile Glu Glu 65 70 75 80

Ile Asn Ser Ser Pro Ala Leu Leu Pro Asn Leu Thr Leu Gly Tyr Arg
85 90 95

Ile Phe Asp Thr Cys Asn Thr Val Ser Lys Ala Leu Glu Ala Thr Leu 100 105 110

Ser Phe Val Ala Gln Asn Lys Ile Asp Ser Leu Asn Leu Asp Glu Phe 115 120 125

Cys Asn Cys Ser Glu His Ile Pro Ser Thr Ile Ala Val Val Gly Ala 130 135 140

Thr Gly Ser Gly Val Ser Thr Ala Val Ala Asn Leu Leu Gly Leu Phe 145 150 155 160

Tyr Ile Pro Gln Val Ser Tyr Ala Ser Ser Ser Arg Leu Leu Ser Asn 165 170 175

Lys Asn Gln Phe Lys Ser Phe Leu Arg Thr Ile Pro Asn Asp Glu His
180 185 190

Gln Ala Thr Ala Met Ala Asp Ile Ile Glu Tyr Phe Arg Trp Asn Trp 195 200 205

Val Gly Thr Ile Ala Ala Asp Asp Asp Tyr Gly Arg Pro Gly Ile Glu 210 215 220

Lys Phe Arg Glu Glu Ala Glu Glu Arg Asp Ile Cys Ile Asp Phe Ser 225 230 235 240

Glu Leu Ile Ser Gln Tyr Ser Asp Glu Glu Glu Ile Gln His Val Val
245 250 255

Glu Val Ile Gln Asn Ser Thr Ala Lys Val Ile Val Val Phe Ser Ser 260 265 270

Gly Pro Asp Leu Glu Pro Leu Ile Lys Glu Ile Val Arg Arg Asn Ile 275 280 285

Thr Gly Lys Ile Trp Leu Ala Ser Glu Ala Trp Ala Ser Ser Ser Leu 290 295 300

Ile Ala Met Pro Gln Tyr Phe His Val Val Gly Gly Thr Ile Gly Phe 305 310 315 320

Ala Leu Lys Ala Gly Gln Ile Pro Gly Phe Arg Glu Phe Leu Lys Lys 325 330 335

Val His Pro Arg Lys Ser Val His Asn Gly Phe Ala Lys Glu Phe Trp 340 345 350

Glu Glu Thr Phe Asn Cys His Leu Gln Glu Gly Ala Lys Gly Pro Leu 355 360 365

Pro Val Asp Thr Phe Leu Arg Gly His Glu Glu Ser Gly Asp Arg Phe 370 380

Ser Asn Ser Ser Thr Ala Phe Arg Pro Leu Cys Thr Gly Asp Glu Asn 385 390 395 400

Ile Ser Ser Val Glu Thr Pro Tyr Ile Asp Tyr Thr His Leu Arg Ile 405 410 415

Ser Tyr Asn Val Tyr Leu Ala Val Tyr Ser Ile Ala His Ala Leu Gln 420 425 430

Asp Ile Tyr Thr Cys Leu Pro Gly Arg Gly Leu Phe Thr Asn Gly Ser 435 440 445

Cys Ala Asp Ile Lys Lys Val Glu Ala Trp Gln Val Leu Lys His Leu 450 460

Arg His Leu Asn Phe Thr Asn Asn Met Gly Glu Gln Val Thr Phe Asp 475 480

Glu Cys Gly Asp Leu Val Gly Asn Tyr Ser Ile Ile Asn Trp His Leu 485 490 495

Ser Pro Glu Asp Gly Ser Ile Val Phe Lys Glu Val Gly Tyr Tyr Asn 500 505

Val Tyr Ala Lys Lys Gly Glu Arg Leu Phe Ile Asn Glu Glu Lys Ile 515 520 525

Leu Trp Ser Gly Phe Ser Arg Glu Val Pro Phe Ser Asn Cys Ser Arg 530 540

Asp Cys Leu Ala Gly Thr Arg Lys Gly Ile Ile Glu Gly Glu Pro Thr

Cys Cys Phe Glu Cys Val Glu Cys Pro Asp Gly Glu Tyr Ser Asp Glu Thr Asp Ala Ser Ala Cys Asn Lys Cys Pro Asp Asp Phe Trp Ser Asn Glu Asn His Thr Ser Cys Phe Glu Leu Pro Gln Glu Tyr Ile Arg Trp Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys Leu Gly Ala Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His Asn Ala Thr Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile Ala Lys Pro Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser Gly Gln Leu Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly Thr Gly Lys Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg Cys Asn His Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val Leu Leu Ile Ala Leu Cys Thr Leu Tyr Ala Phe Asn Thr Arg Lys Cys Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Leu Leu Pro Ile Phe Tyr Val Thr Ser Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu Ser Gly Ser

- Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile Ile Leu Phe 850 855 860
- Gln Pro Gln Lys Asn Val Val Ser His Arg Ala Pro Thr Ser Arg Phe 865 870 875 880
- Gly Ser Ala Ala Arg Ala Ser Ser Ser Leu Gly Gln Gly Ser Gly 885 890 895
- Ser Gln Phe Val Pro Thr Val Cys Asn Gly Arg Glu Val Val Asp Ser 900 905 910
- Thr Thr Ser Ser Leu Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu 915 920 925
- Ser Glu Glu Ala Lys Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg 930 935 940
- Gln Leu Arg Arg Asp Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu 945 950 955 960
- Leu Leu Gly Thr Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met 965 970 975
- Arg Ile Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe 980 985 990
- Thr Lys Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile 995 1000 1005
- Arg Ala Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys
 1010 1020
- Ala His Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala 1025 1030 1035 1040
- Phe Glu Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro 1045 1050 1055
- Gly Ile Gln Glu Cys Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp 1060 1065 1070
- Ser Thr Lys Tyr Tyr Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala 1075 1080 1085
- Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr 1090 1095 1100
- Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met 1105 1110 1115 1120
- Val Asp Val Gly Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys 1125 1130 1135
- Phe Glu Asn Val Thr Ser Ile Met Phe Leu Val Ala Leu Ser Glu Tyr 1140 1145 1150

```
Asp Gln Val Leu Val Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser
        1155
                             1160
Lys Ala Leu Phe Arg Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser
    1170
                         1175
                                             1180
Ser Val Ile Leu Phe Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile
1185
                    1190
                                         1195
                                                              1200
Met Tyr Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln
                1205
                                     1210
                                                          1215
Arg Asp Ala Gln Ala Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp
                                 1225
                                                     1230
            1220
Leu Asn Pro Asp Ser Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala
        1235
                             1240
                                                 1245
Thr Asp Thr Glu Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr
    1250
                         1255
                                             1260
Ile Leu Gln Leu Asn Leu Lys Asp Cys Gly Leu Phe
1265
                    1270
                                         1275
      <210> 34
```

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Chimeric hmGluR2/hCaR
<400> 34
```

<211> 3105

60 atgggatege tgettgeget eeeggeactg etgetgetgt ggggtgetgt ggetgaggge ccagccaaga aggtgctgac cctggaggga gacttggtgc tgggtgggct gttcccagtg 120 180 caccagaagg gcggcccagc agaggactgt ggtcctgtca atgagcaccg tggcatccag 240 cgcctggagg ccatgctttt tgcactggac cgcatcaacc gtgacccgca cctgctgcct 300 ggcgtgcgcc tgggtgcaca catcctcgac agttgctcca aggacacaca tgcgctggag caggcactgg actttgtgcg tgcctcactc agccgtggtg ctgatggctc acgccacatc 360 420 tgccccgacg gctcttatgc gacccatggt gatgctccca ctgccatcac tggtgttatt ggcggttcct acagtgatgt ctccatccag gtggccaacc tcttgaggct atttcagatc 480 540 ccacagatta gctacgcctc taccagtgcc aagctgagtg acaagtcccg ctatgactac 600 tttgcccgca cagtgcctcc tgacttcttc caagccaagg ccatggctga gattctccgc ttcttcaact ggacctatgt gtccactgtg gcgtctgagg gcgactatgg cgagacaggc 660 attgaggeet ttgagetaga ggetegtgee egeaacatet gtgtggeeae eteggagaaa 720 gtgggccgtg ccatgagccg cgcggccttt gagggtgtgg tgcgagccct gctgcagaag 780 cccagtgccc gcgtggctgt cctgttcacc cgttctgagg atgcccggga gctgcttgct 840 900 gccagccagc gcctcaatgc cagcttcacc tgggtggcca gtgatggttg gggggccctg gagagtgtgg tggcaggcag tgagggggct gctgagggtg ctatcaccat cgagctggcc 960 tcctacccca tcagtgactt tgcctcctac ttccagagcc tggacccttg gaacaacagc 1020 1080 cggaacccct ggttccgtga attctgggag cagaggttcc gctgcagctt ccggcagcga gactgcgcag cccactctct ccgggctgtg ccctttgagc aggagtccaa gatcatgttt 1140

```
1200
gtggtcaatg cagtgtacgc catggcccat gcgctccaca acatgcaccg tgccctctgc
cccaacacca cccggctctg tgacgcgatg cggccagtta acgggcgccg cctctacaag
                                                                      1260
                                                                      1320
gactttgtgc tcaacgtcaa gtttgatgcc ccctttcgcc cagctgacac ccacaatgag
                                                                      1380
qtccqctttg accgctttgg tgatggtatt ggccgctaca acatcttcac ctatctgcgt
gcaggcagtg ggcgctatcg ctaccagaag gtgggctact gggcagaagg cttgactctg
                                                                      1440
gacaccagec teateceatg ggeeteacec teageeggee ecetgeegge etetegetge
                                                                      1500
                                                                      1560
agtgagccct gcctccagaa tgaggtgaag agtgtgcagc cgggcgaagt ctgctgctgg
ctctgcattc cgtgccagcc ctatgagtac cgattggacg aattcacttg cgctgattgt
                                                                      1620
ggcctgggct actggcccaa tgccagcctg actggctgct tcgaactgcc ccaggagtac
                                                                      1680
atccgctggg gcgatgcctg ggctgtggga cctgtcacca tcgcctgcct cggtgccctg
                                                                      1740
                                                                      1800
qccaccctct ttgtgctggg tgtctttgtg cggcacaatg ccacaccagt ggtcaaggcc
                                                                      1860
tcaggtcggg agctctgcta catcctgctg ggtggtgtct tcctctgcta ctgcatgacc
                                                                      1920
ttcatcttca ttgccaagcc atccacggca gtgtgtacct tacggcgtct tggtttgggc
actgccttct ctgtctgcta ctcagccctg ctcaccaaga ccaaccgcat tgcacgcatc
                                                                      1980
ttcggtgggg cccgggaggg tgcccagcgg ccacgcttca tcagtcctgc ctcacaggtg
                                                                      2040
                                                                      2100
gccatctgcc tggcacttat ctcgggccag ctgctcatcg tggtcgcctg gctggtggtg
                                                                      2160
gaggcaccgg gcacaggcaa ggagacagcc cccgaacggc gggaggtggt gacactgcgc
                                                                      2220
tgcaaccacc gcgatgcaag tatgttgggc tcgctggcct acaatgtgct cctcatcgcg
ctctgcacgc tttatgcctt caagactcgc aagtgccccg aaaacttcaa cgaggccaag
                                                                      2280
ttcattggct tcaccatgta caccacctgc atcatctggc tggcattcct gcccatcttc
                                                                      2340
tatgtcacct ccagtgacta ccgggtacag accaccacca tgtgcgtgtc agtcagcctc
                                                                      2400
                                                                      2460
ageggeteeg tggtgettgg etgeetettt gegeecaage tgeacateat cetetteeag
ccgcagaaga acaccatcga ggaggtgcgt tgcagcaccg cagctcacgc tttcaaggtg
                                                                      2520
                                                                      2580
gctgcccggg ccacgctgcg ccgcagcaac gtctcccgca agcggtccag cagccttgga
                                                                      2640
ggctccacgg gatccacccc ctcctcctcc atcagcagca agagcaacag cgaagaccca
                                                                      2700
ttcccacagc ccgagaggca gaagcagcag cagccgctgg ccctaaccca gcaagagcag
cagcagcagc ccctgaccct cccacagcag caacgatctc agcagcagcc cagatgcaag
                                                                      2760
                                                                      2820
cagaaggtca tctttggcag cggcacggtc accttctcac tgagctttga tgagcctcag
                                                                      2880
aagaacgcca tggcccacgg gaattctacg caccagaact ccctggaggc ccagaaaagc
                                                                      2940
agcgatacgc tgacccgaca ccagccatta ctcccgctgc agtgcgggga aacggactta
                                                                      3000
gatctgaccg tccaggaaac aggtctgcaa ggacctgtgg gtggagacca gcggccagag
qtqqaqqacc ctqaagagtt gtccccagca cttgtagtgt ccagttcaca gagctttgtc
                                                                      3060
                                                                      3105
atcagtggtg gaggcagcac tgttacagaa aacgtagtga attca
```

Asp Cys Gly Pro Val Asn Glu His Arg Gly Ile Gln Arg Leu Glu Ala

Met Leu Phe Ala Leu Asp Arg Ile Asn Arg Asp Pro His Leu Leu Pro Gly Val Arg Leu Gly Ala His Ile Leu Asp Ser Cys Ser Lys Asp Thr His Ala Leu Glu Gln Ala Leu Asp Phe Val Arg Ala Ser Leu Ser Arg Gly Ala Asp Gly Ser Arg His Ile Cys Pro Asp Gly Ser Tyr Ala Thr His Gly Asp Ala Pro Thr Ala Ile Thr Gly Val Ile Gly Gly Ser Tyr Ser Asp Val Ser Ile Gln Val Ala Asn Leu Leu Arg Leu Phe Gln Ile Pro Gln Ile Ser Tyr Ala Ser Thr Ser Ala Lys Leu Ser Asp Lys Ser Arg Tyr Asp Tyr Phe Ala Arg Thr Val Pro Pro Asp Phe Phe Gln Ala Lys Ala Met Ala Glu Ile Leu Arg Phe Phe Asn Trp Thr Tyr Val Ser Thr Val Ala Ser Glu Gly Asp Tyr Gly Glu Thr Gly Ile Glu Ala Phe Glu Leu Glu Ala Arg Ala Arg Asn Ile Cys Val Ala Thr Ser Glu Lys Val Gly Arg Ala Met Ser Arg Ala Ala Phe Glu Gly Val Val Arg Ala Leu Leu Gln Lys Pro Ser Ala Arg Val Ala Val Leu Phe Thr Arg Ser Glu Asp Ala Arg Glu Leu Leu Ala Ala Ser Gln Arg Leu Asn Ala Ser Phe Thr Trp Val Ala Ser Asp Gly Trp Gly Ala Leu Glu Ser Val Val Ala Gly Ser Glu Gly Ala Ala Glu Gly Ala Ile Thr Ile Glu Leu Ala Ser Tyr Pro Ile Ser Asp Phe Ala Ser Tyr Phe Gln Ser Leu Asp Pro Trp Asn Asn Ser Arg Asn Pro Trp Phe Arg Glu Phe Trp Glu Gln Arg

Phe Arg Cys Ser Phe Arg Gln Arg Asp Cys Ala Ala His Ser Leu Arg 355 360 365

Ala Val Pro Phe Glu Gln Glu Ser Lys Ile Met Phe Val Val Asn Ala 370 380

Val Tyr Ala Met Ala His Ala Leu His Asn Met His Arg Ala Leu Cys 385 390 395 400

Pro Asn Thr Thr Arg Leu Cys Asp Ala Met Arg Pro Val Asn Gly Arg 405 410 415

Arg Leu Tyr Lys Asp Phe Val Leu Asn Val Lys Phe Asp Ala Pro Phe 420 425 430

Arg Pro Ala Asp Thr His Asn Glu Val Arg Phe Asp Arg Phe Gly Asp 435 440 445

Gly Ile Gly Arg Tyr Asn Ile Phe Thr Tyr Leu Arg Ala Gly Ser Gly 450 455 460

Arg Tyr Arg Tyr Gln Lys Val Gly Tyr Trp Ala Glu Gly Leu Thr Leu 465 470 475 480

Asp Thr Ser Leu Ile Pro Trp Ala Ser Pro Ser Ala Gly Pro Leu Pro 485 490 495

Ala Ser Arg Cys Ser Glu Pro Cys Leu Gln Asn Glu Val Lys Ser Val 500 505 510

Gln Pro Gly Glu Val Cys Cys Trp Leu Cys Ile Pro Cys Gln Pro Tyr 515 520 525

Glu Tyr Arg Leu Asp Glu Phe Thr Cys Ala Asp Cys Gly Leu Gly Tyr 530 540

Trp Pro Asn Ala Ser Leu Thr Gly Cys Phe Glu Leu Pro Gln Glu Tyr 545 550 560

Ile Arg Trp Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys 565 570 575

Leu Gly Ala Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His 580 585 590

Asn Ala Thr Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile 595 600 605

Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile 610 620

Ala Lys Pro Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly 625 630 635 640

Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg

Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser Gly Gln Leu Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly Thr Gly Lys Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg Cys Asn His Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val Leu Leu Ile Ala Leu Cys Thr Leu Tyr Ala Phe Lys Thr Arg Lys Cys Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Phe Leu Pro Ile Phe Tyr Val Thr Ser Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu Ser Gly Ser Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile Ile Leu Phe Gln Pro Gln Lys Asn Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala Leu Thr Gln Gln Gln Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met

<210> 36 <211> 4185

<212> DNA

<220>

<213> Artificial Sequence

<223> Chimeric pmGluR2//CaR*G(qi5

```
Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser
                                        955
                                                             960
945
                    950
Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly
                965
                                    970
Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro
            980
                                985
Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser
                            1000
Pro Ala Leu Val Val Ser Ser Gln Ser Phe Val Ile Ser Gly Gly
                        1015
                                             1020
Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser
1025
                    1030
                                        1035
```

```
<400> 36
atgggatcgc tgcttgcgct cccggcactg ctgctgctgt gggtgctgt ggctgagggc
                                                                                                                                                      60
ccagccaaga aggtgctgac cctggaggga gacttggtgc tgggtgggct gttcccagtg
                                                                                                                                                    120
caccagaagg geggeecage agaggaetgt ggteetgtea atgageaceg tggeatecag
                                                                                                                                                    180
cqcctqqaqq ccatgctttt tgcactggac cgcatcaacc gtgacccgca cctgctgcct
                                                                                                                                                    240
ggcgtgcgcc tgggtgcaca catcctcgac agttgctcca aggacacaca tgcgctggag
                                                                                                                                                    300
caggiacting actititizing the transfer of the caggiage activities and the caggiage activities and the canada activities and the caggiage activities activities and the caggiage activities activities and the caggiage activities activ
                                                                                                                                                    360
tgccccgacg gctcttatgc gacccatggt gatgctccca ctgccatcac tggtgttatt
                                                                                                                                                    420
                                                                                                                                                    480
qqcqqttcct acagtqatgt ctccatccag gtggccaacc tcttgaggct atttcagatc
ccacagatta gctacgcctc taccagtgcc aagctgagtg acaagtcccg ctatgactac
                                                                                                                                                    540
tttgcccgca cagtgcctcc tgacttcttc caagccaagg ccatggctga gattctccgc
                                                                                                                                                    600
ttcttcaact ggacctatgt gtccactgtg gcgtctgagg gcgactatgg cgagacaggc
                                                                                                                                                    660
attgaggcct ttgagctaga ggctcgtgcc cgcaacatct gtgtggccac ctcggagaaa
                                                                                                                                                    720
                                                                                                                                                    780
gtgggccgtg ccatgagccg cgcggccttt gagggtgtgg tgcgagccct gctgcagaag
                                                                                                                                                    840
cccagtgccc gcgtggctgt cctgttcacc cgttctgagg atgcccggga gctgcttgct
                                                                                                                                                    900
gccagccagc gcctcaatgc cagcttcacc tgggtggcca gtgatggttg gggggccctg
gagagtgtgg tggcaggcag tgagggggct gctgagggtg ctatcaccat cgagctggcc
                                                                                                                                                    960
tectacecca teagtgaett tgeetectae ttecagagee tggaecettg gaacaacage
                                                                                                                                                  1020
cggaacccct ggttccgtga attctgggag cagaggttcc gctgcagctt ccggcagcga
                                                                                                                                                  1080
gactgegeag eccaetetet eegggetgtg ecetttgage aggagteeaa gateatgttt
                                                                                                                                                  1140
gtggtcaatg cagtgtacgc catggcccat gcgctccaca acatgcaccg tgccctctgc
                                                                                                                                                  1200
cccaacacca cccggctctg tgacgcgatg cggccagtta acgggcgccg cctctacaag
                                                                                                                                                  1260
gactttgtgc tcaacgtcaa gtttgatgcc ccctttcgcc cagctgacac ccacaatgag
                                                                                                                                                  1320
gtccgctttg accgctttgg tgatggtatt ggccgctaca acatcttcac ctatctgcgt
                                                                                                                                                  1380
gcaggcagtg ggcgctatcg ctaccagaag gtgggctact gggcagaagg cttgactctg
                                                                                                                                                  1440
gacaccagcc tcatcccatg ggcctcaccc tcagccggcc ccctgcccgc ctctcgctgc
                                                                                                                                                  1500
agtgagccct gcctccagaa tgaggtgaag agtgtgcagc cgggcgaagt ctgctgctgg
                                                                                                                                                  1560
```

```
1620
ctctgcattc cgtgccagcc ctatgagtac cgattggacg aattcacttg cgctgattgt
ggcctgggct actggcccaa tgccagcctg actggctgct tcgaactgcc ccaggagtac
                                                                      1680
                                                                      1740
atccgctggg gcgatgcctg ggctgtggga cctgtcacca tcgcctgcct cggtgccctg
                                                                      1800
gccaccctct ttgtgctggg tgtctttgtg cggcacaatg ccacaccagt ggtcaaggcc
                                                                      1860
tcaggtcggg agctctgcta catcctgctg ggtggtgtct tcctctgcta ctgcatgacc
ttcatcttca ttgccaagcc atccacggca gtgtgtacct tacggcgtct tggtttgggc
                                                                      1920
                                                                      1980
actgccttct ctgtctgcta ctcagccctg ctcaccaaga ccaaccgcat tgcacgcatc
                                                                      2040
ttcggtgggg cccgggaggg tgcccagcgg ccacgcttca tcagtcctgc ctcacaggtg
                                                                      2100
gccatctgcc tggcacttat ctcgggccag ctgctcatcg tggtcgcctg gctggtggtg
                                                                      2160
gaggcaccgg gcacaggcaa ggagacagcc cccgaacggc gggaggtggt gacactgcgc
tgcaaccacc gcgatgcaag tatgttgggc tcgctggcct acaatgtgct cctcatcgcg
                                                                      2220
                                                                      2280
ctctgcacgc tttatgcctt caagactcgc aagtgccccg aaaacttcaa cgaggccaag
                                                                      2340
ttcattggct tcaccatgta caccacctgc atcatctggc tggcattcct gcccatcttc
tatgtcacct ccagtgacta ccgggtacag accaccacca tgtgcgtgtc agtcagcctc
                                                                      2400
                                                                      2460
ageggeteeg tggtgettgg etgeetettt gegeecaage tgeacateat eetetteeag
                                                                      2520
ccgcagaaga acaccatcga ggaggtgcgt tgcagcaccg cagctcacgc tttcaaggtg
                                                                      2580
gctgcccggg ccacgctgcg ccgcagcaac gtctcccgca agcggtccag cagccttgga
                                                                      2640
ggctccacgg gatccacccc ctcctcctcc atcagcagca agagcaacag cgaagaccca
                                                                      2700
ttcccacagc ccgagaggca gaagcagcag cagccgctgg ccctaaccca gcaagagcag
cagcagcagc ccctgaccct cccacagcag caacgatctc agcagcagcc cagatgcaag
                                                                      2760
cagaaggtca tctttggcag cggcacggtc accttctcac tgagctttga tgagcctcag
                                                                      2820
                                                                      2880
aagaacgcca tggcccacgg gaattctacg caccagaact ccctggaggc ccagaaaagc
agcgatacgc tgacccgaca ccagccatta ctcccgctgc agtgcgggga aacggactta
                                                                      2940
                                                                      3000
gatctgaccg tccaggaaac aggtctgcaa ggacctgtgg gtggagacca gcggccagag
                                                                      3060
gtggaggacc ctgaagagtt gtccccagca cttgtagtgt ccagttcaca gagctttgtc
                                                                      3120
atcagtggtg gaggcagcac tgttacagaa aacgtagtga attcaatgac tctggagtcc
atcatggcgt gctgcctgag cgaggaggcc aaggaagccc ggcggatcaa cgacgagatc
                                                                      3180
                                                                      3240
gageggeage teegeaggga caagegggae geeegeeggg ageteaaget getgete
                                                                      3300
gggacaggag agagtggcaa gagtacgttt atcaagcaga tgagaatcat ccatgggtca
                                                                      3360
ggatactctg atgaagataa aaggggcttc accaagctgg tgtatcagaa catcttcacg
                                                                      3420
gccatgcagg ccatgatcag agccatggac acactcaaga tcccatacaa gtatgagcac
                                                                      3480
aataaggctc atgcacaatt agttcgagaa gttgatgtgg agaaggtgtc tgcttttgag
                                                                      3540
aatccatatg tagatgcaat aaagagttta tggaatgatc ctggaatcca ggaatgctat
                                                                      3600
gatagacgac gagaatatca attatctgac tctaccaaat actatcttaa tgacttggac
cgcgtagctg accetgccta cetgcctacg caacaagatg tgcttagagt tcgagtcccc
                                                                      3660
                                                                      3720
accacaggga tcatcgaata cccctttgac ttacaaagtg tcattttcag aatggtcgat
                                                                      3780
gtagggggcc aaaggtcaga gagaagaaaa tggatacact gctttgaaaa tgtcacctct
                                                                      3840
atcatgtttc tagtagcgct tagtgaatat gatcaagttc tcgtggagtc agacaatgag
                                                                      3900
aaccgaatgg aggaaagcaa ggctctcttt agaacaatta tcacataccc ctggttccag
                                                                      3960
aactcctcgg ttattctgtt cttaaacaag aaagatcttc tagaggagaa aatcatgtat
                                                                      4020
tcccatctag tcgactactt cccagaatat gatggacccc agagagatgc ccaggcagcc
                                                                      4080
cgagaattca ttctgaagat gttcgtggac ctgaacccag acagtgacaa aattatctac
                                                                      4140
tcccacttca cgtgcgccac agacaccgag aatatccgct ttgtctttgc tgccgtcaag
                                                                      4185
gacaccatcc tccagttgaa cctgaaggac tgcggtctgt tctaa
```

```
<210> 37
<211> 1394
<212> PRT
<213> Artificial Sequence
<220>
<223> Chimeric pmGluR2//CaR*G(qi5
```

<400> 37

Met Gly Ser Leu Leu Ala Leu Pro Ala Leu Leu Leu Leu Trp Gly Ala 1 5 10 15

Val Ala Glu Gly Pro Ala Lys Lys Val Leu Thr Leu Glu Gly Asp Leu 20 25 30

Val Leu Gly Gly Leu Phe Pro Val His Gln Lys Gly Gly Pro Ala Glu 35 40 45

Asp Cys Gly Pro Val Asn Glu His Arg Gly Ile Gln Arg Leu Glu Ala 50 55 60

Met Leu Phe Ala Leu Asp Arg Ile Asn Arg Asp Pro His Leu Leu Pro 65 70 75 80

Gly Val Arg Leu Gly Ala His Ile Leu Asp Ser Cys Ser Lys Asp Thr 85 90 95

His Ala Leu Glu Gln Ala Leu Asp Phe Val Arg Ala Ser Leu Ser Arg 100 105 110

Gly Ala Asp Gly Ser Arg His Ile Cys Pro Asp Gly Ser Tyr Ala Thr 115 120 125

His Gly Asp Ala Pro Thr Ala Ile Thr Gly Val Ile Gly Gly Ser Tyr 130 135 140

Ser Asp Val Ser Ile Gln Val Ala Asn Leu Leu Arg Leu Phe Gln Ile 145 150 155 160

Pro Gln Ile Ser Tyr Ala Ser Thr Ser Ala Lys Leu Ser Asp Lys Ser 165 170 175

Arg Tyr Asp Tyr Phe Ala Arg Thr Val Pro Pro Asp Phe Phe Gln Ala 180 185 190

Lys Ala Met Ala Glu Ile Leu Arg Phe Phe Asn Trp Thr Tyr Val Ser 195 200 205

Thr Val Ala Ser Glu Gly Asp Tyr Gly Glu Thr Gly Ile Glu Ala Phe 210 215 220

Glu Leu Glu Ala Arg Ala Arg Asn Ile Cys Val Ala Thr Ser Glu Lys 225 230 235 240

Val Gly Arg Ala Met Ser Arg Ala Ala Phe Glu Gly Val Val Arg Ala 245 250 255

Leu Leu Gln Lys Pro Ser Ala Arg Val Ala Val Leu Phe Thr Arg Ser 260 265 270

Glu Asp Ala Arg Glu Leu Leu Ala Ala Ser Gln Arg Leu Asn Ala Ser 275 280 285 Phe Thr Trp Val Ala Ser Asp Gly Trp Gly Ala Leu Glu Ser Val Val 290 295 300

Ala Gly Ser Glu Gly Ala Ala Glu Gly Ala Ile Thr Ile Glu Leu Ala 305 310 315 320

Ser Tyr Pro Ile Ser Asp Phe Ala Ser Tyr Phe Gln Ser Leu Asp Pro 325 330 335

Trp Asn Asn Ser Arg Asn Pro Trp Phe Arg Glu Phe Trp Glu Gln Arg 340 345 350

Phe Arg Cys Ser Phe Arg Gln Arg Asp Cys Ala Ala His Ser Leu Arg 355 360 365

Ala Val Pro Phe Glu Glu Ser Lys Ile Met Phe Val Val Asn Ala 370 375 380

Val Tyr Ala Met Ala His Ala Leu His Asn Met His Arg Ala Leu Cys 385 390 395 400

Pro Asn Thr Thr Arg Leu Cys Asp Ala Met Arg Pro Val Asn Gly Arg 405 410 415

Arg Leu Tyr Lys Asp Phe Val Leu Asn Val Lys Phe Asp Ala Pro Phe 420 425 430

Arg Pro Ala Asp Thr His Asn Glu Val Arg Phe Asp Arg Phe Gly Asp 435 440 445

Gly Ile Gly Arg Tyr Asn Ile Phe Thr Tyr Leu Arg Ala Gly Ser Gly
450 455 460

Arg Tyr Arg Tyr Gln Lys Val Gly Tyr Trp Ala Glu Gly Leu Thr Leu 465 470 475 480

Asp Thr Ser Leu Ile Pro Trp Ala Ser Pro Ser Ala Gly Pro Leu Pro 485 490 495

Ala Ser Arg Cys Ser Glu Pro Cys Leu Gln Asn Glu Val Lys Ser Val 500 505 510

Gln Pro Gly Glu Val Cys Cys Trp Leu Cys Ile Pro Cys Gln Pro Tyr 515 520 525

Glu Tyr Arg Leu Asp Glu Phe Thr Cys Ala Asp Cys Gly Leu Gly Tyr 530 540

Trp Pro Asn Ala Ser Leu Thr Gly Cys Phe Glu Leu Pro Gln Glu Tyr 545 550 555 560

Ile Arg Trp Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys 565 570 575

Leu Gly Ala Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His 580 585

Asn Ala Thr Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile 595 600 605

Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile 610 620

Ala Lys Pro Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly 625 630 635

Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg 645 650 655

Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg 660 665 670

Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser 675 680 685

Gly Gln Leu Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly 690 695 700

Thr Gly Lys Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg 705 710 715 720

Cys Asn His Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val 725 730 735

Leu Leu Ile Ala Leu Cys Thr Leu Tyr Ala Phe Lys Thr Arg Lys Cys
740 745 750

Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr 755 760 765

Thr Cys Ile Ile Trp Leu Ala Phe Leu Pro Ile Phe Tyr Val Thr Ser 770 780

Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu 785 790 795 800

Ser Gly Ser Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile 805 810 815

Ile Leu Phe Gln Pro Gln Lys Asn Thr Ile Glu Glu Val Arg Cys Ser 820 825 830

Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg 835 840 845

Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly 850 855 860

Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro 865 870 875 880

Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala Leu Thr

Gln Gln Glu Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu Val Val Ser Ser Ser Gln Ser Phe Val Ile Ser Gly Gly Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Arg Asp Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys Tyr Asp Arg Arg

Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr Leu Asn Asp Leu Asp 1185 1190 1195 1200

Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg 1205 1210 1215

Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln 1220 1225 1230

Ser Val Ile Phe Arg Met Val Asp Val Gly Gln Arg Ser Glu Arg 1235 1240 1245

Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr Ser Ile Met Phe Leu 1250 1255 1260

Val Ala Leu Ser Glu Tyr Asp Gln Val Leu Val Glu Ser Asp Asn Glu 1265 1270 1275 1280

Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg Thr Ile Ile Thr Tyr 1285 1290 1295

Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe Leu Asn Lys Lys Asp 1300 1305 1310

Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu Val Asp Tyr Phe Pro 1315 1320 1325

Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala Ala Arg Glu Phe Ile 1330 1335 1340

Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser Asp Lys Ile Ile Tyr 1345 1350 1355 1360

Ser His Phe Thr Cys Ala Thr Asp Thr Glu Asn Ile Arg Phe Val Phe 1365 1370 1375

Ala Ala Val Lys Asp Thr Ile Leu Gln Leu Asn Leu Lys Asp Cys Gly
1380 1385 1390
Leu Phe

<210> 38

<211> 3177

<212> DNA

<213> Artificial Sequence

<220>

<223> Chimeric hmGluR8/hCaR

<400> 38

atggtatgcg agggaaagcg atcagcctct tgcccttgtt tcttcctctt gaccgccaag ttctactgga tcctcacaat gatgcaaaga actcacagcc aggagtatgc ccattccata

cgggtggatg gggacattat tttggggggt ctcttccctg tccacgcaaa gggagagaga 180 240 ggggtgcctt gtggggagct gaagaaggaa aaggggattc acagactgga ggccatgctt tatgcaattg accagattaa caaggaccct gatctccttt ccaacatcac tctgggtgtc 300 cgcatcctcg acacgtgctc tagggacacc tatgctttgg agcagtctct aacattcgtg 360 caggcattaa tagagaaaga tgcttcggat gtgaagtgtg ctaatggaga tccacccatt 420 ttcaccaagc ccgacaagat ttctggcgtc ataggtgctg cagcaagctc cgtgtccatc 480 atggttgcta acattttaag actttttaag atacctcaaa tcagctatgc atccacagcc 540 600 ccagagctaa gtgataacac caggtatgac tttttctctc gagtggttcc gcctgactcc 660 taccaagccc aagccatggt ggacatcgtg acagcactgg gatggaatta tgtttcgaca 720 ctggcttctg aggggaacta tggtgagagc ggtgtggagg ccttcaccca gatctcgagg gagattggtg gtgtttgcat tgctcagtca cagaaaatcc cacgtgaacc aagacctgga 780 840 gaatttgaaa aaattatcaa acgcctgcta gaaacaccta atgctcgagc agtgattatg 900 tttgccaatg aggatgacat caggaggata ttggaagcag caaaaaaact aaaccaaagt gggcattttc tctggattgg ctcagatagt tggggatcca aaatagcacc tgtctatcag 960 1020 caagaggaga ttgcagaagg ggctgtgaca attttgccca aacgagcatc aattgatgga 1080 tttgatcgat actttagaag ccgaactctt gccaataatc gaagaaatgt gtggtttgca gaattctggg aggagaattt tggctgcaag ttaggatcac atgggaaaag gaacagtcat 1140 ataaagaaat gcacagggct ggagcgaatt gctcgggatt catcttatga acaggaagga 1200 aaggtccaat ttgtaattga tgctgtatat tccatggctt acgccctgca caatatgcac 1260 aaagatetet geeetggata cattggeett tgteeacgaa tgagtaceat tgatgggaaa 1320 1380 gagctacttg gttatattcg ggctgtaaat tttaatggca gtgctggcac tcctgtcact 1440 tttaatgaaa acggagatgc tcctggacgt tatgatatct tccagtatca aataaccaac aaaagcacag agtacaaagt catcggccac tggaccaatc agcttcatct aaaagtggaa 1500 1560 gacatgcagt gggctcatag agaacatact cacceggcgt ctgtctgcag cctgccgtgt aagccagggg agaggaagaa aacggtgaaa ggggtccctt gctgctggca ctgtgaacgc 1620 1680 tgtgaaggtt acaactacca ggtggatgag ctgtcctgtg aactttgccc tctggatcag 1740 agacccaaca tgaaccgcac aggctgccag cttatcccca tcatcaaatt ggagtggcat tctccctggg ctgtggtgcc tgtgtttgtt gcaatattgg gaatcatcgc caccaccttt 1800 gtgatcgtga cctttgtccg ctataatgac acacctatcg tgagggcttc aggacgcgaa 1860 cttagttacg tgctcctaac ggggattttt ctctgttatt caatcacgtt tttaatgatt 1920 1980 gcagcaccag atacaatcat atgctccttc cgacgggtct tcctaggact tggcatgtgt ttcagctatg cagcccttct gaccaaaaca aaccgtatcc accgaatatt tgagcagggg 2040 aagaaatctg tcacagcgcc caagttcatt agtccagcat ctcagctggt gatcaccttc 2100 agcctcatct ccgtccagct ccttggagtg tttgtctggt ttgttgtgga tccccccac 2160 atcatcattg actatggaga gcagcggaca ctagatccag agaaggccag gggagtgctc 2220 aagtgtgaca tttctgatct ctcactcatt tgttcacttg gatacagtat cctcttgatg 2280 gtcacttgta ctgtttatgc cattaaaacg agaggtgtcc cagagacttt caatgaagcc 2340 aaacctattg gatttaccat gtataccacc tgcatcattt ggttagcttt catccccatc 2400 2460 ttttttggta cagcccagtc agcagaaaag atgtacatcc agacaacaac acttactgtc tccatgagtt taagtgcttc agtatctctg ggcatgctct atatgcccaa ggtttatatt 2520 2580 ataatttttc atccagaaca gaataccatc gaggaggtgc gttgcagcac cgcagctcac 2640 getttcaagg tggctgcccg ggccacgctg cgccgcagca acgtctcccg caagcggtcc 2700 agcagcettg gaggetecac gggatecace ecetectect ceateageag caagagcaae 2760 agcgaagacc cattcccaca gcccgagagg cagaagcagc agcagccgct ggccctaacc 2820 cagcaagagc agcagcagca gcccctgacc ctcccacagc agcaacgatc tcagcagcag 2880 cccagatgca agcagaaggt catctttggc agcggcacgg tcaccttctc actgagcttt 2940 gatgagcctc agaagaacgc catggcccac gggaattcta cgcaccagaa ctccctggag 3000 gcccagaaaa gcagcgatac gctgacccga caccagccat tactcccgct gcagtgcggg 3060 gaaacggact tagatctgac cgtccaggaa acaggtctgc aaggacctgt gggtggagac 3120 cagcggccag aggtggagga ccctgaagag ttgtccccag cacttgtagt gtccagttca 3177 cagagetttg teateagtgg tggaggeage actgttacag aaaaegtagt gaattea

<211> 1059

<212> PRT

<213> Artificial Sequence

<220>

<223> Chimeric hmGluR8/hCaR

<400> 39

Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu
1 10 15

Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His
20 25 30

Ser Gln Glu Tyr Ala His Ser Ile Arg Val Asp Gly Asp Ile Ile Leu 35 40 45

Gly Gly Leu Phe Pro Val His Ala Lys Gly Glu Arg Gly Val Pro Cys 50 60

Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu 65 70 75 80

Tyr Ala Ile Asp Gln Ile Asn Lys Asp Pro Asp Leu Leu Ser Asn Ile 85 90 95

Thr Leu Gly Val Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr Tyr Ala 100 105 110

Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Ala 115 120 125

Ser Asp Val Lys Cys Ala Asn Gly Asp Pro Pro Ile Phe Thr Lys Pro 130 135 140

Asp Lys Ile Ser Gly Val Ile Gly Ala Ala Ala Ser Ser Val Ser Ile 145 150 155 160

Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr 165 170 175

Ala Ser Thr Ala Pro Glu Leu Ser Asp Asn Thr Arg Tyr Asp Phe Phe 180 185 190

Ser Arg Val Val Pro Pro Asp Ser Tyr Gln Ala Gln Ala Met Val Asp 195 200 205

Ile Val Thr Ala Leu Gly Trp Asn Tyr Val Ser Thr Leu Ala Ser Glu 210 215 220

Gly Asn Tyr Gly Glu Ser Gly Val Glu Ala Phe Thr Gln Ile Ser Arg 225 230 235 240

Glu Ile Gly Gly Val Cys Ile Ala Gln Ser Gln Lys Ile Pro Arg Glu 245 250 255

- Pro Arg Pro Gly Glu Phe Glu Lys Ile Ile Lys Arg Leu Leu Glu Thr 260 265 270
- Pro Asn Ala Arg Ala Val Ile Met Phe Ala Asn Glu Asp Asp Ile Arg 275 280 285
- Arg Ile Leu Glu Ala Ala Lys Lys Leu Asn Gln Ser Gly His Phe Leu 290 295 300
- Trp Ile Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Tyr Gln 305 310 315 320
- Gln Glu Glu Ile Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Ala 325 330 335
- Ser Ile Asp Gly Phe Asp Arg Tyr Phe Arg Ser Arg Thr Leu Ala Asn 340 345 350
- Asn Arg Arg Asn Val Trp Phe Ala Glu Phe Trp Glu Glu Asn Phe Gly 355 360 365
- Cys Lys Leu Gly Ser His Gly Lys Arg Asn Ser His Ile Lys Lys Cys 370 380
- Thr Gly Leu Glu Arg Ile Ala Arg Asp Ser Ser Tyr Glu Gln Glu Gly 385 390 395 400
- Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ser Met Ala Tyr Ala Leu 405 410 415
- His Asn Met His Lys Asp Leu Cys Pro Gly Tyr Ile Gly Leu Cys Pro 420 425 430
- Arg Met Ser Thr Ile Asp Gly Lys Glu Leu Leu Gly Tyr Ile Arg Ala 435 440 445
- Val Asn Phe Asn Gly Ser Ala Gly Thr Pro Val Thr Phe Asn Glu Asn 450 455 460
- Gly Asp Ala Pro Gly Arg Tyr Asp Ile Phe Gln Tyr Gln Ile Thr Asn 465 470 475 480
- Lys Ser Thr Glu Tyr Lys Val Ile Gly His Trp Thr Asn Gln Leu His 485 490 495
- Leu Lys Val Glu Asp Met Gln Trp Ala His Arg Glu His Thr His Pro 500 505 510
- Ala Ser Val Cys Ser Leu Pro Cys Lys Pro Gly Glu Arg Lys Lys Thr 515 520 525
- Val Lys Gly Val Pro Cys Cys Trp His Cys Glu Arg Cys Glu Gly Tyr
- Asn Tyr Gln Val Asp Glu Leu Ser Cys Glu Leu Cys Pro Leu Asp Gln 545 550 555 560

Arg Pro Asn Met Asn Arg Thr Gly Cys Gln Leu Ile Pro Ile Ile Lys 565 570 575

Leu Glu Trp His Ser Pro Trp Ala Val Val Pro Val Phe Val Ala Ile 580 585 590

Leu Gly Ile Ile Ala Thr Thr Phe Val Ile Val Thr Phe Val Arg Tyr 595 600 605

Asn Asp Thr Pro Ile Val Arg Ala Ser Gly Arg Glu Leu Ser Tyr Val 610 620

Leu Leu Thr Gly Ile Phe Leu Cys Tyr Ser Ile Thr Phe Leu Met Ile 625 630 635 640

Ala Ala Pro Asp Thr Ile Ile Cys Ser Phe Arg Arg Val Phe Leu Gly 645 650 655

Leu Gly Met Cys Phe Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn Arg 660 670

Ile His Arg Ile Phe Glu Gln Gly Lys Lys Ser Val Thr Ala Pro Lys 675 680 685

Phe Ile Ser Pro Ala Ser Gln Leu Val Ile Thr Phe Ser Leu Ile Ser 690 695 700

Val Gln Leu Leu Gly Val Phe Val Trp Phe Val Val Asp Pro Pro His 705 710 715 720

Ile Ile Ile Asp Tyr Gly Glu Gln Arg Thr Leu Asp Pro Glu Lys Ala
725 730 735

Arg Gly Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Ser 740 745 750

Leu Gly Tyr Ser Ile Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile 755 760 765

Lys Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly 770 775 780

Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Phe Ile Pro Ile 785 790 795 800

Phe Phe Gly Thr Ala Gln Ser Ala Glu Lys Met Tyr Ile Gln Thr Thr 805 810 815

Thr Leu Thr Val Ser Met Ser Leu Ser Ala Ser Val Ser Leu Gly Met 820 825 830

Leu Tyr Met Pro Lys Val Tyr Ile Ile Ile Phe His Pro Glu Gln Asn 835 840 845

Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala His Ala Phe Lys Val

Ala Ala Arg Ala Thr Leu Arg Arg Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala Leu Thr Gln Gln Gln Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu Val Val Ser Ser Ser Gln Ser Phe Val Ile Ser Gly Gly Gly Ser Thr Val Thr Glu Asn Val

Val Asn Ser

<210> 40
<211> 4257
<212> DNA
<213> Artificial Sequence
<220>
<223> Chimeric mGluR8//CaR*G(qi5

<400> 40

atggtatgcg agggaaagcg atcagcctct tgcccttgtt tcttcctctt gaccgccaag ttctactgga tcctcacaat gatgcaaaga actcacagcc aggagtatgc ccattccata cgggtggatg gggacattat tttggggggt ctcttccctg tccacgcaaa gggagagaga

240 ggggtgcctt gtggggagct gaagaaggaa aaggggattc acagactgga ggccatgctt 300 tatgcaattg accagattaa caaggaccct gatctccttt ccaacatcac tctgggtgtc 360 cgcatcctcg acacgtgctc tagggacacc tatgctttgg agcagtctct aacattcgtg 420 caggcattaa tagagaaaga tgcttcggat gtgaagtgtg ctaatggaga tccacccatt 480 ttcaccaage ecgacaagat ttctggegte ataggtgetg cageaagete egtgtecate atggttgcta acattttaag actttttaag atacctcaaa tcagctatgc atccacagcc 540 ccagagctaa gtgataacac caggtatgac tttttctctc gagtggttcc gcctgactcc 600 taccaagccc aagccatggt ggacatcgtg acagcactgg gatggaatta tgtttcgaca 660 ctggcttctg aggggaacta tggtgagagc ggtgtggagg ccttcaccca gatctcgagg 720 780 gagattggtg gtgtttgcat tgctcagtca cagaaaatcc cacgtgaacc aagacctgga 840 gaatttgaaa aaattatcaa acgcctgcta gaaacaccta atgctcgagc agtgattatg 900 tttgccaatg aggatgacat caggaggata ttggaagcag caaaaaaact aaaccaaagt 960 gggcattttc tctggattgg ctcagatagt tggggatcca aaatagcacc tgtctatcag caagaggaga ttgcagaagg ggctgtgaca attttgccca aacgagcatc aattgatgga 1020 1080 tttgatcgat actttagaag ccgaactctt gccaataatc gaagaaatgt gtggtttgca 1140 gaattctggg aggagaattt tggctgcaag ttaggatcac atgggaaaag gaacagtcat ataaagaaat gcacagggct ggagcgaatt gctcgggatt catcttatga acaggaagga 1200 aaggtccaat ttgtaattga tgctgtatat tccatggctt acgccctgca caatatgcac 1260 1320 aaagatetet geeetggata cattggeett tgteeacgaa tgagtaceat tgatgggaaa gagctacttg gttatattcg ggctgtaaat tttaatggca gtgctggcac tcctgtcact 1380 tttaatgaaa acggagatgc tcctggacgt tatgatatct tccagtatca aataaccaac 1440 1500 aaaagcacag agtacaaagt catcggccac tggaccaatc agcttcatct aaaagtggaa 1560 gacatgcagt gggctcatag agaacatact cacccggcgt ctgtctgcag cctgccgtgt 1620 aagccagggg agaggaagaa aacggtgaaa ggggtccctt gctgctggca ctgtgaacgc 1680 tgtgaaggtt acaactacca ggtggatgag ctgtcctgtg aactttgccc tctggatcag 1740 agacccaaca tgaaccgcac aggctgccag cttatcccca tcatcaaatt ggagtggcat 1800 tctccctggg ctgtggtgcc tgtgtttgtt gcaatattgg gaatcatcgc caccaccttt 1860 qtqatcqtga cctttgtccg ctataatgac acacctatcg tgagggcttc aggacgcgaa 1920 cttagttacg tgctcctaac ggggattttt ctctgttatt caatcacgtt tttaatgatt 1980 gcagcaccag atacaatcat atgctccttc cgacgggtct tcctaggact tggcatgtgt 2040 ttcagctatg cagcccttct gaccaaaaca aaccgtatcc accgaatatt tgagcagggg 2100 aagaaatctg tcacagcgcc caagttcatt agtccagcat ctcagctggt gatcaccttc 2160 agcctcatct ccgtccagct ccttggagtg tttgtctggt ttgttgtgga tccccccac atcatcattg actatggaga gcagcggaca ctagatccag agaaggccag gggagtgctc 2220 aagtgtgaca tttctgatct ctcactcatt tgttcacttg gatacagtat cctcttgatg 2280 gtcacttgta ctgtttatgc cattaaaacg agaggtgtcc cagagacttt caatgaagcc 2340 aaacctattg gatttaccat gtataccacc tgcatcattt ggttagcttt catccccatc 2400 ttttttggta cagcccagtc agcagaaaag atgtacatcc agacaacaac acttactgtc 2460 tccatgagtt taagtgcttc agtatctctg ggcatgctct atatgcccaa ggtttatatt 2520 ataatttttc atccagaaca gaataccatc gaggaggtgc gttgcagcac cgcagctcac 2580 2640 gctttcaagg tggctgcccg ggccacgctg cgccgcagca acgtctcccg caagcggtcc 2700 agcagecttg gaggeteeac gggateeace eceteeteet ceateageag caagageaac 2760 agcgaagacc cattcccaca gcccgagagg cagaagcagc agcagccgct ggccctaacc 2820 cagcaagagc agcagcagca gcccctgacc ctcccacagc agcaacgatc tcagcagcag 2880 cccagatgca agcagaaggt catctttggc agcggcacgg tcaccttctc actgagcttt 2940 gatgagcete agaagaacge catggeecac gggaatteta egeaceagaa etecetggag 3000 qcccagaaaa gcagcgatac gctgacccga caccagccat tactcccgct gcagtgcggg 3060 qaaacggact tagatctgac cgtccaggaa acaggtctgc aaggacctgt gggtggagac 3120 cageggeeag aggtggagga ceetgaagag ttgteeceag caettgtagt gteeagttea 3180 cagagetttg teatcagtgg tggaggeage actgttacag aaaacgtagt gaatteaatg 3240 actotggagt coatcatggo gtgotgootg agogaggagg coaaggaago coggoggato 3300 aacgacgaga tcgagcggca gctccgcagg gacaagcggg acgcccgccg ggagctcaag ctgctgctgc tcgggacagg agagagtggc aagagtacgt ttatcaagca gatgagaatc 3360 atccatgggt caggatactc tgatgaagat aaaaggggct tcaccaagct ggtgtatcag 3420 aacatcttca cggccatgca ggccatgatc agagccatgg acacactcaa gatcccatac 3480 aagtatgagc acaataaggc tcatgcacaa ttagttcgag aagttgatgt ggagaaggtg 3540 3600 tctgcttttg agaatccata tgtagatgca ataaagagtt tatggaatga tcctggaatc

3660

3720

3780

3840

3900

3960

4020

4080

4140

4200 4257

caggaatgct atgatagacg acgagaatat caattatctg actctaccaa atactatctt

aatgacttgg accgcgtagc tgaccctgcc tacctgccta cgcaacaaga tgtgcttaga gttcgagtcc ccaccacagg gatcatcgaa tacccctttg acttacaaag tgtcattttc agaatggtcg atgtaggggg ccaaaggtca gagagaagaa aatggataca ctgctttgaa aatgtcacct ctatcatgtt tctagtagcg cttagtgaat atgatcaagt tctcgtggag tcagacaatg agaaccgaat ggaggaaagc aaggctctct ttagaacaat tatcacatac ccctggttcc agaactcctc ggttattctg ttcttaaaca agaaagatct tctagaggag aaaatcatgt attcccatct agtcgactac ttcccagaat atgatggacc ccagagagat gcccaggcag cccgagaatt cattctgaag atgttcgtgg acctgaaccc agacagtgac aaaattatct actcccactt cacgtgcgcc acagacaccg agaatatccg ctttgtcttt gctgccgtca aggacaccat cctccagttg aacctgaagg actgcggtct gttctaa <210> 41 <211> 1418 <212> PRT <213> Artificial Sequence <220> <223> Chimeric mGluR8//CaR*G(qi5 <400> 41 Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu 10 5 Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His 25 30 20 Ser Gln Glu Tyr Ala His Ser Ile Arg Val Asp Gly Asp Ile Ile Leu 40 35 Gly Gly Leu Phe Pro Val His Ala Lys Gly Glu Arg Gly Val Pro Cys 55 Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu 80 75 70 Tyr Ala Ile Asp Gln Ile Asn Lys Asp Pro Asp Leu Leu Ser Asn Ile 95 90 85 Thr Leu Gly Val Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr Tyr Ala 110 105 100 Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Ala 125 120 115 Ser Asp Val Lys Cys Ala Asn Gly Asp Pro Pro Ile Phe Thr Lys Pro 140 130 135 Asp Lys Ile Ser Gly Val Ile Gly Ala Ala Ala Ser Ser Val Ser Ile 160 155 145 150 Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr 165

Ala Ser Thr Ala Pro Glu Leu Ser Asp Asn Thr Arg Tyr Asp Phe Phe

180

185

190

Ser Arg Val Val Pro Pro Asp Ser Tyr Gln Ala Gln Ala Met Val Asp 195 200 205

Ile Val Thr Ala Leu Gly Trp Asn Tyr Val Ser Thr Leu Ala Ser Glu 210 215 220

Gly Asn Tyr Gly Glu Ser Gly Val Glu Ala Phe Thr Gln Ile Ser Arg 225 230 235 240

Glu Ile Gly Gly Val Cys Ile Ala Gln Ser Gln Lys Ile Pro Arg Glu 245 250 255

Pro Arg Pro Gly Glu Phe Glu Lys Ile Ile Lys Arg Leu Leu Glu Thr 260 265 270

Pro Asn Ala Arg Ala Val Ile Met Phe Ala Asn Glu Asp Asp Ile Arg 275 280 285

Arg Ile Leu Glu Ala Ala Lys Lys Leu Asn Gln Ser Gly His Phe Leu 290 295 300

Trp Ile Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Tyr Gln 305 310 315 320

Gln Glu Glu Ile Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Ala 325 330 335

Ser Ile Asp Gly Phe Asp Arg Tyr Phe Arg Ser Arg Thr Leu Ala Asn 340 345 350

Asn Arg Arg Asn Val Trp Phe Ala Glu Phe Trp Glu Glu Asn Phe Gly 355 360

Cys Lys Leu Gly Ser His Gly Lys Arg Asn Ser His Ile Lys Lys Cys 370 380

Thr Gly Leu Glu Arg Ile Ala Arg Asp Ser Ser Tyr Glu Gln Glu Gly 385 390 395 400

Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ser Met Ala Tyr Ala Leu 405 410 415

His Asn Met His Lys Asp Leu Cys Pro Gly Tyr Ile Gly Leu Cys Pro 420 425 430

Arg Met Ser Thr Ile Asp Gly Lys Glu Leu Leu Gly Tyr Ile Arg Ala 435 440 445

Val Asn Phe Asn Gly Ser Ala Gly Thr Pro Val Thr Phe Asn Glu Asn 450 455 460

Gly Asp Ala Pro Gly Arg Tyr Asp Ile Phe Gln Tyr Gln Ile Thr Asn 465 470 475 480

Lys Ser Thr Glu Tyr Lys Val Ile Gly His Trp Thr Asn Gln Leu His
485 490 495

Leu Lys Val Glu Asp Met Gln Trp Ala His Arg Glu His Thr His Pro 500 510

Ala Ser Val Cys Ser Leu Pro Cys Lys Pro Gly Glu Arg Lys Lys Thr 515 520 525

Val Lys Gly Val Pro Cys Cys Trp His Cys Glu Arg Cys Glu Gly Tyr 530 535 540

Asn Tyr Gln Val Asp Glu Leu Ser Cys Glu Leu Cys Pro Leu Asp Gln 545 550 555 560

Arg Pro Asn Met Asn Arg Thr Gly Cys Gln Leu Ile Pro Ile Ile Lys 565 570 575

Leu Glu Trp His Ser Pro Trp Ala Val Val Pro Val Phe Val Ala Ile 580 585 590

Leu Gly Ile Ile Ala Thr Thr Phe Val Ile Val Thr Phe Val Arg Tyr 595 600 605

Asn Asp Thr Pro Ile Val Arg Ala Ser Gly Arg Glu Leu Ser Tyr Val 610 620

Leu Leu Thr Gly Ile Phe Leu Cys Tyr Ser Ile Thr Phe Leu Met Ile 625 630 635 640

Ala Ala Pro Asp Thr Ile Ile Cys Ser Phe Arg Arg Val Phe Leu Gly 645 650 655

Leu Gly Met Cys Phe Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn Arg 660 670

Ile His Arg Ile Phe Glu Gln Gly Lys Lys Ser Val Thr Ala Pro Lys 675 680 685

Phe Ile Ser Pro Ala Ser Gln Leu Val Ile Thr Phe Ser Leu Ile Ser 690 695 700

Val Gln Leu Leu Gly Val Phe Val Trp Phe Val Val Asp Pro Pro His 705 710 715 720

Ile Ile Ile Asp Tyr Gly Glu Gln Arg Thr Leu Asp Pro Glu Lys Ala 725 730 735

Arg Gly Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Ser 740 745 750

Leu Gly Tyr Ser Ile Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile 755 760 765

Lys Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly 770 780

Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Phe Ile Pro Ile 785 790 795 800

Phe Phe Gly Thr Ala Gln Ser Ala Glu Lys Met Tyr Ile Gln Thr Thr 805 810 815

Thr Leu Thr Val Ser Met Ser Leu Ser Ala Ser Val Ser Leu Gly Met 820 825 830

Leu Tyr Met Pro Lys Val Tyr Ile Ile Ile Phe His Pro Glu Gln Asn 835 840 845

Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala His Ala Phe Lys Val 850 855 860

Ala Ala Arg Ala Thr Leu Arg Arg Ser Asn Val Ser Arg Lys Arg Ser 865 870 875 880

Ser Ser Leu Gly Gly Ser Thr Gly Ser Thr Pro Ser Ser Ser Ile Ser 885 890 895

Ser Lys Ser Asn Ser Glu Asp Pro Phe Pro Gln Pro Glu Arg Gln Lys 900 905 910

Gln Gln Gln Pro Leu Ala Leu Thr Gln Gln Gln Gln Gln Gln Pro 915 920 925

Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Fro Arg Cys Lys
930 935 940

Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu Ser Phe 945 950 955 960

Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln
965 970 975

Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln 980 985 990

Pro Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val 995 1000 1005

Gln Glu Thr Gly Leu Gln Gly Pro Val Gly Gly Asp Gln Arg Pro Glu 1010 1015 1020

Val Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu Val Val Ser Ser Ser 1025 1030 1035 1040

Gln Ser Phe Val Ile Ser Gly Gly Gly Ser Thr Val Thr Glu Asn Val 1045 1050 1055

Val Asn Ser Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu 1060 1065 1070

Glu Ala Lys Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu

The street of th

Arg Arg Asp Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gly Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr Ser Ile Met Phe Leu Val Ala Leu Ser Glu Tyr Asp Gln Val Leu Val Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn

```
Pro Asp Ser Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala Thr Asp 1380

Thr Glu Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu 1395

Gln Leu Asn Leu Lys Asp Cys Gly Leu Phe 1410

1415
```

<210> 42
<211> 3909
<212> DNA
<213> Artificial Sequence
<220>
<223> Chimeric GABA-BR2*Gq05
<400> 42

60 atggcttccc cgcggagctc cgggcagccc gggccgccgc cgccgccgcc accgccgcc 120 gcgcgcctgc tactgctact gctgctgccg ctgctgctgc ctctggcgcc cggggcctgg 180 ggctgggcgc ggggggcccc ccggccgccg cccagcagcc cgccgctctc catcatgggc 240 ctcatgccgc tcaccaagga ggtggccaag ggcagcatcg ggcgcggtgt gctccccgcc 300 gtggaactgg ccatcgagca gatccgcaac gagtcactcc tgcgccctta cttcctcgac 360 ctgcggctct atgacacgga gtgcgacaac gcaaaagggt tgaaagcctt ctacgatgca 420 ataaaatacg ggccgaacca cttgatggtg tttggaggcg tctgtccatc cgtcacatcc 480 atcattgcag agtccctcca aggctggaat ctggtgcagc tttcttttgc tgcaaccacg cctgttctag ccgataagaa aaaataccct tatttctttc ggaccgtccc atcagacaat 540 600 gcggtgaatc cagccattct gaagttgctc aagcactacc agtggaagcg cgtgggcacg 660 ctgacgcaag acgttcagag gttctctgag gtgcggaatg acctgactgg agttctgtat 720 ggcgaggaca ttgagatttc agacaccgag agcttctcca acgatccctg taccagtgtc aaaaagctga aggggaatga tgtgcggatc atccttggcc agtttgacca gaatatggca 780 gcaaaagtgt tctgttgtgc atacgaggag aacatgtatg gtagtaaata tcagtggatc 840 attccgggct ggtacgagcc ttcttggtgg gagcaggtgc acacggaagc caactcatcc 900 960 cgctgcctcc ggaagaatct gcttgctgcc atggagggct acattggcgt ggatttcgag 1020 cccctgagct ccaagcagat caagaccatc tcaggaaaga ctccacagca gtatgagaga 1080 gagtacaaca acaagcggtc aggcgtgggg cccagcaagt tccacgggta cgcctacgat 1140 ggcatctggg tcatcgccaa gacactgcag agggccatgg agacactgca tgccagcagc 1200 cggcaccagc ggatccagga cttcaactac acggaccaca cgctgggcag gatcatcctc 1260 aatgccatga acgagaccaa cttcttcggg gtcacgggtc aagttgtatt ccggaatggg 1320 gagagaatgg ggaccattaa atttactcaa tttcaagaca gcagggaggt gaaggtggga 1380 gagtacaacg ctgtggccga cacactggag atcatcaatg acaccatcag gttccaagga 1440 tccgaaccac caaaagacaa gaccatcatc ctggagcagc tgcggaagat ctccctacct 1500 ctctacagca tcctctctgc cctcaccatc ctcgggatga tcatggccag tgcttttctc 1560 ttcttcaaca tcaagaaccg gaatcagaag ctcataaaga tgtcgagtcc atacatgaac 1620 aaccttatca tccttggagg gatgctctcc tatgcttcca tatttctctt tggccttgat 1680 ggatcctttg tctctgaaaa gacctttgaa acactttgca ccgtcaggac ctggattctc 1740 accgtgggct acacgaccgc ttttggggcc atgtttgcaa agacctggag agtccacgcc 1800 atcttcaaaa atgtgaaaat gaagaagaag atcatcaagg accagaaact gcttgtgatc gtgggggca tgctgctgat cgacctgtgt atcctgatct gctggcaggc tgtggacccc 1860 ctgcgaagga cagtggagaa gtacagcatg gagccggacc cagcaggacg ggatatctcc 1920 atccgccctc tcctggagca ctgtgagaac acccatatga ccatctggct tggcatcgtc 1980 2040 tatgcctaca agggacttct catgttgttc ggttgtttct tagcttggga gacccgcaac 2100 qtcaqcatcc ccgcactcaa cgacagcaag tacatcggga tgagtgtcta caacgtgggg

```
atcatgtgca tcatcggggc cgctgtctcc ttcctgaccc gggaccagcc caatgtgcag
                                                                      2160
ttctgcatcg tggctctggt catcatcttc tgcagcacca tcaccctctg cctggtattc
                                                                      2220
                                                                      2280
qtqccqaaqc tcatcaccct gagaacaaac ccagatgcag caacgcagaa caggcgattc
cagttcactc agaatcagaa gaaagaagat tctaaaaacgt ccacctcggt caccagtgtg
                                                                      2340
                                                                      2400
aaccaaqcca gcacatcccg cctggagggc ctacagtcag aaaaccatcg cctgcgaatg
                                                                      2460
aagatcacag agctggataa agacttggaa gaggtcacca tgcagctgca ggacacacca
gaaaagacca cctacattaa acagaaccac taccaagagc tcaatgacat cctcaacctg
                                                                      2520
ggaaacttca ctgagagcac agatggagga aaggccattt taaaaaaatca cctcgatcaa
                                                                      2580
                                                                      2640
aatccccaqc tacagtggaa cacaacagag ccctctcgaa catgcaaaga tcctatagaa
gatataaact ctccagaaca catccagcgt cggctgtccc tccagctccc catcctccac
                                                                      2700
cacgcctacc tcccatccat cggaggcgtg gacgccagct gtgtcagccc ctgcgtcagc
                                                                      2760
cccaccgcca gccccgcca cagacatgtg ccaccctcct tccgagtcat ggtctcgggc
                                                                      2820
ctggcggccg ccatgactct ggagtccatc atggcgtgct gcctgagcga ggaggccaag
                                                                      2880
gaagcccggc ggatcaacga cgagatcgag cggcagctcc gcagggacaa gcgggacgcc
                                                                      2940
                                                                      3000
cgccgggagc tcaagctgct gctgctcggg acaggagaga gtggcaagag tacgtttatc
                                                                      3060
aagcagatga gaatcatcca tgggtcagga tactctgatg aagataaaag gggcttcacc
                                                                      3120
aagctggtgt atcagaacat cttcacggcc atgcaggcca tgatcagagc catggacaca
                                                                      3180
ctcaagatcc catacaagta tgagcacaat aaggctcatg cacaattagt tcgagaagtt
gatgtggaga aggtgtctgc ttttgagaat ccatatgtag atgcaataaa gagtttatgg
                                                                      3240
aatgatcctg gaatccagga atgctatgat agacgacgag aatatcaatt atctgactct
                                                                      3300
accaaatact atcttaatga cttggaccgc gtagctgacc ctgcctacct gcctacgcaa
                                                                      3360
                                                                      3420
caagatgtgc ttagagttcg agtccccacc acagggatca tcgaataccc ctttgactta
caaagtgtca ttttcagaat ggtcgatgta gggggccaaa ggtcagagag aagaaaatgg
                                                                      3480
atacactgct ttgaaaatgt cacctctatc atgtttctag tagcgcttag tgaatatgat
                                                                      3540
caagttctgg tggagtcaga caatgagaac cgaatggagg aaagcaaggc tctctttaga
                                                                      3600
acaattatca catacccctg gttccagaac tcctcggtta ttctgttctt aaacaagaaa
                                                                      3660
gatcttctag aggagaaaat catgtattcc catctagtcg actacttccc agaatatgat
                                                                      3720
ggaccccaga gagatgccca ggcagcccga gaattcattc tgaagatgtt cgtggacctg
                                                                      3780
aacccagaca gtgacaaaat taactactcc cacttcacgt gcgccacaga caccgagaat
                                                                      3840
atccgctttg tctttgctgc cgtcaaggac accatcctcc agttgaacct gaagggctgc
                                                                      3900
                                                                      3909
ggtctgtac
```

```
<210> 43
      <211> 1303
      <212> PRT
      <213> Artificial Sequence
      <220>
      <223> Chimeric GABA-BR2*Gqo5
      <400> 43
Met Ala Ser Pro Arg Ser Ser Gly Gln Pro Gly Pro Pro Pro Pro
                                                        15
                 5
                                    10
1
Pro Pro Pro Pro Ala Arg Leu Leu Leu Leu Leu Leu Pro Leu Leu
                                                    30
                                25
            20
Leu Pro Leu Ala Pro Gly Ala Trp Gly Trp Ala Arg Gly Ala Pro Arg
                                                45
        35
                            40
Pro Pro Pro Ser Ser Pro Pro Leu Ser Ile Met Gly Leu Met Pro Leu
                        55
```

Thr Lys Glu Val Ala Lys Gly Ser Ile Gly Arg Gly Val Leu Pro Ala 65 70 75 80

Val Glu Leu Ala Ile Glu Gln Ile Arg Asn Glu Ser Leu Leu Arg Pro 85 90 95

Tyr Phe Leu Asp Leu Arg Leu Tyr Asp Thr Glu Cys Asp Asn Ala Lys
100 105 110

Gly Leu Lys Ala Phe Tyr Asp Ala Ile Lys Tyr Gly Pro Asn His Leu 115 120 125

Met Val Phe Gly Gly Val Cys Pro Ser Val Thr Ser Ile Ile Ala Glu 130 135 140

Ser Leu Gln Gly Trp Asn Leu Val Gln Leu Ser Phe Ala Ala Thr Thr 145 150 155 160

Pro Val Leu Ala Asp Lys Lys Lys Tyr Pro Tyr Phe Phe Arg Thr Val 165 170 175

Pro Ser Asp Asn Ala Val Asn Pro Ala Ile Leu Lys Leu Lys His 180 185 190

Tyr Gln Trp Lys Arg Val Gly Thr Leu Thr Gln Asp Val Gln Arg Phe 195 200 205

Ser Glu Val Arg Asn Asp Leu Thr Gly Val Leu Tyr Gly Glu Asp Ile 210 215 220

Glu Ile Ser Asp Thr Glu Ser Phe Ser Asn Asp Pro Cys Thr Ser Val 225 230 235 240

Lys Lys Leu Lys Gly Asn Asp Val Arg Ile Ile Leu Gly Gln Phe Asp 245 250 255

Gln Asn Met Ala Ala Lys Val Phe Cys Cys Ala Tyr Glu Glu Asn Met 260 265 270

Tyr Gly Ser Lys Tyr Gln Trp Ile Ile Pro Gly Trp Tyr Glu Pro Ser 275 280 285

Trp Trp Glu Gln Val His Thr Glu Ala Asn Ser Ser Arg Cys Leu Arg 290 295 300

Lys Asn Leu Leu Ala Ala Met Glu Gly Tyr Ile Gly Val Asp Phe Glu 305 310 315 320

Pro Leu Ser Ser Lys Gln Ile Lys Thr Ile Ser Gly Lys Thr Pro Gln
325 330 335

Gln Tyr Glu Arg Glu Tyr Asn Asn Lys Arg Ser Gly Val Gly Pro Ser 340 345 350

Lys Phe His Gly Tyr Ala Tyr Asp Gly Ile Trp Val Ile Ala Lys Thr 355 360 365 Leu Gln Arg Ala Met Glu Thr Leu His Ala Ser Ser Arg His Gln Arg 370 375 380

Ile Gln Asp Phe Asn Tyr Thr Asp His Thr Leu Gly Arg Ile Ile Leu 385 390 395 400

Asn Ala Met Asn Glu Thr Asn Phe Phe Gly Val Thr Gly Gln Val Val 405 410 415

Phe Arg Asn Gly Glu Arg Met Gly Thr Ile Lys Phe Thr Gln Phe Gln 420 425 430

Asp Ser Arg Glu Val Lys Val Gly Glu Tyr Asn Ala Val Ala Asp Thr 435 440 445

Leu Glu Ile Ile Asn Asp Thr Ile Arg Phe Gln Gly Ser Glu Pro Pro 450 455 460

Lys Asp Lys Thr Ile Ile Leu Glu Gln Leu Arg Lys Ile Ser Leu Pro 465 470 475 480

Leu Tyr Ser Ile Leu Ser Ala Leu Thr Ile Leu Gly Met Ile Met Ala 485 490 495

Ser Ala Phe Leu Phe Phe Asn Ile Lys Asn Arg Asn Gln Lys Leu Ile 500 505 510

Lys Met Ser Ser Pro Tyr Met Asn Asn Leu Ile Ile Leu Gly Gly Met 515 520 525

Leu Ser Tyr Ala Ser Ile Phe Leu Phe Gly Leu Asp Gly Ser Phe Val 530 540

Ser Glu Lys Thr Phe Glu Thr Leu Cys Thr Val Arg Thr Trp Ile Leu 545 550 555 560

Thr Val Gly Tyr Thr Thr Ala Phe Gly Ala Met Phe Ala Lys Thr Trp
565 570 575

Arg Val His Ala Ile Phe Lys Asn Val Lys Met Lys Lys Lys Ile Ile 580 585 590

Lys Asp Gln Lys Leu Leu Val Ile Val Gly Gly Met Leu Leu Ile Asp 595 600 605

Leu Cys Ile Leu Ile Cys Trp Gln Ala Val Asp Pro Leu Arg Arg Thr 610 620

Val Glu Lys Tyr Ser Met Glu Pro Asp Pro Ala Gly Arg Asp Ile Ser 625 630 635 640

Ile Arg Pro Leu Leu Glu His Cys Glu Asn Thr His Met Thr Ile Trp 645 650 655

Leu Gly Ile Val Tyr Ala Tyr Lys Gly Leu Leu Met Leu Phe Gly Cys

Phe Leu Ala Trp Glu Thr Arg Asn Val Ser Ile Pro Ala Leu Asn Asp Ser Lys Tyr Ile Gly Met Ser Val Tyr Asn Val Gly Ile Met Cys Ile Ile Gly Ala Ala Val Ser Phe Leu Thr Arg Asp Gln Pro Asn Val Gln Phe Cys Ile Val Ala Leu Val Ile Ile Phe Cys Ser Thr Ile Thr Leu Cys Leu Val Phe Val Pro Lys Leu Ile Thr Leu Arg Thr Asn Pro Asp Ala Ala Thr Gln Asn Arg Arg Phe Gln Phe Thr Gln Asn Gln Lys Lys Glu Asp Ser Lys Thr Ser Thr Ser Val Thr Ser Val Asn Gln Ala Ser Thr Ser Arg Leu Glu Gly Leu Gln Ser Glu Asn His Arg Leu Arg Met Lys Ile Thr Glu Leu Asp Lys Asp Leu Glu Glu Val Thr Met Gln Leu Gln Asp Thr Pro Glu Lys Thr Thr Tyr Ile Lys Gln Asn His Tyr Gln Glu Leu Asn Asp Ile Leu Asn Leu Gly Asn Phe Thr Glu Ser Thr Asp Gly Gly Lys Ala Ile Leu Lys Asn His Leu Asp Gln Asn Pro Gln Leu Gln Trp Asn Thr Thr Glu Pro Ser Arg Thr Cys Lys Asp Pro Ile Glu Asp Ile Asn Ser Pro Glu His Ile Gln Arg Arg Leu Ser Leu Gln Leu Pro Ile Leu His His Ala Tyr Leu Pro Ser Ile Gly Gly Val Asp Ala Ser Cys Val Ser Pro Cys Val Ser Pro Thr Ala Ser Pro Arg His Arg His Val Pro Pro Ser Phe Arg Val Met Val Ser Gly Leu Ala Ala Ala Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys

- Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Asp 965 970 975
- Lys Arg Asp Ala Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly 980 985 990
- Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly 995 1000 1005
- Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr 1010 1015 1020
- Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr 1025 1030 1035 1040
- Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu 1045 1050 1055
- Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr 1060 1065 1070
- Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys 1075 1080 1085
- Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr 1090 1095 1100
- Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln 1105 1110 1115
- Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr 1125 1130 1135
- Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gly 1140 1145 1150
- Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr 1155 1160 1165
- Ser Ile Met Phe Leu Val Ala Leu Ser Glu Tyr Asp Gln Val Leu Val 1170 1175 1180
- Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg 1185 1190 1195 1200
- Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe 1205 1210 1215
- Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu 1220 1225 1230
- Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala 1235 1240 1245
- Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser 1250 1255 1260

Asp Lys Ile Asn Tyr Ser His Phe Thr Cys Ala Thr Asp Thr Glu Asn 1265 1270 1275 1280

Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu Gln Leu Asn 1285 1290 1295

Leu Lys Gly Cys Gly Leu Tyr 1300

> <210> 44 <211> 3969 <212> DNA <213> Artificial Sequence

<220>
<223> Chimeric GABA-BR1a*Gqo5

<400> 44

60 atgttgctgc tgctgctact ggcgccactc ttcctccgcc ccccgggcgc gggcgggggcg 120 cagaccccca acgccacctc agaaggttgc cagatcatac acccgccctg ggaaggggc 180 atcaggtacc ggggcctgac tcgggaccag gtgaaggcta tcaacttcct gccagtggac 240 tatgagattg agtatgtgtg ccggggggag cgcgaggtgg tggggcccaa ggtccgcaag 300 tgcctggcca acggctcctg gacagatatg gacacaccca gccgctgtgt ccgaatctgc 360 tccaagtctt atttgaccct ggaaaatggg aaggttttcc tgacgggtgg ggacctccca 420 gctctggacg gagcccgggt ggatttccgg tgtgaccccg acttccatct ggtgggcagc 480 tcccggagca tctgtagtca gggccagtgg agcaccccca agccccactg ccaggtgaat 540 cqaacqccac actcagaacg gcgcgcagtg tacatcgggg cactgtttcc catgagcggg 600 ggctggccag ggggccaggc ctgccagccc gcggtggaga tggcgctgga ggacgtgaat 660 agccgcaggg acatcctgcc ggactatgag ctcaagctca tccaccacga cagcaagtgt 720 gatccaggcc aagccaccaa gtacctatat gagctgctct acaacgaccc tatcaagatc 780 atccttatgc ctggctgcag ctctgtctcc acgctggtgg ctgaggctgc taggatgtgg aacctcattg tgctttccta tggctccagc tcaccagccc tgtcaaaccg gcagcgtttc 840 900 cccactttct tccgaacgca cccatcagcc acactccaca accctacccg cgtgaaactc tttgaaaagt ggggctggaa gaagattgct accatccagc agaccactga ggtcttcact 960 tcgactctgg acgacctgga ggaacgagtg aaggaggctg gaattgagat tactttccgc 1020 cagagtttct tctcagatcc agctgtgccc gtcaaaaacc tgaagcgcca ggatgcccga 1080 atcatcgtgg gacttttcta tgagactgaa gcccggaaag ttttttgtga ggtgtacaag 1140 gagcgtctct ttgggaagaa gtacgtctgg ttcctcattg ggtggtatgc tgacaattgg 1200 ttcaagatct acgacccttc tatcaactgc acagtggatg agatgactga ggcggtggag 1260 ggccacatca caactgagat tgtcatgctg aatcctgcca atacccgcag catttccaac 1320 atgacatccc aggaatttgt ggagaaacta accaagcgac tgaaaagaca ccctgaggag 1380 acaggagget tecaggagge accgetggee tatgatgeea tetgggeett ggeactggee 1440 ctgaacaaga catctggagg aggcggccgt tctggtgtgc gcctggagga cttcaactac 1500 aacaaccaga ccattaccga ccaaatctac cgggcaatga actcttcgtc ctttgagggt 1560 gtctctggcc atgtggtgtt tgatgccagc ggctctcgga tggcatggac gcttatcgag 1620 cagcttcagg gtggcagcta caagaagatt ggctactatg acagcaccaa ggatgatctt 1680 tcctggtcca aaacagataa atggattgga gggtcccccc cagctgacca gaccctggtc 1740 atcaagacat teegetteet gteacagaaa etetttatet eegteteagt teteteeage 1800 1860 ctgggcattg tcctagctgt tgtctgtctg tcctttaaca tctacaactc acatgtccgt 1920 tatatccaga actcacagcc caacctgaac aacctgactg ctgtgggctg ctcactggct 1980 ttagctgctg tcttccccct ggggctcgat ggttaccaca ttgggaggaa ccagtttcct 2040 ttcgtctgcc aggcccgcct ctggctcctg ggcctgggct ttagtctggg ctacggttcc

<210> 45

```
2100
atgttcacca agatttggtg ggtccacacg gtcttcacaa agaaggaaga aaagaaggag
                                                                      2160
tggaggaaga ctctggaacc ctggaagctg tatgccacag tgggcctgct ggtgggcatg
                                                                      2220
gatgtcctca ctctcgccat ctggcagatc gtggaccctc tgcaccggac cattgagaca
                                                                      2280
tttgccaagg aggaacctaa ggaagatatt gacgtctcta ttctgcccca gctggagcat
                                                                      2340
tgcagctcca ggaagatgaa tacatggctt ggcattttct atggttacaa ggggctgctg
                                                                      2400
ctgctgctgg gaatcttcct tgcttatgag accaagagtg tgtccactga gaagatcaat
gatcaccggg ctgtgggcat ggctatctac aatgtggcag tcctgtgcct catcactgct
                                                                      2460
                                                                      2520
cctgtcacca tgattctgtc cagccagcag gatgcagcct ttgcctttgc ctctcttgcc
                                                                      2580
atagttttct cctcctatat cactcttgtt gtgctctttg tgcccaagat gcgcaggctg
                                                                      2640
atcacccgag gggaatggca gtcggaggcg caggacacca tgaagacagg gtcatcgacc
aacaacaacg aggaggagaa gtcccggctg ttggagaagg agaaccgtga actggaaaag
                                                                      2700
atcattgctg agaaagagga gcgtgtctct gaactgcgcc atcaactcca gtctcggcag
                                                                      2760
cageteeget eeeggegeea eeeacegaea eeeceagaac eetetggggg eetgeeeagg
                                                                      2820
                                                                      2880
ggaccccctg agccccccga ccggcttagc tgtgatggga gtcgagtgca tttgctttat
                                                                      2940
aaggeggeeg eeatgaetet ggagteeate atggegtget geetgagega ggaggeeaag
gaageeegge ggateaaega egagategag eggeagetee geagggaeaa gegggaegee
                                                                      3000
                                                                      3060
cgccgggagc tcaagctgct gctgctcggg acaggagaga gtggcaagag tacgtttatc
                                                                      3120
aagcagatga gaatcatcca tgggtcagga tactctgatg aagataaaag gggcttcacc
                                                                      3180
aagctggtgt atcagaacat cttcacggcc atgcaggcca tgatcagagc catggacaca
ctcaagatcc catacaagta tgagcacaat aaggctcatg cacaattagt tcgagaagtt
                                                                      3240
gatgtggaga aggtgtctgc ttttgagaat ccatatgtag atgcaataaa gagtttatgg
                                                                      3300
                                                                      3360
aatgatcctg gaatccagga atgctatgat agacgacgag aatatcaatt atctgactct
                                                                      3420
accaaatact atcttaatga cttggaccgc gtagctgacc ctgcctacct gcctacgcaa
caagatgtgc ttagagttcg agtccccacc acagggatca tcgaataccc ctttgactta
                                                                      3480
caaagtgtca ttttcagaat ggtcgatgta gggggccaaa ggtcagagag aagaaaatgg
                                                                      3540
                                                                      3600
atacactgct ttgaaaatgt cacctctatc atgtttctag tagcgcttag tgaatatgat
                                                                      3660
caagttctcg tggagtcaga caatgagaac cgaatggagg aaagcaaggc tctctttaga
                                                                      3720
acaattatca catacccctg gttccagaac tcctcggtta ttctgttctt aaacaagaaa
                                                                      3780
gatcttctag aggagaaaat catgtattcc catctagtcg actacttccc agaatatgat
                                                                      3840
ggaccccaga gagatgccca ggcagcccga gaattcattc tgaagatgtt cgtggacctg
                                                                      3900
aacccagaca gtgacaaaat tatctactcc cacttcacgt gcgccacaga caccgagaat
atccgctttg tctttgctgc cgtcaaggac accatcctcc agttgaacct gaagggctgc
                                                                      3960
                                                                      3969
ggtctgtac
```

Asp Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu

Tyr Val Cys Arg Gly Glu Arg Glu Val Val Gly Pro Lys Val Arg Lys Cys Leu Ala Asn Gly Ser Trp Thr Asp Met Asp Thr Pro Ser Arg Cys Val Arg Ile Cys Ser Lys Ser Tyr Leu Thr Leu Glu Asn Gly Lys Val Phe Leu Thr Gly Gly Asp Leu Pro Ala Leu Asp Gly Ala Arg Val Asp Phe Arg Cys Asp Pro Asp Phe His Leu Val Gly Ser Ser Arg Ser Ile Cys Ser Gln Gly Gln Trp Ser Thr Pro Lys Pro His Cys Gln Val Asn Arg Thr Pro His Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala Arg Met Trp Asn Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser Ala Thr Leu His Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly Trp Lys Lys Ile Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser Thr Leu Asp Asp Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu Ile Thr Phe Arg Gln Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys

Asn Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu 355 360 365

Thr Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe 370 380

Gly Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp 385 390 395 400

Phe Lys Ile Tyr Asp Pro Ser Ile Asn Cys Thr Val Asp Glu Met Thr 405 410 415

Glu Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro 420 425 430

Ala Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu 435 440 445

Lys Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe 450 455 460

Gln Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala 465 470 475 480

Leu Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu 485 490 495

Asp Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala
500 505 510

Met Asn Ser Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp 515 520 525

Ala Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly 530 540

Gly Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu 545 550 555 560

Ser Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp 565 570 575

Gln Thr Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe 580 585 590

Ile Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val 595 600 605

Cys Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn 610 620

Ser Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala 625 630 635

Leu Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg 645 650 655 Asn Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu 660 665 670

Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val 675 680 685

His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr 690 695 700

Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met 705 710 715 720

Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg
725 730 735

Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val 740 745 750

Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Arg Lys Met Asn Thr 755 760 765

Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly 770 775 780

Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn 785 790 795 800

Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys 805 810 815

Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala 820 825 830

Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr 835 840 845

Leu Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly 850 855 860

Glu Trp Gln Ser Glu Ala Gln Asp Thr Met Lys Thr Gly Ser Ser Thr 865 870 875 880

Asn Asn Asn Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg 885 890 895

Glu Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu 900 905 910

Arg His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro 915 920 925

Pro Thr Pro Pro Glu Pro Ser Gly Gly Leu Pro Arg Gly Pro Pro Glu 930 940

Pro Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr

```
Tyr Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg
    1250
                        1255
                                             1260
Asp Ala Gln Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp Leu
                                        1275
1265
                    1270
Asn Pro Asp Ser Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala Thr
                1285
                                    1290
                                                         1295
Asp Thr Glu Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile
                                1305
                                                     1310
Leu Gln Leu Asn Leu Lys Gly Cys Gly Leu Tyr
                            1320
      <210> 46
      <211> 4231
      <212> DNA
      <213> Artificial Sequence
```

<213> Artificial Sequence

<220>
<223> Chimeric pmGluR2//CaR*G(qi5+3Ala

<400> 46

atgggatcgc tgcttgcgct cccggcactg ctgctgctgt ggggtgctgt ggctgagggc 60 ccagccaaga aggtgctgac cctggaggga gacttggtgc tgggtgggct gttcccagtg 120 caccagaagg gcggcccagc agaggactgt ggtcctgtca atgagcaccg tggcatccag 180 240 cgcctggagg ccatgctttt tgcactggac cgcatcaacc gtgacccgca cctgctgcct 300 ggcgtgcgcc tgggtgcaca catcctcgac agttgctcca aggacacaca tgcgctggag 360 cagging actititing the transfer of the cagging activities and the cagging activities activities and the cagging activities activities and the cagging activities activities activities and the cagging activities act tgccccgacg gctcttatgc gacccatggt gatgctccca ctgccatcac tggtgttatt 420 ggcggttcct acagtgatgt ctccatccag gtggccaacc tcttgaggct atttcagatc 480 ccacagatta gctacgcctc taccagtgcc aagctgagtg acaagtcccg ctatgactac 540 tttgcccgca cagtgcctcc tgacttcttc caagccaagg ccatggctga gattctccgc 600 ttcttcaact ggacctatgt gtccactgtg gcgtctgagg gcgactatgg cgagacaggc 660 720 attgaggeet ttgagetaga ggetegtgee egeaacatet gtgtggeeac eteggagaaa 780 gtgggccgtg ccatgagccg cgcggccttt gagggtgtgg tgcgagccct gctgcagaag 840 cccagtgccc gcgtggctgt cctgttcacc cgttctgagg atgcccggga gctgcttgct 900 gccagccagc gcctcaatgc cagcttcacc tgggtggcca gtgatggttg gggggccctg 960 gagagtgtgg tggcaggcag tgagggggct gctgagggtg ctatcaccat cgagctggcc 1020 tectacecca teagtgaett tgeetectae ttecagagee tggaecettg gaacaacage 1080 cggaacccct ggttccgtga attctgggag cagaggttcc gctgcagctt ccggcagcga gactgcgcag cccactctct ccgggctgtg ccctttgagc aggagtccaa gatcatgttt 1140 gtggtcaatg cagtgtacgc catggcccat gcgctccaca acatgcaccg tgccctctgc 1200 cccaacacca cccggctctg tgacgcgatg cggccagtta acgggcgccg cctctacaag 1260 gactttgtgc tcaacgtcaa gtttgatgcc ccctttcgcc cagctgacac ccacaatgag 1320 gtccgctttg accgctttgg tgatggtatt ggccgctaca acatcttcac ctatctgcgt 1380 gcaggcagtg ggcgctatcg ctaccagaag gtgggctact gggcagaagg cttgactctg 1440 1500 gacaccagec teateceatg ggeeteacee teageeggee eeetgeeege etetegetge agtgagccct gcctccagaa tgaggtgaag agtgtgcagc cgggcgaagt ctgctgctgg 1560 ctctgcattc cgtgccagcc ctatgagtac cgattggacg aattcacttg cgctgattgt 1620 ggcctgggct actggcccaa tgccagcctg actggctgct tcgaactgcc ccaggagtac 1680 1740 atccgctggg gcgatgcctg ggctgtggga cctgtcacca tcgcctgcct cggtgccctg 1800 gccaccctct ttgtgctggg tgtctttgtg cggcacaatg ccacaccagt ggtcaaggcc

```
tcaggtcggg agctctgcta catcctgctg ggtggtgtct tcctctgcta ctgcatgacc
                                                                      1860
                                                                      1920
ttcatcttca ttgccaagcc atccacggca gtgtgtacct tacggcgtct tggtttgggc
                                                                      1980
actgccttct ctgtctgcta ctcagccctg ctcaccaaga ccaaccgcat tgcacgcatc
                                                                      2040
ttcggtgggg cccgggaggg tgcccagcgg ccacgcttca tcagtcctgc ctcacaggtg
                                                                      2100
gccatctgcc tggcacttat ctcgggccag ctgctcatcg tggtcgcctg gctggtggtg
gaggcaccgg gcacaggcaa ggagacagcc cccgaacggc gggaggtggt gacactgcgc
                                                                      2160
tgcaaccacc gcgatgcaag tatgttgggc tcgctggcct acaatgtgct cctcatcgcg
                                                                      2220
ctctgcacgc tttatgcctt caagactcgc aagtgccccg aaaacttcaa cgaggccaag
                                                                      2280
ttcattggct tcaccatgta caccacctgc atcatctggc tggcattcct gcccatcttc
                                                                      2340
                                                                      2400
tatgtcacct ccagtgacta ccgggtacag accaccacca tgtgcgtgtc agtcagcctc
                                                                      2460
agcggctccg tggtgcttgg ctgcctcttt gcgcccaagc tgcacatcat cctcttccag
ccgcagaaga acaccatcga ggaggtgcgt tgcagcaccg cagctcacgc tttcaaggtg
                                                                      2520
                                                                      2580
getgeeeggg ceaegetgeg eegeageaac gteteeegea ageggteeag eageettgga
                                                                      2640
ggctccacgg gatccacccc ctcctcctcc atcagcagca agagcaacag cgaagaccca
                                                                      2700
ttcccacagc ccgagaggca gaagcagcag cagccgctgg ccctaaccca gcaagagcag
                                                                      2760
cagcagcagc ccctgaccct cccacagcag caacgatctc agcagcagcc cagatgcaag
cagaaggtca tctttggcag cggcacggtc accttctcac tgagctttga tgagcctcag
                                                                      2820
aagaacgcca tggcccacgg gaattctacg caccagaact ccctggaggc ccagaaaagc
                                                                      2880
                                                                      2940
agcgatacgc tgacccgaca ccagccatta ctcccgctgc agtgcgggga aacggactta
gatctgaccg tccaggaaac aggtctgcaa ggacctgtgg gtggagacca gcggccagag
                                                                      3000
gtggaggacc ctgaagagtt gtccccagca cttgtagtgt ccagttcaca gagctttgtc
                                                                      3060
                                                                      3120
atcagtggtg gaggcagcac tgttacagaa aacgtagtga attcagcggc cgccatgact
                                                                      3180
ctggagtcca tcatggcgtg ctgcctgagc gaggaggcca aggaagcccg gcggatcaac
                                                                      3240
gacgagatcg agcggcagct ccgcagggac aagcgggacg cccgccggga gctcaagctg
                                                                      3300
ctgctgctcg ggacaggaga gagtggcaag agtacgttta tcaagcagat gagaatcatc
                                                                      3360
catgggtcag gatactctga tgaagataaa aggggcttca ccaagctggt gtatcagaac
                                                                      3420
atcttcacgg ccatgcaggc catgatcaga gccatggaca cactcaagat cccatacaag
                                                                      3480
tatgagcaca ataaggctca tgcacaatta gttcgagaag ttgatgtgga gaaggtgtct
                                                                      3540
gcttttgaga atccatatgt agatgcaata aagagtttat ggaatgatcc tggaatccag
                                                                      3600
gaatgctatg atagacgacg agaatatcaa ttatctgact ctaccaaata ctatcttaat
                                                                      3660
gacttggacc gcgtagctga ccctgcctac ctgcctacgc aacaagatgt gcttagagtt
                                                                      3720
cgagtcccca ccacagggat catcgaatac ccctttgact tacaaagtgt cattttcaga
                                                                      3780
atggtcgatg tagggggcca aaggtcagag agaagaaaat ggatacactg ctttgaaaat
gtcacctcta tcatgtttct agtagcgctt agtgaatatg atcaagttct cgtggagtca
                                                                      3840
                                                                      3900
gacaatgaga accgaatgga ggaaagcaag gctctcttta gaacaattat cacatacccc
                                                                      3960
tggttccaga actcctcggt tattctgttc ttaaacaaga aagatcttct agaggagaaa
                                                                      4020
atcatgtatt cccatctagt cgactacttc ccagaatatg atggacccca gagagatgcc
                                                                      4080
caggcagccc gagaattcat tctgaagatg ttcgtggacc tgaacccaga cagtgacaaa
                                                                      4140
attatctact cccacttcac gtgcgccaca gacaccgaga atatccgctt tgtctttgct
                                                                      4200
gccgtcaagg acaccatcct ccagttgaac ctgaaggact gcggtctgtt ctaattgtgc
                                                                      4231
ctcctagaca cccgccctgc ccttccctgg t
```

```
<210> 47
<211> 1397
<212> PRT
<213> Artificial Sequence

<220>
<223> Chimeric pmGluR2//CaR*G(qi5+3Ala

<400> 47

Met Gly Ser Leu Leu Ala Leu Pro Ala Leu Leu Leu Trp Gly Ala
1 5 10 15
```

- Val Ala Glu Gly Pro Ala Lys Lys Val Leu Thr Leu Glu Gly Asp Leu 20 25 30
- Val Leu Gly Gly Leu Phe Pro Val His Gln Lys Gly Gly Pro Ala Glu 35 40 45
- Asp Cys Gly Pro Val Asn Glu His Arg Gly Ile Gln Arg Leu Glu Ala 50 55 60
- Met Leu Phe Ala Leu Asp Arg Ile Asn Arg Asp Pro His Leu Leu Pro 65 75 80
- Gly Val Arg Leu Gly Ala His Ile Leu Asp Ser Cys Ser Lys Asp Thr 85 90 95
- His Ala Leu Glu Gln Ala Leu Asp Phe Val Arg Ala Ser Leu Ser Arg 100 105 110
- Gly Ala Asp Gly Ser Arg His Ile Cys Pro Asp Gly Ser Tyr Ala Thr 115 120 125
- His Gly Asp Ala Pro Thr Ala Ile Thr Gly Val Ile Gly Gly Ser Tyr 130 135 140
- Ser Asp Val Ser Ile Gln Val Ala Asn Leu Leu Arg Leu Phe Gln Ile 145 150 155 160
- Pro Gln Ile Ser Tyr Ala Ser Thr Ser Ala Lys Leu Ser Asp Lys Ser 165 170 175
- Arg Tyr Asp Tyr Phe Ala Arg Thr Val Pro Pro Asp Phe Phe Gln Ala 180 185 190
- Lys Ala Met Ala Glu Ile Leu Arg Phe Phe Asn Trp Thr Tyr Val Ser 195 200 205
- Thr Val Ala Ser Glu Gly Asp Tyr Gly Glu Thr Gly Ile Glu Ala Phe 210 215 220
- Glu Leu Glu Ala Arg Ala Arg Asn Ile Cys Val Ala Thr Ser Glu Lys 225 230 235
- Val Gly Arg Ala Met Ser Arg Ala Ala Phe Glu Gly Val Val Arg Ala 245 250 255
- Leu Leu Gln Lys Pro Ser Ala Arg Val Ala Val Leu Phe Thr Arg Ser 260 270
- Glu Asp Ala Arg Glu Leu Leu Ala Ala Ser Gln Arg Leu Asn Ala Ser 275 280 285
- Phe Thr Trp Val Ala Ser Asp Gly Trp Gly Ala Leu Glu Ser Val Val 290 295 300
- Ala Gly Ser Glu Gly Ala Ala Glu Gly Ala Ile Thr Ile Glu Leu Ala

Ser Tyr Pro Ile Ser Asp Phe Ala Ser Tyr Phe Gln Ser Leu Asp Pro Trp Asn Asn Ser Arg Asn Pro Trp Phe Arg Glu Phe Trp Glu Gln Arg Phe Arg Cys Ser Phe Arg Gln Arg Asp Cys Ala Ala His Ser Leu Arg Ala Val Pro Phe Glu Gln Glu Ser Lys Ile Met Phe Val Val Asn Ala Val Tyr Ala Met Ala His Ala Leu His Asn Met His Arg Ala Leu Cys Pro Asn Thr Thr Arg Leu Cys Asp Ala Met Arg Pro Val Asn Gly Arg Arg Leu Tyr Lys Asp Phe Val Leu Asn Val Lys Phe Asp Ala Pro Phe Arg Pro Ala Asp Thr His Asn Glu Val Arg Phe Asp Arg Phe Gly Asp Gly Ile Gly Arg Tyr Asn Ile Phe Thr Tyr Leu Arg Ala Gly Ser Gly Arg Tyr Arg Tyr Gln Lys Val Gly Tyr Trp Ala Glu Gly Leu Thr Leu Asp Thr Ser Leu Ile Pro Trp Ala Ser Pro Ser Ala Gly Pro Leu Pro Ala Ser Arg Cys Ser Glu Pro Cys Leu Gln Asn Glu Val Lys Ser Val Gln Pro Gly Glu Val Cys Cys Trp Leu Cys Ile Pro Cys Gln Pro Tyr Glu Tyr Arg Leu Asp Glu Phe Thr Cys Ala Asp Cys Gly Leu Gly Tyr Trp Pro Asn Ala Ser Leu Thr Gly Cys Phe Glu Leu Pro Gln Glu Tyr Ile Arg Trp Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys Leu Gly Ala Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His Asn Ala Thr Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile

Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile 610 620

Ala Lys Pro Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly 625 630 635

Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg 645 650 655

Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg 660 665 670

Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser 675 680 685

Gly Gln Leu Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly 690 695 700

Thr Gly Lys Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg 705 710 715 720

Cys Asn His Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val 725 730 735

Leu Leu Ile Ala Leu Cys Thr Leu Tyr Ala Phe Lys Thr Arg Lys Cys 740 745 750

Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr 755 760 765

Thr Cys Ile Ile Trp Leu Ala Phe Leu Pro Ile Phe Tyr Val Thr Ser 770 775 780

Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu 785 790 795 800

Ser Gly Ser Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile 805 810 815

Ile Leu Phe Gln Pro Gln Lys Asn Thr Ile Glu Glu Val Arg Cys Ser 820 825 830

Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg 835 840 845

Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly 850 855 860

Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro 865 870 875 880

Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala Leu Thr 885 890 895

Gln Gln Gln Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg 900 905 910

- Ser Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly 915 920 925
- Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met 930 935 940
- Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser 945 950 955 960
- Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly 965 970 975
- Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro 980 985 990
- Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser 995 1000 1005
- Pro Ala Leu Val Val Ser Ser Gln Ser Phe Val Ile Ser Gly Gly 1010 1015 1020
- Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser Ala Ala Ala Met Thr 1025 1030 1035 1040
- Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys Glu Ala 1045 1050 1055
- Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Arg Asp Lys Arg 1060 1065 1070
- Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly Glu Ser 1075 1080 1085
- Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly Ser Gly 1090 1095 1100
- Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr Gln Asn 1105 1110 1115 1120
- Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr Leu Lys
 1125 1130 1135
- Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu Val Arg 1140 1145 1150
- Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr Val Asp 1155 1160 1165
- Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys Tyr Asp 1170 1175 1180
- Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr Leu Asn 1185 1190 1195 1200
- Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln Gln Asp

Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr Ser Ile Met Phe Leu Val Ala Leu Ser Glu Tyr Asp Gln Val Leu Val Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala Ala Arg Brief Heift Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser Asp Lys 73 94 Ile Ile Tyr Ser His Phe Thr Cys Ala Thr Asp Thr Glu Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu Gln Leu Asn Leu Lys Asp Cys Gly Leu Phe <210> 48 <211> 905 <212> PRT <213> Chimeric construct ph8SPmGluR4 <400> 48 Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His

Ser Gln Glu Tyr Ala His Ser Ile Arg Ile Asp Gly Asp Ile Thr Leu

Gly Gly Leu Phe Pro Val His Gly Arg Gly Ser Glu Gly Lys Pro Cys

Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu

Phe Ala Leu Asp Arg Ile Asn Asn Asp Pro Asp Leu Leu Pro Asn Ile Thr Leu Gly Ala Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr His Ala Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Gly Thr Glu Val Arg Cys Gly Ser Gly Gly Pro Pro Ile Ile Thr Lys Pro Glu Arg Val Val Gly Val Ile Gly Ala Ser Gly Ser Ser Val Ser Ile Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr Ala Ser Thr Ala Pro Asp Leu Ser Asp Asn Ser Arg Tyr Asp Phe Phe Ser Arg Val Val Pro Ser Asp Thr Tyr Gln Ala Gln Ala Met Val Asp Ile Val Arg Ala Leu Lys Trp Asn Tyr Val Ser Thr Val Ala Ser Glu Gly Ser Tyr Gly Glu Ser Gly Val Glu Ala Phe Ile Gln Lys Ser Arg Glu Asp Gly Gly Val Cys Ile Ala Gln Ser Val Lys Ile Pro Arg Glu Pro Lys Ala Gly Glu Phe Asp Lys Ile Ile Arg Arg Leu Leu Glu Thr Ser Asn Ala Arg Ala Val Ile Ile Phe Ala Asn Glu Asp Asp Ile Arg Arg Val Leu Glu Ala Ala Arg Arg Ala Asn Gln Thr Gly His Phe Phe Trp Met Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Leu His Leu Glu Glu Val Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Met Ser Val Arg Gly Phe Asp Arg Tyr Phe Ser Ser Arg Thr Leu Asp Asn Asn Arg Arg Asn Ile Trp Phe Ala Glu Phe Trp Glu Asp Asn Phe His Cys Lys Leu Ser Arg His Ala Leu Lys Lys Gly Ser His Val Lys Lys Cys Thr Asn Arg Glu Arg Ile Gly Gln Asp Ser Ala Tyr Glu Gln Glu Gly Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ala Met Gly His Ala Leu His Ala Met His Arg Asp Leu Cys Pro Gly Arg Val Gly Leu Cys Pro Arg Met Asp Pro Val Asp Gly Thr Gln Leu Leu Lys Tyr Ile Arg Asn Val Asn Phe Ser Gly Ile Ala Gly Asn Pro Val Thr Phe Asn Glu Asn Gly Asp Ala Pro Gly Arg Tyr Asp Ile Tyr Gln Tyr Gln Leu Arg Asn Asp Ser Ala Glu Tyr Lys Val Ile Gly Ser Trp Thr Asp His Leu His Leu Arg Ile Glu Arg Met His Trp Pro Gly Ser Gly Gln Gln Leu Pro Arg Ser Ile Cys Ser Leu Pro Cys Gln Pro Gly Glu Arg Lys Thr Val Lys Gly Met Pro Cys Cys Trp His Cys Glu Pro Cys Thr Gly

```
The state of the s
```

```
530
                        535
                                             540
Tyr Gln Tyr Gln Val Asp Arg Tyr Thr Cys Lys Thr Cys Pro Tyr Asp
                    550
                                         555
Met Arg Pro Thr Glu Asn Arg Thr Gly Cys Arg Pro Ile Pro Ile Ile
                                     570
Lys Leu Glu Trp Gly Ser Pro Trp Ala Val Leu Pro Leu Phe Leu Ala
                                585
            580
Val Val Gly Ile Ala Ala Thr Leu Phe Val Val Ile Thr Phe Val Arg
                            600
Tyr Asn Asp Thr Pro Ile Val Lys Ala Ser Gly Arg Glu Leu Ser Tyr
                        615
                                             620
Val Leu Leu Ala Gly Ile Phe Leu Cys Tyr Ala Thr Thr Phe Leu Met
Ile Ala Glu Pro Asp Leu Gly Thr Cys Ser Leu Arg Arg Ile Phe Leu
                645
                                     650
Gly Leu Gly Met Ser Ile Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn
Arg Ile Tyr Arg Ile Phe Glu Gln Gly Lys Arg Ser Val Ser Ala Pro
                            680
                                                 685
Arg Phe Ile Ser Pro Ala Ser Gln Leu Ala Ile Thr Phe Ser Leu Ile
                        695
                                             700
Ser Leu Gln Leu Leu Gly Ile Cys Val Trp Phe Val Val Asp Pro Ser
                    710
                                        715
His Ser Val Val Asp Phe Gln Asp Gln Arg Thr Leu Asp Pro Arg Phe
                725
                                     730
Arg Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Leu Leu
            740
                                745
Gly Tyr Ser Met Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile Lys
                            760
                                                 765
Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly Phe
                        775
Thr Met Tyr Thr Thr Cys Ile Val Trp Leu Ala Phe Ile Pro Ile Phe
                    790
                                        795
Phe Gly Thr Ser Gln Ser Ala Asp Lys Leu Tyr Ile Gln Thr Thr
                                     810
Leu Thr Val Ser Val Ser Leu Ser Ala Ser Val Ser Leu Gly Met Leu
                                825
Tyr Met Pro Lys Val Tyr Ile Ile Leu Phe His Pro Glu Gln Asn Val
                            840
Pro Lys Arg Lys Arg Ser Leu Lys Ala Val Val Thr Ala Ala Thr Met
                        855
                                             860
Ser Asn Lys Phe Thr Gln Lys Gly Asn Phe Arg Pro Asn Gly Glu Ala
                    870
                                        875
Lys Ser Glu Leu Cys Glu Asn Leu Glu Ala Pro Ala Thr Lys Gln Thr
                885
                                     890
Tyr Val Thr Tyr Thr Asn His Ala Ile
            900
                                 905
<210> 49
<211> 1416
<212> PRT
<213> Chimeric phmGluR4//CaR*AAA*G qi5
<400> 49
Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu
                                     10
```

Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His Ser Gln Glu Tyr Ala His Ser Ile Arg Ile Asp Gly Asp Ile Thr Leu 40 Gly Gly Leu Phe Pro Val His Gly Arg Gly Ser Glu Gly Lys Pro Cys Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu 70 75 Phe Ala Leu Asp Arg Ile Asn Asn Asp Pro Asp Leu Leu Pro Asn Ile 90 Thr Leu Gly Ala Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr His Ala 100 105 Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Gly 120 Thr Glu Val Arg Cys Gly Ser Gly Gly Pro Pro Ile Ile Thr Lys Pro 135 Glu Arg Val Val Gly Val Ile Gly Ala Ser Gly Ser Ser Val Ser Ile 155 150 Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr 170 Ala Ser Thr Ala Pro Asp Leu Ser Asp Asn Ser Arg Tyr Asp Phe Phe 180 185 Ser Arg Val Val Pro Ser Asp Thr Tyr Gln Ala Gln Ala Met Val Asp 200 Ile Val Arg Ala Leu Lys Trp Asn Tyr Val Ser Thr Val Ala Ser Glu 215 Gly Ser Tyr Gly Glu Ser Gly Val Glu Ala Phe Ile Gln Lys Ser Arg 230 Glu Asp Gly Gly Val Cys Ile Ala Gln Ser Val Lys Ile Pro Arg Glu 250 Pro Lys Ala Gly Glu Phe Asp Lys Ile Ile Arg Arg Leu Leu Glu Thr 265 Ser Asn Ala Arg Ala Val Ile Ile Phe Ala Asn Glu Asp Asp Ile Arg 275 280 285 Arg Val Leu Glu Ala Ala Arg Arg Ala Asn Gln Thr Gly His Phe Phe 300 Trp Met Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Leu His 310 315 Leu Glu Glu Val Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Met 330 325 Ser Val Arg Gly Phe Asp Arg Tyr Phe Ser Ser Arg Thr Leu Asp Asn 340 345 Asn Arg Arg Asn Ile Trp Phe Ala Glu Phe Trp Glu Asp Asn Phe His 360 365 Cys Lys Leu Ser Arg His Ala Leu Lys Lys Gly Ser His Val Lys 375 380 Cys Thr Asn Arg Glu Arg Ile Gly Gln Asp Ser Ala Tyr Glu Gln Glu 390 395 Gly Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ala Met Gly His Ala 405 410 Leu His Ala Met His Arg Asp Leu Cys Pro Gly Arg Val Gly Leu Cys 425 Pro Arg Met Asp Pro Val Asp Gly Thr Gln Leu Leu Lys Tyr Ile Arg Asn Val Asn Phe Ser Gly Ile Ala Gly Asn Pro Val Thr Phe Asn Glu Asn Gly Asp Ala Pro Gly Arg Tyr Asp Ile Tyr Gln Tyr Gln Leu Arg

Asn Asp Ser Ala Glu Tyr Lys Val Ile Gly Ser Trp Thr Asp His Leu His Leu Arg Ile Glu Arg Met His Trp Pro Gly Ser Gly Gln Gln Leu Pro Arg Ser Ile Cys Ser Leu Pro Cys Gln Pro Gly Glu Arg Lys Lys Thr Val Lys Gly Met Pro Cys Cys Trp His Cys Glu Pro Cys Thr Gly Tyr Gln Tyr Gln Val Asp Arg Tyr Thr Cys Lys Thr Cys Pro Tyr Asp Met Arg Pro Thr Glu Asn Arg Thr Gly Cys Arg Pro Ile Pro Ile Ile Lys Leu Glu Trp Gly Ser Pro Trp Ala Val Leu Pro Leu Phe Leu Ala Val Val Gly Ile Ala Ala Thr Leu Phe Val Val Ile Thr Phe Val Arg Tyr Asn Asp Thr Pro Ile Val Lys Ala Ser Gly Arg Glu Leu Ser Tyr Val Leu Leu Ala Gly Ile Phe Leu Cys Tyr Ala Thr Thr Phe Leu Met Ile Ala Glu Pro Asp Leu Gly Thr Cys Ser Leu Arg Arg Ile Phe Leu Gly Leu Gly Met Ser Ile Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn Arg Ile Tyr Arg Ile Phe Glu Gln Gly Lys Arg Ser Val Ser Ala Pro Arg Phe Ile Ser Pro Ala Ser Gln Leu Ala Ile Thr Phe Ser Leu Ile Ser Leu Gln Leu Leu Gly Ile Cys Val Trp Phe Val Val Asp Pro Ser His Ser Val Val Asp Phe Gln Asp Gln Arg Thr Leu Asp Pro Arg Phe Arg Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Leu Leu Gly Tyr Ser Met Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile Lys Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile Val Trp Leu Ala Phe Ile Pro Ile Phe Phe Gly Thr Ser Gln Ser Ala Asp Lys Leu Tyr Ile Gln Thr Thr Leu Thr Val Ser Val Ser Leu Ser Ala Ser Val Ser Leu Gly Met Leu Tyr Met Pro Lys Val Tyr Ile Ile Leu Phe His Pro Glu Gln Asn Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala Leu Thr Gln Gln Gln Gln Gln Gln Pro Leu

Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu Val Val Ser Ser Gln Ser Phe Val Ile Ser Gly Gly Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser Ala Ala Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Arg Asp Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Leu Gly Thr Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gln Arg Ser Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr Ser Ile Met Phe Leu Val Ser Glu Tyr Asp Gln Val Leu Val Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala Thr Asp Thr Glu 1385

Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu Gln Leu

1380

1390

```
good grown water grown had the grown by the wife that the state that the state that the state that
```

1400 Asn Leu Lys Asp Cys Gly Leu Phe 1415 1410 <210> 50 <211> 1411 <212> PRT <213> Chimeric phmGluR8//CaR*AAA*G $_{\alpha}$ i5 <400> 50 Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His 25 Ser Gln Glu Tyr Ala His Ser Ile Arg Val Asp Gly Asp Ile Ile Leu 40 Gly Gly Leu Phe Pro Val His Ala Lys Gly Glu Arg Gly Val Pro Cys 55 Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu 70 75 Tyr Ala Ile Asp Gln Ile Asn Lys Asp Pro Asp Leu Leu Ser Asn Ile 90 Thr Leu Gly Val Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr Tyr Ala 105 Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Ala 120 Ser Asp Val Lys Cys Ala Asn Gly Asp Pro Pro Ile Phe Thr Lys Pro 135 Asp Lys Ile Ser Gly Val Ile Gly Ala Ala Ala Ser Ser Val Ser Ile 155 150 Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr 170 Ala Ser Thr Ala Pro Glu Leu Ser Asp Asn Thr Arg Tyr Asp Phe Phe 185 Ser Arg Val Val Pro Pro Asp Ser Tyr Gln Ala Gln Ala Met Val Asp 200 Ile Val Thr Ala Leu Gly Trp Asn Tyr Val Ser Thr Leu Ala Ser Glu 220 215 Gly Asn Tyr Gly Glu Ser Gly Val Glu Ala Phe Thr Gln Ile Ser Arg Glu Ile Gly Gly Val Cys Ile Ala Gln Ser Gln Lys Ile Pro Arg Glu 245 250 Pro Arg Pro Gly Glu Phe Glu Lys Ile Ile Lys Arg Leu Leu Glu Thr Pro Asn Ala Arg Ala Val Ile Met Phe Ala Asn Glu Asp Asp Ile Arg 280 Arq Ile Ala Ala Lys Lys Leu Asn Gln Ser Gly His Phe Leu Trp Ile Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Tyr Gln Glu 305 310 315 Glu Ile Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Ala Ser Ile 325 Asp Gly Phe Asp Arg Tyr Phe Arg Ser Arg Thr Leu Ala Asn Asn Arg 350 345

Arg Asn Val Trp Phe Ala Glu Phe Trp Glu Glu Asn Phe Gly Cys Lys Leu Gly Ser His Gly Lys Arg Asn Ser His Ile Lys Lys Cys Thr Gly Leu Glu Arg Ile Ala Arg Asp Ser Ser Tyr Glu Gln Glu Gly Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ser Met Ala Tyr Ala Leu His Asn Met His Lys Asp Leu Cys Pro Gly Tyr Ile Gly Leu Cys Pro Arg Met Ser Thr Ile Asp Gly Lys Glu Leu Leu Gly Tyr Ile Arg Ala Val Asn Phe Asn Gly Ser Ala Gly Thr Pro Val Thr Phe Asn Glu Asn Gly Asp Ala Pro Gly Arg Tyr Asp Ile Phe Gln Tyr Gln Ile Thr Asn Lys Ser Thr Glu Tyr Lys Val Ile Gly His Trp Thr Asn Gln Leu His Leu Lys Val Glu Asp Met Gln Trp Ala His Arg Glu His Thr His Pro Ala Ser Val Cys Ser Leu Pro Cys Lys Pro Gly Glu Arg Lys Lys Thr Val Lys Gly Val Pro Cys Cys Trp His Cys Glu Arg Cys Glu Gly Tyr Asn Tyr Gln Val Asp Glu Leu Ser Cys Glu Leu Cys Pro Leu Asp Gln Arg Pro Asn Met Asn Arg Thr Gly Cys Gln Leu Ile Pro Ile Ile Lys Leu Glu Trp His Ser Pro Trp Ala Val Val Pro Val Phe Val Ala Ile Leu Gly Ile Ile Ala Thr Thr Phe Val Ile Val Thr Phe Val Arg Tyr Asn Asp Thr Pro Ile Val Arg Ala Ser Gly Arg Glu Leu Ser Tyr Val Leu Leu Thr Gly Ile Phe Leu Cys Ile Thr Phe Leu Met Ile Ala Ala Pro Asp Thr Ile Ile Cys Ser Phe Arg Arg Val Phe Leu Gly Leu Gly Met Cys Phe Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn Arg Ile His Arg Ile Phe Glu Gln Gly Lys Lys Ser Val Thr Ala Pro Lys Phe Ile Ser Pro Ala Ser Gln Leu Val Ile Thr Phe Ser Leu Ile Ser Val Gln Leu Leu Gly Val Phe Val Trp Phe Val Val Asp Pro Pro His Ile Ile Asp Tyr Gly Glu Gln Arg Thr Leu Asp Pro Glu Lys Arg Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Ser Leu Gly Tyr Ser Ile Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile Lys Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Phe Ile Pro Ile Phe Phe Gly Thr Ala Gln Ser Ala Glu Lys Met Tyr Ile Gln Thr Thr Thr Leu Thr Val Ser Met

Ser Leu Ser Ala Ser Val Ser Leu Gly Met Leu Tyr Met Pro Lys Val Tyr Ile Ile Ile Phe His Pro Glu Gln Asn Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Pro Leu Ala Leu Thr Gln Gln Gln Gln Gln Fro Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu Val Val Ser Ser Ser Gln Ser Phe Val Ile Ser Gly Gly Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser Ala Ala Ala Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Arg Asp Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gly

Start Bard Harr was great from the first those was the first those was the first three with the first three first